

60061-128

6/25/2014

1/4



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
WASHINGTON, D.C. 20460

OFFICE OF CHEMICAL SAFETY  
AND POLLUTION PREVENTION

JUN 25 2014

Kop- Coat, Inc.  
3020 William Pitt Way  
Pittsburgh, PA 15238

Subject: ValvTect Marine Premium Diesel Additive with Bioguard Microbiocide  
EPA Registration Number 60061-128  
Application Dated April 1, 2014  
EPA Received Date April 21, 2014

Dear Mr. Custer:

The following amendment submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA), as amended, is acceptable with comment.

**Proposed Amendment:**

- Update Storage and Disposal Instructions
- First Aid section "If Swallowed"
- Street Address and Signal word under the "KOROC"

**General Comments:**

Submit and/or cite all data required for registration/reregistration/registration review of your product when the Agency requires all registrants of similar products to submit such data.

The next label printing of this product must use this labeling unless subsequent changes have been approved. You must submit one (1) copy of the final printed labeling before you release the product for shipment with the new labeling. In accordance with 40 CFR 152.130(c), you may distribute or sell this product under the previously approved labeling for 18 months from the date of this letter. After 18 months, you may only distribute or sell this product if it bears this new revised labeling or subsequently approved labeling. "To distribute or sell" is defined under FIFRA section 2(gg) and its implementing regulation at 40 CFR 152.3.

Should you have any questions or comments concerning this letter, please contact Drusilla Copeland at (703) 308-6224.

Sincerely,

A handwritten signature in cursive script, appearing to read "E. Miederhoff".

Eric Miederhoff  
Acting Product Manager 33  
Regulatory Management Branch 1  
Antimicrobials Division (7510P)

---

3/4

**VALVTECT®**

## MARINE PREMIUM DIESEL ADDITIVE WITH BIOGUARD MICROBIOCIDE

- \* Contains Bioguard Biocide
- \* Prevents Bacteria Growth
- \* Increases Cetane Number
- \* Cleans Up Injector Deposits
- \* Lubricates Pumps & Injectors
- \* Stabilizes Fuel & Prevents Sludge
- \* Prevents Rust & Corrosion
- \* Disperses Water
- \* Contains No Alcohol
- \* Contains Less Than 15 PPM Sulfur

### ACTIVE INGREDIENTS


4 - (2 - Nitrobutyl) Morpholine	21.8% by wt
4, 4 - (2 - Ethyl - 2 - nitrotrimethylene) Dimorpholine	1.35% by wt
Other Ingredients	76.85% by wt
Total	100.00%

E.P.A. Registration No. 60061 - 128  
E.P.A. Est. 036654 IL - 001

KEEP OUT OF REACH OF CHILDREN

**WARNING**  
**55 GALLON/208L**

VMD550214F



## PRECAUTIONARY STATEMENTS ENVIRONMENTAL HAZARDS

**Hazards to Humans and Domestic Animals**  
**WARNING: HARMFUL IF SWALLOWED OR INHALED.**  
 Causes eye and moderate skin irritation. May cause allergic skin reactions. Avoid breathing vapors or mist. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Wear safety glasses and chemical-resistant gloves. Remove and wash contaminated clothing before reuse.

This pesticide is toxic to fish and wildlife. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to the discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

## STORAGE AND DISPOSAL

**PESTICIDE STORAGE:** Do not contaminate water, food, or feed by storage or disposal. Store in a cool dry place in tightly closed original containers. Keep container tightly closed when not in use. Leaking or damaged drums should be placed in over pack drums for disposal. Spills should be absorbed in sawdust or sand and disposed of in a sanitary landfill. Keep container closed when not in use.

**PESTICIDE DISPOSAL:** Pesticide wastes are acutely hazardous. Improper disposal of excess pesticides, spray mixture, or rinseate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance.

**CONTAINER HANDLING:** Nonrefillable Container: Do not reuse or refill this container. Triple rinse or pressure rinse container (or equivalent) promptly after emptying. Then offer for recycling, if available or puncture and dispose of in a sanitary landfill, or by incineration, or, if allowed by state and local authorities by burning, if burned, stay out of smoke.

## PHYSICAL OR CHEMICAL HAZARDS

**COMBUSTIBLE:** Do not use, or store near heat or open flame.

## DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with the labeling.

### HYDROCARBON FLUIDS

ValvTect Marine Premium Diesel Additive with BioGuard Microbicide is a highly effective multifunctional premium diesel fuel additive containing BioGuard Microbicide to prevent bacterial growth in diesel fuel (No. 2 oil, intermediate fuel oil and No. 6 oil). Add ValvTect Marine Premium Diesel Additive with BioGuard Microbicide to storage tanks at a rate of one gallon to 1500 gallons (667ppm) or one quart to 375 gallons of diesel fuel.

**SEE TECHNICAL DATA SHEET FOR MORE INFORMATION OR CALL 1-800-728-8258**

### DOSAGE RATE

Treatment may be performed by slug dosage or intermittent metering. To facilitate mixing by slug dosage, add ValvTect Marine Premium Diesel Additive with BioGuard Microbicide to the fuel transport or storage tank prior to adding fuel. Storage tank should have a 20% heel of fuel and be free of excess water and/or sludge.

## FIRST AID:

If in Eyes	<ul style="list-style-type: none"> <li>Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li> <li>Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li> <li>Call a poison control center or doctor for treatment advice.</li> </ul>
If Swallowed	<ul style="list-style-type: none"> <li>Immediately call a poison control center or doctor for treatment advice.</li> <li>Do not induce vomiting unless told to do so by a poison control center or doctor.</li> <li>Do not give any liquid to the person.</li> <li>Do not give anything by mouth to an unconscious person.</li> </ul>
If on Skin	<ul style="list-style-type: none"> <li>Take off contaminated clothing.</li> <li>Rinse skin immediately with plenty of water for 15-20 minutes.</li> <li>Call a poison control center or doctor for treatment.</li> </ul>
If Inhaled	<ul style="list-style-type: none"> <li>Move person to fresh air.</li> <li>If person is not breathing, call 911 or an ambulance and then give artificial respiration, preferably mouth-to-mouth, if possible.</li> <li>Call a poison control center or doctor for further treatment.</li> </ul>

**IN CASE OF EMERGENCY** endangering life or property involving this product, call toll free: 1-800-548-0489. Have the product container or label with you when calling a poison control center or doctor or going for treatment.

**Note to Physician:** Contains petroleum distillate. Vomiting may cause aspiration pneumonia and probable mucosal damage may contraindicate the use of gastric lavage.

**Notice:** Seller warrants that the product conforms to its chemical description as contained on this label and is reasonably fit for the purposes stated on this label when used in accordance with directions under normal conditions of use. **THE WARRANTIES MADE IN THIS PARAGRAPH ARE SELLER'S SOLE WARRANTIES WITH RESPECT TO THE PRODUCT AND ARE MADE EXPRESSLY IN LIEU OF AND EXCLUDE ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE AND ALL OTHER EXPRESS OR IMPLIED REPRESENTATIONS AND WARRANTIES.**

This diesel fuel additive complies with the federal low sulfur content requirements for use in diesel motor vehicles and non road engines.

KOP - COAT Inc.  
 ValvTect Petroleum Products Div  
 3400 Dundee Rd.  
 Northbrook, IL 60062  
 800-728-8258  
 www.valvtect.com

VMD5502148