

#### UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, DC 20460

OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

August 18, 2015

Angie Custer Regulatory Affairs Specialist Kop-Coat, Inc. 436 Seventh Avenue Pittsburgh, PA 15219

Subject: Amended Reregistration Label Product Name: Valvtect Marine Premium Diesel Additive with Bioguard Microbiocide EPA Registration Number: 60061-128 Decision Numbers: 428565 and 428690

Dear Ms. Custer:

The Agency, in accordance with the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA), as amended, has completed reviewing all of the information submitted with your application to support the reregistration of the above referenced product in connection with the Bioban RED, and has concluded that your submission is acceptable. The label referred to above, submitted in connection with registration under FIFRA, as amended, is acceptable.

NOTE: This product is <u>not</u> yet being reregistered under section 4(g) of FIFRA.

Please note that the record for this product currently contains the Confidential Statements of Formulation (CSFs) listed below. Any previously dated CSFs are superseded.

- Basic CSF, dated 08/27/2014
- Alternate CSF 1, dated 08/27/2014

A copy of your label stamped "Accepted" is enclosed. Products shipped after 12 months from the date of this amendment or the next printing of the label, whichever occurs first, must bear the new revised label. Your release for shipment of the product bearing the amended label constitutes acceptance of these conditions. If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6.

If you have any questions about this letter, please contact Seiichi Murasaki at <u>murasaki.seiichi@epa.gov</u>.

Sincerely,

quindimedie

Julie Chao, Product Manager 33 Regulatory Management Branch 1 Antimicrobials Division (7510P) Office of Pesticide Programs

Enclosure



# MARINE PREMIUM DIESEL ADDITIVE WITH BIOGUARD MICROBIOCIDE

- Contains Bioguard Biocide
- Prevents Bacteria Growth
- Increases Cetane Number
- Cleans Up Injector Deposits
- Lubricates Pumps & Injectors

- Stabilizes Fuel & Prevents Sludge
- Prevents Rust & Corrosion
- Disperses Water
- Contains No Alcohol
- Contains less Than 15 PPM Sulfur

### **ACTIVE INGREDIENTS**

4-(2-Nitrobutyl) Morpholine 4, 4'-(2-Ethyl-2-nitrotrimethylene) Dimorpholine Other Ingredients Total 21.8% by wt 1.35% by wt <u>76.85% by wt</u> 100.00%

# **CONTAINS PETROLEUM DISTILLATES**

EPA Registration No. 60061-128 EPA Est. No. 036654-IL-001

# **KEEP OUT OF REACH OF CHILDREN**

# CAUTION

55 Gallon/208L

Kop-Coat, Inc. ValvTect Petroleum Products Division 3400 Dundee Road Northbrook, IL 60062 800-728-8258 www.valvtect.com



Under the Federal Insecticide, Fungicide and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No. coocd. 100

<sup>Reg. No.</sup> 60061-128

# CAUTION

#### PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals:

CAUTION: Harmful if swallowed. Harmful if inhaled. Avoid treating vapor or spray mist. Causes moderate eye irritation. Avoid contact with skin, eyes, or clothing. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove and wash contaminated clothing before reuse. Wear safety glasses with side shields or goggles. Wear chemical-resistant gloves.

#### PERSONAL PROTECTIVE EQUIPMENT

Wear long sleeved shirt and long pants, socks, shoes, and chemical resistant gloves (chlorinated polyethylene, butyl rubber, latex, neoprene, or nitrile).

#### **ENVIRONMENTAL HAZARDS**

This product is toxic to fish and aquatic invertebrates. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or other waters unless in accordance with the requirement of National Pollution Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

#### STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal

**PESTICIDE STORAGE:** Store in a cool dry place in tightly closed original containers. Keep container tightly closed when not in use. Leaking or damaged drums should be placed in over pack drums for disposal. Spills should be absorbed in sawdust or sand and disposed of in a sanitary landfill. Keep container closed when not in use.

**PESTICIDE DISPOSAL:** Pesticide wastes are acutely hazardous. Improper disposal of excess pesticides, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by using according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance.

**CONTAINER HANDLING:** Nonrefillable Container: Do not reuse or refill this container. Triple rinse or pressure rinse container (or equivalent) promptly after emptying. Then offer for recycling, if available or puncture and dispose of in a sanitary landfill, or by incineration, or, if allowed by state and local authorities by burning and if burned, stay out of smoke.

#### PHYSICAL OR CHEMICAL HAZARDS

COMBUSTIBLE: Do not use, or store near heat or open flame.

FIRST AID	
IFSWALLOWED	<ul> <li>Immediately call a poison control center or doctor.</li> <li>Do not induce vomiting unless told to do so by a poison control center or doctor.</li> <li>Do not give any liquid to the person.</li> <li>Do not give anything by mouth to an unconscious person.</li> </ul>
IF INHALED	<ul> <li>Move person to fresh air.</li> <li>If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible.</li> <li>Call a poison control center or doctor for further treatment advice.</li> </ul>
IF IN EYES	<ul> <li>Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li> <li>Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li> <li>Call a poison control center or doctor for treatment advice.</li> </ul>
IF ON SKIN OR ON CLOTHING	<ul> <li>Take off contaminated clothing.</li> <li>Rinse skin immediately with plenty of water for 15-20 minutes.</li> <li>Call a poison control center or doctor for treatment advice.</li> </ul>
HOT LINE NUMBER	IN CASE OF EMERGENCY, endangering life or property involving this product, call toll free: 1-800-548-0489. Have the product container or label with you when calling a poison control center or doctor or going for treatment.
NOTE TO PHYSICIAN	Contains petroleum distillate. Vomiting may cause aspiration pneumonia and probable mucosal damage may contraindicate the use of gastric lavage.

# DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with the labeling.

# HYDROCARBON FLUIDS

ValvTect Marine Premium Diesel Additive with BioGuard Microbiocide is a highly effective multifunctional premium diesel fuel additive containing BioGuard Mircrobiocide to prevent bacterial growth in diesel fuel (No. 2 oil, intermediate fuel oil and No. 6 oil). Add ValvTect Marine Premium Diesel Additive with BioGuard Microbiocide to storage tanks at a rate of 1 gallon to 1500 Gallons (667 ppm) or 1 quart to 375 gallons of diesel fuel.

FOR MORE INFORMATION CALL 1-800-728-8258.

# DOSAGE RATE

Treatment may be performed by slug dosage or intermittent metering. To facilitate mixing by slug dosage, add ValvTect Marine Premium Diesel Additive with BioGuard Microbiocide to the fuel transport or storage tank prior to adding the fuel. Storage tank should have a 20% heel of fuel and be free of excess water and/or sludge. Do not overtreat.

**NOTICE:** Seller warrants that the product conforms to its chemical description as contained on this label and is reasonably fit for the purposes stated on this label when used in accordance with directions under normal conditions of use. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, THE WARRANTIES MADE IN THIS PARAGRAPH ARE SELLER'S SOLE WARRANTIES WITH RESPECT TO THE PRODUCT AND ARE MADE EXPRESSLY IN LIEU OF AND EXCLUDE ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE AND ALL OTHER EXPRESS OR IMPLIED REPRESENTATIONS AND WARRANTIES.

This diesel fuel additive complies with the federal low sulfur content requirements for use in diesel motor vehicles and non-road engines.