



U.S. ENVIRONMENTAL PROTECTION AGENCY
 Office of Pesticide Programs
 Antimicrobials Division (7510P)
 1200 Pennsylvania Ave., N.W.
 Washington, D.C. 20460

EPA Reg. Number:

60061-143

Date of Issuance:

12/7/15

NOTICE OF PESTICIDE:

Registration
 Reregistration
 (under FIFRA, as amended)

Term of Issuance:

Conditional

Name of Pesticide Product:

Woodtreat CM

Name and Address of Registrant (include ZIP Code):

Ronald W. Clawson, Jr., Ph.D.
 Kop-Coat, Inc.
 436 Seventh Avenue
 Pittsburgh, PA 15219

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Antimicrobials Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA section 3(c)(7)(A). You must comply with the following conditions:

1. Submit and/or cite all data required for registration/reregistration/registration review of your product under FIFRA when the Agency requires all registrants of similar products to submit such data.

Signature of Approving Official:

Jacqueline Hardy

Jacqueline Hardy, Product Manager (34)
 Regulatory Branch II, Antimicrobials Division (7510P)

Date:

12/7/15

2. Be aware that proposed data requirements have been identified in a Work Plan or proposed DCI. For more information on these proposed data requirements, you may contact the Reevaluation Team Leader (Team 36): <http://www2.epa.gov/pesticide-contacts/contacts-office-pesticide-programs-antimicrobial-division>
3. Make the following label changes before you release the product for shipment:
 - Revise the EPA Registration Number to read, "EPA Reg. No. 60061-143."
4. Submit one copy of the final printed label for the record before you release the product for shipment.

Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance.

If you fail to satisfy these data requirements, EPA will consider appropriate regulatory action including, among other things, cancellation under FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions. A stamped copy of the label is enclosed for your records. Please also note that the record for this product currently contains the basic CSF dated 8/4/2015.

If you have any questions, please contact Stacey Grigsby by phone at 703.308.6440, or via email at grigsby.stacey@epa.gov.

Enclosure: Accepted Label

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

GENERAL PRECAUTIONS AND RESTRICTIONS:

FOR INDUSTRIAL USE

CONSULT SAFETY DATA SHEET BEFORE USING

Woodtreat® CM is an excellent protective fungicide against a broad spectrum of fungi. When applied to freshly sawn lumber, Woodtreat® CM is effective as a protective fungicide against molds, and staining organisms. Freshly cut wood must be treated as soon as possible. Effective control requires complete coverage of the wood surface by the fungicide as a preventative application prior to development of fungal organisms. Wood which has been colonized by mold or sapstain fungi prior to treatment will not be protected. Freshly treated lumber must be protected from rain which will reduce the effectiveness of the treatment. This product may be used as a supplemental surface fungicide on dry or partially seasoned wood to prevent stain and mold during storage, transport or holding in concentration yards. Extremely hot and humid conditions favor the development of molds and sapstain fungi. Under these conditions, use the higher recommended rate. Continuously agitate the mixture during treatment.

BULK DIP VATS - For bundles of lumber which are to be treated in a dip tank or vat, add at a rate of 2 gallons of Woodtreat® CM to 100 gallons of water. The lumber must remain in solution for at least one minute and all lumber surfaces should be exposed to the treating solution. Constant agitation of the dip vat solution is required to maintain a uniform suspension of the treatment materials in the tank. During dipping, the cut boards should be loosely bundled and/or stickered to allow maximum penetration of the treatment material into the bundle.

NON-BULK VATS - For individual boards which are treated in across the-chain vats (non-bulk vats), add at rate of 1/2 to 2 gallons of Woodtreat® CM 100 gallons of vat water. Continuously agitate the mixture during treatment.

LOW VOLUME SPRAY MACHINES—For individual boards which are treated in low volume spray machines, add 1/4 to 1 gallon of Woodtreat® CM to 20 gallons of water. Smooth surfaced lumber normally retains only about one-half as much fungicide solution as rough cut wood end, therefore, needs the higher rates to deposit the necessary amount of fungicide on the wood. Constant agitation is required in nurse tank to maintain a uniform suspension.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

Pesticide Storage: Store in a tightly sealed original container in a cool, dry well ventilated location inaccessible to persons unfamiliar with its use. Do not freeze. Open dumping is prohibited. In case of spills and leaks, stop source as soon as possible and notify appropriate personnel. Utilize emergency response personal protection equipment prior to cleaning spill or leak. Evacuate all nonessential personnel. Disposal of spill in accordance with Pesticide Disposal Instructions.

Pesticide Disposal: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

Container Handling: (For containers < 5 gallons) Nonrefillable container. Do not reuse or refill this container. Triple rinse container (or equivalent) promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank. Fill the container 1/4 full with water. Replace and tighten closures. Tip container on its side and roll it back and forth ensuring at least one complete revolution for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times. Then offer for recycling if available.

Container Handling: (For containers >5 gallons) Nonrefillable container. Do not reuse or refill this container. Triple rinse as follows: Fill container 1/4 full with water. Tip container on its side and roll it back and forth, ensuring at least one complete revolution for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Empty the rinsate into the application equipment or mix tank or store rinsate for later use or disposal. Repeat this procedure two more times. Offer for recycling if available. If not, puncture and dispose of in a sanitary landfill.

KOP-COAT

Woodtreat® CM

Fungicide for Control of Surface Molds and Sapstain Fungi on Wood

KEEP OUT OF REACH OF CHILDREN

DANGER

ACCEPTED

Dec 08, 2015

Under the Federal Insecticide, Fungicide and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No. 60061-143

15.2%
14.6%
70.2%
100.00%

EPA Reg. No. 60061-XXX
EPA Est. No. 60061-MO-1

ACTIVE INGREDIENTS
Chlorothalonil (tetrachloro-3,4-dihydro-2H-pyridazin-3(1H)-one)
Methylene bis(thiocyanate)
OTHER INGREDIENTS
TOTAL
Contains 1.48 pounds chlorothalonil per gallon
Contains 1.42 pounds methyle bis(thiocyanate) per gallon

Read Warranty on side panel before buying or using. If such terms are not acceptable, return at once unopened.

FIRST AID

IF IN EYES	<ul style="list-style-type: none">• Hold eye open and rinse slowly and gently with water for 15 to 20 minutes.• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.• Call poison control center or doctor for treatment advice.
IF SWALLOWED	<ul style="list-style-type: none">• Call a poison control center or doctor immediately for treatment advice.• Have person sip a glass of water if able to swallow.• Do not induce vomiting unless told by a poison control center or doctor.• Do not give anything by mouth to an unconscious person.
IF INHALED	<ul style="list-style-type: none">• Move person to fresh air.• If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible.• Call a poison control center or doctor for further treatment advice.
IF ON SKIN OR ON CLOTHING	<ul style="list-style-type: none">• Take off contaminated clothing.• Rinse skin immediately with plenty of water for 15 to 20 minutes.• Call a poison control center or doctor for treatment advice.
HOT LINE NUMBERS	<ul style="list-style-type: none">• Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 800-548-0489 for emergency medical treatment information.• Transportation emergency contact 800-424-9300.
NOTE TO PHYSICIAN	<ul style="list-style-type: none">• Probable mucosal damage may contraindicate the use of gastric lavage.

Kop-Coat, Inc.

Protection Products Division

5137 Southwest Avenue, St. Louis MO 63110

314-772-2200

Net Contents

Gallons

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER. Corrosive. Causes irreversible eye damage. Do not get in eyes, on skin, or on clothing. Wear protective eyewear. May be fatal if swallowed. Harmful if inhaled. Avoid breathing (dust, vapor or spray mist). Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove and wash contaminated clothing before reuse. Prolonged or frequently repeated skin contact may cause allergic reaction in some individuals.

PERSONAL PROTECTIVE EQUIPMENT (PPE)

Applicators and other handlers of the liquid concentrate must wear:

1. Goggles or safety glasses with face shield
2. Coveralls over long-sleeved shirt and long pants
3. Chemical-resistant footwear and socks
4. Chemical resistant gloves (such as barrier laminate, nitrile rubber, neoprene rubber and vinyl)
5. Follow manufacturer's instructions for cleaning/maintain PPE. If no such instruction, washable, use detergent and hot water. Keep and wash PPE separately from other laundry. Pesticide-contaminated clothing should be removed and washed thoroughly before reusing. Launder separately from other clothing. Wear long-sleeved shirt, long pants and chemical resistant gloves while mixing, loading and applying this product when handling freshly treated lumber.

USER SAFETY REQUIREMENTS

Users should:

- Wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.
- Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Remove PPE immediately after handling this product. Wash the outside of gloves before removing.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, aquatic invertebrates, and marine/estuarine organisms. DO NOT discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. DO NOT discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance, contact your State Water Board or Regional Office of the Environmental Protection Agency.

PHYSICAL OR CHEMICAL HAZARDS

This product is incompatible with other products [e.g. oxidizers, strong acids, and bases such as potassium permanganate] which could cause violent reaction if mixed together. Store in a cool dry ventilated area away from oxidizers, heat, flame, or other incompatible conditions. Keep container(s) closed. Do not eat, drink, or feed, or within the reach of children. Do not freeze. Keep product tightly sealed in original containers.

IN CASE OF FIRE

Use water spray, foam, dry chemical or carbon dioxide to extinguish fire.

LIMIT OF WARRANTY AND LIABILITY

We warrant this material to comply with our published specifications and to be of good merchantable quality and such as will regularly pass in the trade for goods within the description, and further warrant such goods to be fit for the normal purposes for which goods are used. We assume no responsibility that the goods concerned in this contract are fit for any particular purpose for which they are being bought outside of the general purposes of goods of the description.

RC1/120415