
PLEASE NOTE

This image contains more than one label approved for this product on this date.

40063-1



SAVING AND A STATES

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

> OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

Joseph W. Burley Regulatory Manager Sipcam Agro USA, Inc. 2520 Meridian Pkwy., Suite 525 Durham, NC 27713

SEP 3 0 2009

SUBJECT:

Applications for Pesticide Notification – Request to Add CPDA Language Appropriate to Approved Adjuvants per PR Notices 98-10, and Revise Storage & Disposal Language per PR Notice 2007-4 Echo® 720 with Eminent 125SL (Co-Pack)

EPA Reg. Nos. 60063-7 and 60063-12 Echo® 720 with Muscle® 3.6F (Co-Pack) EPA Reg. Nos. 60063-7 and 60063-29 EchoPropiMax Fungicide (Echo® 720 / PropiMax[™] EC) (Co-Pack) EPA Reg. Nos. 60063-7 and 62719-346 Applications Dated August 5, 2009

Dear Mr. Burley:

The Agency is in receipt of your Applications for Pesticide Notification under Pesticide Registration Notices (PRNs) 98-10 and 2007-4 for the above products. The Registration Division (RD) has conducted a review of these requests for their applicability under PRNs 98-10 and 2007-4, and finds that that the actions requested fall within the scope of these PRNs. The labels submitted with the applications have been stamped "Notification" and will be placed in our records.

Please be reminded that 40 CFR Part 156.140(a)(4) requires that a batch code, lot number, or other code identifying the batch of the pesticide distributed and sold be placed on <u>nonrefillable</u> containers. The code may appear either on the label (and can be added by non-notification/PR Notice 98-10) or durably marked on the container itself.

If you have any questions, please contact me directly at 703-305-6249, or Terri Stowe of my staff at 703-305-6117.

Sincerely,

Linda Arrington Notifications & Minor Formulations Team Leader Registration Division (7505P) Office of Pesticide Programs

Please read instructions on reverse before completing form.	Form Approved, OMB No. 2070-0060, Ap	oproval Expires 05-31-98.
United States Environmental Protection Agen Washington, DC 20460	ncy Registration Amendment X Other	
Application for F	Pesticide - Section I	-
1. Company/Product Number 60063-7; 60063-12	2. EPA Product Manager Tony Kish; Mary Waller	3. Proposed Classification
4. Company/Product Name Co-Pack of Echo 720 with Eminent 125SL	^{PM#} 22; 21	None Restricted
5. Name and Address of Applicant (Include ZIP Code) Sipcam Agro USA, Inc. 2520 Meridian Parkway, Suite 525 Durham, NC 27713	6. Expedited Review. In accordance with (b)(i), my product is similar or identical in c to: EPA Reg. No. Product Name	
Check if this is a new address .	tion - II	
Amendment - Explain below. Resubmission in response to Agency letter dated Notification - Explain below.	Final printed labels in response to	NOTIFICATION SEP 3 U 2009
Explanation - Explain below.		

Notification of label change per PR Notice 2007-4. This notification is consistent with the guidance in PR Notice 2007-4 and the requirements of EPA's regulations at 40 CFR §§ 156.10, 156.140, 156.144, 156.146 and 156.156. No other changes have been made to the labeling or the Confidential Statement of Formula for this product except as certified in the paragraph below. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if the amended label is not consistent with the requirements of 40 CFR §§ 156.10, 156.140, 156.144, 156.146 and 156.156, this product may be in violation of

FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA. [See attached page for further certification statement.]

			Section - III				
1. Material This Product Will B	e Packaged In:						
Child-Resistant Packaging	Unit Packaging	•	Water Soluble Packagin	ıg	2. Type of Conta	iner	
Yes*	Yes		Yes*		Metal Plastic Glass		
* Certification must be submitted	If "Yes" Unit Packaging wgt.	No. per container	If "Yes" Unit Packaging wgt.	No. per container	Paper Other (S	pecify)	
3. Location of Net Contents Informatio	n	4. Size(s) Retai	I Container		5. Location of Label Dire	ections ,	
Label Container		60063-7 (1.25	gal)/60063-12 (2.25 quarts)		On Label On Labeling accom	panying product	
6. Manner in Which Label is Affixed to		Lithograph Paper glued Stenciled	Oth	ier			
			Section - IV				
1. Contact Point (Complete items of	lirectly below for identii	fication of individ	lual to be contacted, if neo	essary, to p	rocess this application.)		
Name		T	Title		Telept	none No. (Include Area Code)
Joseph W. Burle	y `	-	Regulatory Man	ager		(919) 226 1297	
I certify that the statements I have a certify that the statements I have a certify that the statements I have a certify that the statements I have a certification of thave a certification of the statements I		,	hereto are true, accurate an	1		6. Date Application Received (Stamped)	
2. Signature			3 Title Regulatory Ma	inager			ст., у Полан 1. ст., и 1.
4. Typed Name			5. Date		· · · · · · · · · · · · · · · · · · ·	1	
Joseph W. Burle	y		08/05/2009				

EPA Form 8570-1 (Rev. 8-94) Previous editions are obsolete.

Section II Explanation (continued):

Notification of addition of EPA approved language regarding certified adjuvants per PR Notice 98-10. This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the Confidential Statement of Formula except as certified in the paragraph above. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

100,000 - 100,000 10000 - 10000 10000 - 10000 SipcamAd√an

August 5, 2009

Document Processing Desk (NOTIF) Office of Pesticide Programs (7504P) U.S. Environmental Protection Agency Room S-4900, One Potomac Yard 2777 South Crystal Drive Arlington, VA 22202-4501

Subject: Echo 720-Eminent 125SL Fungicide Co-Pack EPA Reg. Nos. 60063-7 and 60063-12 Notifications per PR Notice 2007-4 and PR Notice 98-10

Dear Sir or Madam:

In support of the above notifications, please find the following documents enclosed:

- Application for Pesticide Notification, Form 8570-1
- One copy of the product labeling, which is annotated to enable the Agency to differentiate the changes which have been made to that label
- One clean copy of the label, containing the incorporated changes
- Copy of a letter from Mr. Donald Stubbs which acknowledges that the CPDA language appropriate to approved adjuvants can be added to a registrant's label by notification under the procedures set forth in PR Notice 98-10.

For ease of review by the Agency, please note that changes to this product label are limited to those found on pages 5 and 6. Those changes have been underlined and highlighted in the annotated copy.

If you have any questions about this submission, please feel free to call me at 770-594-6356

Sincerely,

Joseph W. Burley PhD Regulatory Manager Sipcam Agro USA, Inc.

Annotated

. ē a a

Echo 720 - Eminent125SL Fungicide Co-Pack

For control of certain diseases in peanuts

ECHO[®] 720

EPA Reg. No. 60063-7

Active Ingredient: Chlorothalonil	
(tetrachloroisophthalonitrile)	54.0%
Other Ingredients:	46.0%
Total:	100.0%

Contains 6.0 Pounds Chlorothalonil Per Gallon

Net Contents: 1.25 Gallons (4.732 liters)

ECHO is a registered trademark of Sipcam Agro USA, Inc.

Precautionary Statements Hazards to Humans and Domestic Animals

WARNING: May be fatal if inhaled. Harmful if swallowed or absorbed through skin. Causes moderate eye irritation. Avoid contact with eyes, skin or clothing. Do not breathe spray mist.

Eminent 125SL	NOTIFICATION
EPA Reg. No. 60063-12	SEP 3 0 Lung
Active Ingredient: Tetraconazo	ble [1-[2-(2,4-
dichlorophenyl)-3-(1,1,2,2-te	trafluoroethoxy)
propyl]-1H-1,2,4-triazole]	11.6%
Other Ingredients	<u></u>
Total	100.0%
Contains 1 lb active ingredient (tetraco	onazole) per gallon.
Net Contents: 2.25 Quarts (2.	13 liters)
Eminent is a registered trademark of la later.	SAGRO S.p.A., Milan,

Precautionary Statements Hazards to Humans and Domestic Animals CAUTION: Harmful if swallowed or absorbed through skin. Causes moderate eye irritation. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco.

Keep Out of Reach of Children WARNING – AVISO

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)

		FIRST AID
IF INHALED	If person preference of the person of t	person to fresh air. on is not breathing, call 911 or an ambulance, then give artificial respiration, bly mouth to mouth if possible. poison control center or doctor for further treatment advice.
IF ON SKIN OR CLOTHING	Rinse s	ff contaminated clothing. skin immediately with plenty of water for 15-20 minutes. poison control center or doctor for treatment advice.
IF IN EYES	Remov	ye open and rinse slowly and gently with water for 15-20 minutes. The contact lenses, if present, after the first 5 minutes, then continue rinsing eye. The poison control center or doctor for treatment advice.
IF SWALLOWED:	Have aDo not	poison control center or doctor immediately for treatment advice. ffected person sip a glass of water if able to swallow. induce vomiting unless told by a poison control center or doctor. give anything by mouth to an unconscious person.
Have the product cor treatment.	ntainer or la	bel with you when calling a poison control center or doctor, or going for
Emergency phone nu	umbers	(800) 222-1222 Poison Control Center (human health) (800) 858-7378 NPIC (human and animal health) (800) 424-9300 CHEMTREC (transportation and spills) "°°°°°
	lorothalonil) sons having	portion of this product- Probable mucosal damage may contraindicate the use g a temporary allergic reaction respond to treatment with antihistamine or

Echo 720 - Eminent125SL Fungicide Co-Pack For control of certain diseases in peanuts

١١

eis

......

EPA Est. No.

.

Manufactured for Sipcam Agro USA, Inc. 2520 Meridian Parkway, Suite 525 Durham, NC 27713

Front Panel

Echo 720 - Eminent125SL Fungicide Co-Pack

For control of certain diseases in peanuts

Personal Protective Equipment (PPE)

Some materials that are chemical-resistant to these products are barrier laminate, butyl rubber \geq 14 mils, nitrile rubber \geq 14 mils, polyvinyl chloride (PVC) \geq 14 mils, and viton \geq 14 mills. If you want more options, follow the instructions for Category C on the EPA chemical resistance category selection chart.

Mixers, loaders, applicators and other handlers must wear:

- Long-sleeved shirt and long pants
- Shoes plus socks
- Protective eyewear
- Chemical-resistant gloves made of waterproof material, such as barrier laminate, butyl rubber, nitrile rubber, neoprene rubber, polyethylene, polyvinyl chloride, or viton; if you want more options, follow the instructions for category A on an EPA chemical-resistance category selection chart;
- A NIOSH approved respirator with an organic vapor (OV) cartridge or canister with any N, R, P, or HE
 prefilter.

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry. Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. DO NOT reuse them.

Engineering Control Statements

When handlers use closed systems, enclosed cabs, or aircraft in a manner that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides [40 CFR 160.240(d)(4-6)], the handler PPE requirements may be reduced or modified as specified in the WPS.

User Safety Recommendations

Users should:

- Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.
- Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.
- Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

Environmental Hazards

These products are toxic to aquatic invertebrates, fish and wildlife. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high-water mark. Drift and runoff from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water when disposing of equipment washwater or rinsate.

Chlorothalonil can contaminate surface water through spray drift. Do not apply when weather conditions favor drift from treated areas. Under some conditions, it may also have a high potential for runoff into surface water for several days to weeks after application. These include poorly draining or wet soils with readily visible slopes toward adjacent surface waters, frequently flooded areas, areas overlaying extremely shallow ground water, areas with in-field canals or ditches that drain to surface water, areas not separated from adjacent surface water.

Chlorothalonil degradates are known to leach through soil into ground water under certain conditions as a result of label use. Use of this product in areas where soils are permeable, particularly where the water table is the shallow, may result in ground water contamination.

Directions for Use

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not apply this product in a way that will contact workers or other persons, or pets, either directly or through drift. Only protected handlers may be in the area during applications. For any requirements specific to year State or Tribe, consult the Agency responsible for pesticide regulation.

....

Echo 720 - Eminent125SL Fungicide Co-Pack

For control of certain diseases in peanuts

Agricultural Use Requirements

Use these products only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE) and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

This co-pack includes two separate products which are designed to be used and applied together to the intended site. Agricultural use requirements subject to the Worker Protection Standard are hereby stated in accordance with the most protective of the two product labels:

Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 12 hours.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water is:

- Coveralls
- Chemical-resistant gloves made of any waterproof material
- Shoes plus socks
- Protective eyewear

Special Eye Irritation Provisions: The Echo 720 component of this co-pack product is a severe eye irritant. Although the REI for the co-pack product expires after 12 hours, for the next 6 ½ days entry is permitted only when the following safety measures are provided:

At least one container designed specifically for flushing eyes must be available in operating condition at the WPS-required decontamination site intended for workers entering the treated area.

Workers must be informed, in a manner they can understand:

- that residues in the treated area may be highly irritating to their eyes;
- that they should take precautions, such as refraining from rubbing their eyes, to keep the residues out of their eyes;
- that if they do get residues in their eyes, they should immediately flush their eyes using the eyeflush
 container that is located at the decontamination site or using other readily available clean water; and
- how to operate the eyeflush container.

General Information

Use Echo 720-Eminent 125SL Fungicide Co-Pack only for the control of certain diseases in peanuts as specified on this label.

Failure to follow directions and precautions on this label may result in crop injury, poor disease control, or illegal residues.

This product must not be applied within 150 feet (for aerial and air-blast applications), or 25 feet (for ground applications) from marine/estuarine water bodies unless there is an untreated buffer area of that width between the area to be treated and the water body.

Avoiding spray drift at the application site is the responsibility of the applicator. The interaction of many equipment-and-weather-related factors determine the potential for spray drift. The applicator and the grower are responsible for considering all these factors when making decisions. The following drift management requirements must be followed to avoid off-target drift movement from aerial applications to agricultural field crops. These requirements do not apply to forestry applications, public health uses or to applications using dry formulations.

- 1. The distance of the outer most nozzles on the boom must not exceed 3/4 the length of the wingspan or rotor.
- 2. Nozzles must always point backward parallel with the air stream and never be pointed downwards more than 45 degrees.

Where states have more stringent regulations, they should be observed.

...

Aerial Drift Advisory Information

INFORMATION ON DROPLET SIZE

The most effective way to reduce drift potential is to apply large droplets. The best drift management strategy is to apply the largest droplets that provide sufficient coverage and control. Applying larger droplets reduces drift potential but will not prevent drift if applications are made improperly, or under unfavorable conditions (see Wind, Temperature).

CONTROLLING DROPLET SIZE

- Volume- Use high flow rate nozzles to apply the highest practical spray volume. Nozzles with higher rated flows produce larger droplets.
- Pressure- Do not exceed the nozzle manufacturer's recommended pressures. For many nozzle types lower
 pressure produces larger droplets. When higher flow rates are needed, use higher flow rate nozzles instead
 of increasing pressure.
- Number of nozzles- Use the minimum number of nozzles that provide uniform coverage.
- Nozzle orientation- Orienting nozzles so that the spray is released parallel to the airstream produces larger droplets than other orientations and is the recommended practice. Significant deflection from horizontal will reduce droplet size and increase drift potential.
- Nozzle type- Use a nozzle type that is designed for the intended application. With most nozzle types, narrower spray angles produce larger droplets. Consider using low-drift nozzles. Solid stream nozzles oriented straight back produce the largest droplets and the lowest drift potential.

BOOM LENGTH

For some use patterns, reducing the effective boom length to less than 34 of the wingspan or rotor length may further reduce drift without reducing swath width.

APPLICATION HEIGHT

Applications should not be made at a height greater than 10 feet above the top of the largest plants unless a greater height is required for aircraft safety. Making applications at the lowest height that is safe reduces exposure of droplets to evaporation and wind.

SWATH ADJUSTMENT

When applications are made with a crosswind, the swath will be displaced downwind. Therefore, on the up and downwind edges of the field, the applicator must compensate for this displacement by adjusting the path of the aircraft upwind. Swath adjustment distance should increase with increasing drift potential (higher wind, small drops, etc.).

WIND

Drift potential is lowest between wind speeds of 2-10 mph. However, many factors, including droplet size and equipment type determine drift potential at any given speed. Application should be avoided below 2 mph due to variable wind direction and high inversion potential. NOTE: Local terrain can influence wind patterns. Every applicator should be familiar with local wind patterns and how they affect spray drift.

TEMPERATURE AND HUMIDITY

When making applications in low relative humidity, set up equipment to produce larger droplets to compensate for evaporation. Droplet evaporation is most severe when conditions are both hot and dry.

TEMPERATURE INVERSIONS

a ser a s

Applications should not occur during a temperature inversion because drift potential is high. Temperature inversions restrict vertical air mixing, which causes small suspended droplets to remain in a concentrated cloud. This cloud can move in unpredictable directions due to the light variable winds common during inversions.

- Temperature inversions are characterized by increasing temperatures with altitude and are common on nights with limited cloud cover and light to no wind. They begin to form as the sun sets and often continue into the
- morning. Their presence can be indicated by ground fog; however, if fog is not present, inversions can also be identified by the movement of smoke from a ground source or an aircraft smoke generator. Smoke that layers and moves laterally in a concentrated cloud (under low wind conditions) indicates an inversion, while smoke that moves upward and rapidly dissipates indicates good vertical air mixing.

in a second s The second se The second se

6.6

Echo 720 - Eminent125SL Fungicide Co-Pack For control of certain diseases in peanuts

Aerial Application: Apply in a minimum of 5 gallons of water per acre, unless specified otherwise. Avoid application under conditions when uniform coverage cannot be obtained or when excessive spray drift may occur. Do not apply directly to humans or animals.

Ground Application: Apply by ground equipment in a minimum of 15 gals of water per acre.

Chemigation: Do not apply this product through any type of irrigation system.

Mixing Instructions

Note: Slowly invert container several time to assure uniform mixture.

Thoroughly clean spray equipment before using this product.

The contents of this container are designed to be applied to ten (10) acres of growing peanut crop. Prepare no more spray mixture than is required for the immediate operation. Add 1/2 to 2/3 of the required amount of water to the spray or mixing tank, and begin agitation. Pour the entire contents both chambers of this container into the tank at the same time, maintaining constant agitation, to form a suspension in water. Slowly add the remaining required amount of water to the tank. Continue agitating the spray suspension before and during application.

Rinse spray tank thoroughly with clean water after each day's use and dispose of pesticide rinsate by application to a previously treated area of the same crop.

If using in a tank mixture of this product with other materials or pesticides registered for peanuts, observe all directions for use, use rates, dilution ratios, precautions, and limitations required by the label of the tank mix product. When tank mixing this product with other pesticides observe the more restrictive label limitations and precautions. No label dosage rates should be exceeded. This product cannot be mixed with any product containing a label prohibition against such mixing. When an adjuvant is to be used with this product, Sipcam Agro USA recommends the use of a Chemical Producers and Distributors Association (CPDA) certified adjuvant.

Directions For Use on Peanuts

Apply the entire contents of this co-pack container together for the control of the following diseases of peanuts caused by fungi:

- Early leafspot (Cercospora arachidicola)
- Late leafspot (Cercosporidium personatum)

0 66 0

0

000000

2200

00

600

000000

00

......

် ရမ်

0

- Web blotch (Phoma arachidis)
- Rust (Puccinia arachidicola)

Apply when conditions favor disease, generally when leaf wetness first occurs, or 30 to 40 days after planting. Repeat applications of this product at 14 day intervals if conditions remain favorable for disease. Do not make more than seven (7) applications of this product per growing season. Do not apply within 14 days before harvest (digging) of peanuts. Do not allow livestock to graze in treated areas. Do not feed hay or threshings from treated fields to livestock.

Rotational Crops

To avoid possible illegal residues, crops other than peanuts must not be grown within 120 days following the last application of this product. 00 0 o

Storage and Disposal

DO NOT contaminate water, food or feed by storage or disposal. Open dumping is prohibited. 000000

Pesticide Storage: Store in a cool place. Protect from excessive heat.

Echo 720 - Eminent125SL Fungicide Co-Pack For control of certain diseases in peanuts

Pesticide Disposal: Pesticide wastes are toxic. Improper disposal of excess pesticide, pesticide spray or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

Container Disposal: <u>Nonrefillable container. Do not reuse or refill this container. Triple rinse container (or equivalent) promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container ¼ full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Then offer for recycling, if available, or puncture and dispose of in a sanitary landfill, or by incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke.</u>

WARRANTY AND LIMITATION OF DAMAGES

CONDITIONS OF SALE: To the extent consistent with applicable law, Sipcam Agro USA, Inc. warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated on the label when used in accordance with the directions under normal conditions of use. This warranty does not extend to the use of this product contrary to label instructions, or under abnormal use conditions, or under conditions not reasonably foreseeable to Sipcam Agro USA, Inc. SIPCAM AGRO USA, INC. DISCLAIMS ALL OTHER WARRANTIES, EXPRESS OR IMPLIED. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, SIPCAM AGRO USA, INC. SHALL NOT BE LIABLE FOR CONSEQUENTIAL, SPECIAL, OR INDIRECT DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, AND SIPCAM AGRO USA, INC.'S SOLE LIABILITY AND BUYER'S AND USER'S EXCLUSIVE REMEDY SHALL BE LIMITED TO THE REFUND OF THE PURCHASE PRICE. BUYER AND USER ACKNOWLEDGE AND ASSUME ALL RISKS AND LIABILITY RESULTING FROM HANDLING, STORAGE AND USE OF THIS PRODUCT. SIPCAM AGRO USA, INC. DOES NOT AUTHORIZE ANY AGENT OR REPRESENTATIVE TO MAKE ANY OTHER WARRANTY, GUARANTEE OR REPRESENTATION CONCERNING THIS PRODUCT.



NEXT

LABEL

• • •

· · · · · ·

.

9/3	30/2009	
Please reac instructions on reverse before completing form.	Form Approved. OMB No. 2070-0060. Ap	proval Expires 05-31-98.
United States Environmental Protection Age Washington, DC 20460	ency Registration Amendment Other	OPP Identifier Number
Application for	Pesticide - Section I	
 Company/Product Number <u>60063-7; 60063-29</u> Company/Product Name Co-Pack of Echo 720 with Muscle 3.6F Name and Address of Applicant (Include ZIP Code) Sipcam Agro USA, Inc. 2520 Meridian Parkway, Suite 525 Durham, NC 27713 	2. EPA Product Manager Tony Kish; Mary Waller PM# 22; 21 6. Expedited Review. In accordance with I (b)(i), my product is similar or identical in co to: EPA Reg. No.	
Check if this is a new address	Product Name	
Sec	ction - II	
Amendment - Explain below. Resubmission in response to Agency letter dated Notification - Explain below.	Final printed labels in response to Agency letter dated Me Too" Application. Other - Explain below.	NOTIFICATION SEP 3Q 2009

Notification of label change per PR Notice 2007-4. This notification is consistent with the guidance in PR Notice 2007-4 and the requirements of EPA's regulations at 40 CFR §§ 156.10, 156.140, 156.144, 156.146 and 156.156. No other changes have been made to the labeling or the Confidential Statement of Formula for this product except as certified in the paragraph below. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if the amended label is not consistent with the requirements of 40 CFR §§ 156.10, 156.140, 156.144, 156.146 and 156.156, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA. [See attached page for further certification statement.]

		Section - III		
1. Material This Product Will B	e Packaged In:			
Child-Resistant Packaging	Unit Packaging	Water Soluble Packaging	2. Type of Con	tainer
Yes*	Yes	Yes*	Metal	
			Plastic	· · · · · · · · · · · · · · · · · · ·
No No		No	Glass	
* Certification must	If "Yes" No. per Unit Packaging wgt. container	If "Yes" No. per Unit Packaging wgt. container	Paper	
be submitted			Other	(Specify)
3. Location of Net Contents Information	n 4. Size(s) Re	tail Container	5. Location of Label D	rections
			On Label	
Label Container			On Labeling accord	mpanying product
6. Manner in Which Label is Affixed to	Product Lithograph	Other		
b. Mariner III Which Laber is Alliked to				
	Stenciled			
		Section - IV		
1. Contact Point (Complete items d	lirectly below for identification of indiv	vidual to be contacted, if necessary, to pro	cess this application.)
Name	· · ·	Title	Tele	phone No. (Include Area Code)
Joseph W. Burle	·y	Regulatory Manager		(919) 226 1297
	Certificat	ion	£^~~~	6. Date Application
I certify that the statements I have	ve made on this form and all attachments	s thereto are true, accurate and complete.		Received
	ly false or misleading statement may be	punishable by fine or imprisonment or	· .	(Stamped)
both under applicable law.				
2. Signature		3. Title Regulatory Manager		
4. Typed Name	······································	5. Date		
Joseph W. Burle	y	08/05/2009		
		1		

EPA Form 8570-1 (Rev. 8-94) Previous editions are obsolete.

Section II Explanation (continued):

Notification of addition of EPA approved language regarding certified adjuvants per PR Notice 98-10. This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the Confidential Statement of Formula except as certified in the paragraph above. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

...

SipcamAd√an

August 5, 2009

Document Processing Desk (NOTIF) Office of Pesticide Programs (7504P) U.S. Environmental Protection Agency Room S-4900, One Potomac Yard 2777 South Crystal Drive Arlington, VA 22202-4501

Subject: Co-pack of Echo 720 and Muscle 3.6F EPA Reg. Nos. 60063-7 and 60063-29 Notifications per PR Notice 2007-4 and PR Notice 98-10

Dear Sir or Madam:

In support of the above notifications, please find the following documents enclosed:

- Application for Pesticide Notification, Form 8570-1
- One copy of the product labeling, which is annotated to enable the Agency to differentiate the changes which have been made to that label
- One clean copy of the label, containing the incorporated changes
- Copy of a letter from Mr. Donald Stubbs which acknowledges that the CPDA language appropriate to approved adjuvants can be added to a registrant's label by notification under the procedures set forth in PR Notice 98-10.

For ease of review by the Agency, please note that changes to this product label are limited to those found on pages 6 and 7. Those changes have been underlined and highlighted in the annotated copy.

If you have any questions about this submission, please feel free to call me at 770-594-6356

Sincerely,

Josèph W. Burley PhD Regulatory Manager Sipcam Agro USA, Inc.

annotated

A co-pack of **Echo 720** (EPA Reg. No. 60063-7) with **Muscle 3.6F** (EPA Reg. No. 60063-29) for control of certain diseases in peanuts

ECHO[®] 720

41

,e

EPA Reg. No. 60063-7

Active Ingredient: Chlorothalonil	
(tetrachloroisophthalonitrile)	54.0%
Other Ingredients:	46.0%

Contains 6.0 pounds chlorothalonil per gallon

Net Contents: 160 fl.oz. U.S. Standard Measure

Hazards to Humans and Domestic Animals

May be fatal if inhaled. Harmful if swallowed or absorbed through skin. Causes moderate eye irritation. Avoid contact with eyes, skin or clothing. Do not breathe spray mist.

ECHO is a registered trademark of Sipcam Agro USA, Inc.

Muscle® 3.6F Image: Sep 3 0 2009 EPA Reg. No. 60063-29 SEP 3 0 2009 Active Ingredient: Tebuconazole (Alpha-[2-(4-chlorophenyl)ethyl)]-alpha-(1,1-dimethyl)-1*H*-1,2,4-triazole-1-ethanol) 1,2,4-triazole-1-ethanol) 38.7% Inert Ingredients 61.3% Total 100.0%

Contains 3.6 pounds tebuconazole per gallon

Net Contents: 72 fl.oz. U.S. Standard Measure

Hazards to Humans and Domestic Animals

Harmful if swallowed, inhaled or absorbed through skin. Avoid contact with skin, eyes, and clothing. Avoid breathing vapor or spray mist. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.

Muscle is a registered trademark of Sipcam Agro USA, Inc.

Keep Out of Reach of Children WARNING - AVISO

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)

en e	· · ·	FIRST AID	· · ·	
IF INHALED	If person i mout	son to fresh air. s not breathing, call 911 or an ambulance, then give artificia n to mouth if possible. son control center or doctor for further treatment advice.	al respiration, preferably	
IF ON SKIN OR CLOTHING	Rinse skir	Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.		
IF IN EYES	Remove of	open and rinse slowly and gently with water for 15-20 minut contact lenses, if present, after the first 5 minutes, then cont son control center or doctor for treatment advice.		
IF SWALLOWED:	Have affe Do not inc	son control center or doctor immediately for treatment advic cted person sip a glass of water if able to swallow. luce vomiting unless told by a poison control center or doctor re anything by mouth to an unconscious person.		
Have the product cont	ainer or label	with you when calling a poison control center or doctor, or g	joing for treatment.	
Emergency phone nu	mbers	(800) 424-9300 CHEMTREC (transportation and spills) (800) 900-4044 Poison Control Center (human health) (800) 345-4735 ASPCA (animal health)	0,0 0 0,0 0,0 0,0 0,0 0,0 0,0 0,0 0,0 0	
lavage. Persons havi systemic steroids.	orothalonil) po ng a temporar	rtion of this product- Probable mucosal damage may contr y allergic reaction respond to treatment with antihistamines on of this product- No specific antidote.: Treat symptomatic	or steroid creams and/or	
			ت <u>ت ت ت ت ت ت ت ت ت ت ت ت ت ت ت ت ت ت </u>	
EPA Est. No	_	Manufactured for Sipcam Agro USA, Inc. 2520 Meridian Parkway, Suite 525	دیری ۲۵۵ ۲۵۵ ۲۵۵	

2520 Meridian Parkway, Suite 525 Durham, NC 27713

Personal Protective Equipment (PPE)

Some materials that are chemical-resistant to these products are listed below. If you want more options, follow the instructions for Category G on the EPA chemical resistance category selection chart.

Mixers, loaders, applicators and all other handlers must wear:

- Long-sleeved shirt and long pants;
- Chemical-resistant gloves made of waterproof material, such as barrier laminate, butyl rubber, nitrile rubber, neoprene rubber, polyethylene, polyvinyl chloride, or viton (if you want more options, follow the instructions for category A on an EPA chemical-resistance category selection chart);
- Shoes plus socks;
- Protective eyewear;
- A NIOSH approved respirator with an organic vapor (OV) cartridge or canister with any N, R, P, or HE prefilter.

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry. Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. DO NOT reuse them.

Engineering Control Statements

When handlers use closed systems, enclosed cabs, or aircraft in a manner that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides [40 CFR 160.240(d)(4-6)], the handler PPE requirements may be reduced or modified as specified in the WPS.

User Safety Recommendations

Users should:

Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco.

Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

Page 2

. A co-pack of **Echo 720** (EPA Reg. No. 60063-7) with **Muscle** 3.6F (EPA Reg. No. 60063-29) for control of certain diseases in peanuts

ENVIRONMENTAL HAZARDS

This product is toxic to aquatic or estuarine and marine invertebrates and fish. DO NOT apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high-water mark. Drift and runoff from treated areas may be hazardous to aquatic organisms in neighboring areas. DO NOT contaminate water when disposing of equipment washwater or rinsate.

Chlorothalonil can contaminate surface water through spray drift. DO NOT apply when weather conditions favor drift from treated areas. Under some conditions, it may also have a high potential for runoff into surface water for several days to weeks after application. These include poorly draining or wet soils with readily visible slopes toward adjacent surface waters, frequently flooded areas, areas overlaying extremely shallow ground water, areas with in-field canals or ditches that drain to surface water, areas not separated from adjacent surface waters with vegetated filter strips, and areas overlaying tile drainage systems that drain to surface water.

Chlorothalonil degradates are known to leach through soil into ground water under certain conditions as a result of label use. Use of this product in areas where soils are permeable, particularly where the water table is shallow, may result in ground water contamination.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Read all Directions for Use carefully before applying.

DO NOT apply this product in a way that will contact workers or other persons, or pets, either directly or through drift. Only protected handlers may be in the area during applications. For any requirements specific to your State or Tribe, consult the Agency responsible for pesticide regulation.

Agricultural Use Requirements

Use these products only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE) and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

This co-pack includes two separate products which are designed to be used and applied together to the intended site. Agricultural use requirements subject to the Worker Protection Standard are hereby stated in accordance with the most protective of the two product labels:

Do not enter or allow worker entry into treated areas during the **restricted entry interval (REI) of 12** hours.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water is the such as plants are the such

- Coveralis
- Chemical-resistant gloves made of waterproof material, such as barrier laminate, butyl rubber, bitrile

.

- rubber, neoprene rubber, polyethylene, polyvinyl chloride, or viton
- Shoes plus socks
- Protective eyewear

Special Eye Irritation Provisions: The Echo 720 component of this co-pack product is a severe eye irritant. Although the REI for the co-pack product expires after 12 hours, for the next 6½ days entry is permitted only when the following safety measures are provided:

At least one container designed specifically for flushing eyes must be available in operating condition at the WPS-required decontamination site intended for workers entering the treated area.

Workers must be informed, in a manner they can understand:

- > that residues in the treated area may be highly irritating to their eyes;
- that they should take precautions, such as refraining from rubbing their eyes, to keep the residues out of their eyes;
- that if they do get residues in their eyes, they should immediately flush their eyes using the eyeflush container that is located at the decontamination site or using other readily available clean water; and
- how to operate the eyeflush container.

General Information

Use Echo 720 Muscle 3.6F only for the control of certain diseases in peanuts as specified on this label.

Failure to follow directions and precautions on this label may result in crop injury, poor disease control, or illegal residues.

This product must not be applied within 150 feet (for aerial and air-blast applications), or 25 feet (for ground applications) from marine/estuarine water bodies unless there is an untreated buffer area of that width between the area to be treated and the water body.

OBSERVE THE FOLLOWING PRECAUTIONS WHEN SPRAYING IN THE VICINITY OF AQUATIC AREAS SUCH AS LAKES, RESERVOIRS, RIVERS, PERMANENT STREAMS, MARSHES OR NATURAL PONDS AND ESTUARIES.

Apply only during alternate years in fields adjacent to aquatic areas listed above. Do not apply by ground or air within 100 feet of aquatic areas listed above. Do not cultivate within 10 feet of an aquatic area to allow growth of a vegetative filter strip.

Aerial Drift Advisory Information

INFORMATION ON DROPLET SIZE

The most effective way to reduce drift potential is to apply large droplets. The best drift management strategy is to apply the largest droplets that provide sufficient coverage and control. Applying larger droplets reduces drift potential but will not prevent drift if applications are made improperly, or under unfavorable conditions (see Wind, Temperature).

CONTROLLING DROPLET SIZE

- Volume- Use high flow rate nozzles to apply the highest practical spray volume. Nozzles with higher rated flows produce larger droplets.
- Pressure- Do not exceed the nozzle manufacturer's recommended pressures. For many nozzle types lower
 pressure produces larger droplets. When higher flow rates are needed, use higher flow rate nozzles instead
 of-increasing pressure.
- Number of nozzles- Use the minimum number of nozzles that provide uniform coverages:
- Nozzle orientation- Orienting nozzles so that the spray is released parallel to the airstream oroduces larger droplets than other orientations and is the recommended practice. Significant deflection from horizontal will reduce droplet size and increase drift potential.

BOOM LENGTH

For some use patterns, reducing the effective boom length to less than 3/4 of the wingspan or rotor length may further reduce drift without reducing swath width.

APPLICATION HEIGHT

Applications should not be made at a height greater than 10 feet above the top of the largest plants unless a greater height is required for aircraft safety. Making applications at the lowest height that is safe reduces exposure of droplets to evaporation and wind.

SWATH ADJUSTMENT

When applications are made with a crosswind, the swath will be displaced downwind. Therefore, on the up and downwind edges of the field, the applicator must compensate for this displacement by adjusting the path of the aircraft upwind. Swath adjustment distance should increase with increasing drift potential (higher wind, small drops, etc.).

WIND

Drift potential is lowest between wind speeds of 2-10 mph. However, many factors, including droplet size and equipment type determine drift potential at any given speed. Application should be avoided below 2 mph due to variable wind direction and high inversion potential. NOTE: Local terrain can influence wind patterns. Every applicator should be familiar with local wind patterns and how they affect spray drift.

TEMPERATURE AND HUMIDITY

When making applications in low relative humidity, set up equipment to produce larger droplets to compensate for evaporation. Droplet evaporation is most severe when conditions are both hot and dry. TEMPERATURE INVERSIONS

Applications should not occur during a temperature inversion because drift potential is high. Temperature inversions restrict vertical air mixing, which causes small suspended droplets to remain in a concentrated cloud. This cloud can move in unpredictable directions due to the light variable winds common during inversions. Temperature inversions are characterized by increasing temperatures with altitude and are common on nights with limited cloud cover and light to no wind. They begin to form as the sun sets and often continue into the morning. Their presence can be indicated by ground fog; however, if fog is not present, inversions can also be identified by the movement of smoke from a ground source or an aircraft smoke generator. Smoke that layers and moves laterally in a concentrated cloud (under low wind conditions) indicates an inversion, while smoke that moves upward and rapidly dissipates indicates good vertical air mixing.

Aerial Application: Apply by aircraft in a minimum of 5 gals of water per acre.

Ground Application: Apply by ground equipment in a minimum of 10 gals of water per acre.

Chemigation: Do not apply this product through any type of irrigation system.

Mixing Instructions

Note: Slowly invert container several times to assure uniform mixture.

Thoroughly clean spray equipment before using this product.

The contents of this container are designed to be applied to ten (10) acres of growing peanut crop.

Prepare no more spray mixture than is required for the immediate operation. Add ½ to 2/3 of the required amount of water to the spray or mixing tank, and begin agitation. Pour the entire contents both chambers of this container into the tank at the same time, maintaining constant agitation, to form a suspension in water. Slowly add the remaining required amount of water to the tank? Continue agitating the spray suspension before and during application.

If using in a tank mixture of this product with other materials or pesticides registered for peanuts, observe all directions for use, use rates, dilution ratios, precautions, and limitations required by the

label of the tank mix product. No label dosage rate should be exceeded, and the most restrictive label precautions and limitations should be followed. This product must not be tank mixed with any product that prohibits such mixing.

Compatibility:

- To determine the <u>physical</u> compatibility of this Echo 720 Muscle 3.6F co-pack with other products, the following procedure should be followed: Pour the recommended proportions of the products into a suitable container of water, mix thoroughly and allow to stand at least five (5) minutes. If the combination remains uniformly mixed or can be re-mixed readily, the mixture is considered physically compatible.
- <u>Biological</u> compatibility, i.e. effectiveness for disease control or lack of phytotoxicity, must be determined on a case-by-case basis. Do not mix this product with any other pesticide, fertilizer, adjuvant or any other materials except water unless you know that such mixtures will be effective and non-injurious to your crop under your conditions of use. <u>When an adjuvant is</u> to be used with this product, Sipcam Agro USA recommends the use of a Chemical Producers and Distributors Association (CDPA) certified adjuvant.

Apply the entire contents of this co-pack container together for the control of the following diseases of peanuts caused by fungi:

White mold, Southern blight, Southern stem rot (*Sclerotium rolfsii*)
Rhizoctonia limb rot (*Rhizoctonia solani*)
Rhizoctonia pod rot (Virginia and South Carolina only) (*Rhizoctonia solani*)
Early leafspot (*Cercospora arachidicola*)
Late leafspot (*Cercosporidium personatum*)
Web blotch (*Phoma arachidicola*)
Rust (*Puccinia arachidis*)
Pepper spot (*Leptosphaerulina crassiasca*)

Four-application spray program: Applications of a chlorothalonil fungicide product alone should be made to the crop prior to and following applications of this co-pack product in order to maintain proper control of foliage diseases. For control of soilborne diseases in a typical preventive fungicide program for peanuts, apply this product approximately 45 to 60 days after planting (early pegging). Repeat applications at 14-day intervals, consecutively four times.

Leaf spot advisory schedule: For control of soilborne diseases in an advisory schedule, apply this product in the first advisory spray, usually occurring in July, and continue applications at 14-day intervals.

The Muscle 3.6F component of this product must be carried by rainfall or irrigation into the root and pod zone for control of root rot and pod rots caused by *Sclerotium rolfsii* and *Rhizoctonia solani*. Drought conditions will decrease the effectiveness of Muscle 3.6F against the root and pod rots.

Use this product in conjunction with cultural practices that are known to reduce the severity of ູູູູ່ soilborne diseases, such as proper crop rotation practices.

000000

Do not make more than four (4) applications of this product per growing season. Do not apply within 14 days before harvest (digging) of peanuts. Do not allow livestock to graze in treated areas. Do not feed hay or threshings from treated fields to livestock.

Rotational Crops

Treated areas may be replanted with any crop specified on this label as soon as practical after last application. Any crop not specified on this label may be planted into treated areas 120 days after last application.

STORAGE AND DISPOSAL

DO NOT contaminate water, food or feed by storage or disposal. Open dumping is prohibited.

Pesticide Storage: Store in a cool, dry place and in such a manner as to prevent cross contamination with other pesticides, fertilizers, food and feed. Store in original container and out of the reach of children, preferably in a locked storage area. Protect from excessive heat.

Handle and open container in a manner as to prevent spillage. If container is leaking, invert to prevent leakage. If the container is leaking or material is spilled for any reason or cause, carefully dam up spilled material to prevent runoff. Refer to Precautionary Statements on label for hazards associated with the handling of this material. Do not walk through spilled material. Absorb spilled material with absorbing type compounds and dispose of as directed for pesticides below. In spill or leak incidents, keep unauthorized people away. You may contact CHEMTREC [phone: 800-424-9300] for decontamination procedures or any other assistance that may be necessary.

Pesticide Disposal: Pesticide wastes are toxic. Improper disposal of excess pesticide, pesticide spray or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

Container Disposal: <u>Nonrefillable container. Do not reuse or refill this container. Triple rinse</u> <u>container (or equivalent) promptly after emptying. Triple rinse as follows: Empty the remaining</u> <u>contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to</u> <u>drip. Fill the container ¼ full with water and recap. Shake for 10 seconds. Pour rinsate into application</u> <u>equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow</u> <u>begins to drip. Repeat this procedure two more times. Then offer for recycling, if available, or puncture</u> <u>and dispose of in a sanitary landfill, or by-incineration, or if-allowed by state and local authorities, by</u> <u>burning. If burned, stay out of smoke.</u>

WARRANTY AND LIMITATION OF DAMAGES

CONDITIONS OF SALE: Sipcam Agro USA, Inc. warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated on the label when used in accordance with the directions under normal conditions of use. This warranty does not extend to the use of this product contrary to label instructions, or under abnormal use conditions, or under conditions not reasonably foreseeable to Sipcam Agro USA, Inc. SIPCAM AGRO USA, INC. DISCLAIMS ALL OTHER WARRANTIES, EXPRESS OR IMPLIED. To the extent allowed by State law, SIPCAM AGRO USA, INC. SHALL NOT BE LIABLE FOR CONSEQUENTIAL, SPECIAL, OR INDIRECT DAMAGES^{**} RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, AND SIPCAM AGRO USA, INC.'S SOLE LIABILITY AND BUYER'S AND USER'S EXCLUSIVE REMEDY SHALL BE LIMITED. TO THE REFUND OF THE PURCHASE PRICE. BUYER AND USER ACKNOWLEDGE, AND to the extent allowed by State law, ASSUME ALL RISKS AND LIABILITY RESULTING FROM HANDLING, ...

STORAGE AND USE OF THIS PRODUCT. SIPCAM AGRO USA, INC. DOES NOT AUTHORIZE ANY AGENT OR REPRESENTATIVE TO MAKE ANY OTHER WARRANTY, GUARANTEE OR REPRESENTATION CONCERNING THIS PRODUCT.

•

_ : `

. . . .

· • • • •

··· ·

÷

Page 8

ι, τ. τ. τ. τ. τ. τ. τ. τ.