



U.S. ENVIRONMENTAL PROTECTION AGENCY
Office of Pesticide Programs
Registration Division (7505C)
Ariel Rios Building
1200 Pennsylvania Ave. NW
Washington, D.C. 20460

EPA Reg. Number:

60063-11

Date of

Issuance:

4/14/05

Term of Issuance:

Expiration Date:

November 30, 2012

Name of Pesticide Product:

Tetraconazole Technical

NOTICE OF PESTICIDE:

X Registration
Reregistration
(Under FIFRA, as amended)

Name and Address of Registrant (include ZIP Code):

Sipcam Agro, USA Inc.
300 Colonial Center Parkway
Suite 230
Roswell, GA 30076

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(C) provided that you:

1. Submit/cite all data required for the registration/reregistration of your product when the Agency requires all registrants of similar products to submit data; and submit acceptable responses required for reregistration of your product under FIFRA section 4.
2. Change the EPA Registration Number to 60063-11.

(Continued)

Signature of Approving Official:

Mary L. Waller

Mary L. Waller, Product Manager 21
Fungicide Branch, Registration Division

Date:

4/14/05

Continued from first page.

- 3. The following studies are required as conditions of registration for this product:
 - a. A single side-by-side sugar beet field trial comparing two and six applications of Eminent® 125SL at 0.10 lb ai/acre/ application. The retreatment intervals (RTIs) for the plot receiving six applications should be 14 days and the RTI for the plot receiving two applications should be 21 days (the final application and harvest dates for each should be identical; preharvest interval (PHI) of 14 days; 4 samples from each plot should be collected). OPPTS Guideline 860.1500 [Due May 1, 2007]
 - b. 28-Day Inhalation study based on the current use pattern. This study can be performed as OPPTS Guideline 870.3465, 90-Day inhalation, but carried out only for 28 days rather than 90 days. [Due February 1, 2007]
 - c. A study determining toxicity to benthic organisms (including chironomid) (OPPTS Guideline 850.1790, Chironomid Sediment Toxicity Test). [Due January 1, 2006]
 - d. A study determining the toxicity to earthworms (OPPTS Guideline 850.6200, Earthworm Subchronic Toxicity Test). [Due December 1, 2005]
 - e. A new guideline adsorption/desorption study. (GRN 163-1, OPPTS Guideline 835.2410) [Due November 1, 2006] The study should fulfill the following requirements:
 - 1. One of the soils used should be the same type of soil used in the aerobic soil metabolism study. The aerobic soil metabolism study (MRID 44367005) used a sandy loam soil from Davidson, Georgia.
 - 2. The study should avoid the use of soils with high organic matter content. Soils with high organic matter content may not be representative of the agricultural soils in intended use areas and may not be appropriate for assessing the mobility of the test material.
 - 3. One of the soils used in the study should have an organic matter content of < 1%.

- 4. Soil columns should be leached with 0.01-0.02 N CaCl₂ solution and not distilled water. The use of distilled water could cause particles to disperse, thereby decreasing the rate of infiltration and leaching. Also, the use of distilled water may lead to the removal of sorbed ions from soil particles, thereby affecting the degree of adsorption of the test material.
- 5. The soils used in the adsorption/desorption study should be characterized using the USDA soil textural classification system."
- f. Well documented estimates of how many pounds of tetraconazole will be placed on the market to treat sugar beets;
- g. Tetraconazole use reporting on sugar beets. This information should be reported as how many pounds of tetraconazole will be applied per acre on sugar beets;
- 4. Submit one (1) copy of the revised final printed label before you release the product for shipment.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions. A stamped copy of the label is enclosed for your records. If you have any questions, contact Lisa Jones at (703) 308-9424 or at jones.lisa@epa.gov.

Sincerely,



Mary L. Waller
Product Manager (21)
Fungicide Branch
Registration Division (7505C)

Enclosure: Stamped copy of label

4/5



SIPCAM AGRO USA, INC. TETRACONAZOLE TECHNICAL

FOR FORMULATION INTO END-USE FUNGICIDE PRODUCTS INTENDED FOR USE ON SUGARBEETS

ACTIVE INGREDIENT:

Tetraconazole {1-[2-(2,4-dichlorophenyl)-3-(1,1,2,2-tetrafluoroethoxy) propyl]-1H-1,2,4-triazole}..... 97.0%

OTHER INGREDIENTS: 3.0%

TOTAL 100.0%

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

FIRST AID	
IF SWALLOWED:	Call a poison control center or doctor immediately for treatment advice. Have affected person sip a glass of water if able to swallow. Do not induce vomiting unless told by a poison control center or doctor. Do not give anything by mouth to an unconscious person.
IF ON SKIN OR CLOTHING	Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
IF IN EYES	Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
Have the product container or label with you when calling a poison control center or doctor, or going for treatment.	
Emergency phone numbers	(800) 424-9300 CHEMTREC (transportation and spills) (800) 900-4044 Poison Control Center (human health) (800) 345-4735 ASPCA (animal health)

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

EPA Registration No. 60063 - _____

EPA Establishment No. _____

NET CONTENTS _____

Registration Expiration Date: November 30, 2012

**ACCEPTED
with COMMENTS
In EPA Letter Dated:**

4/14/05

Manufactured for:
Sipcam Agro USA, Inc.
300 Colonial Center Parkway, Suite 230
Roswell, GA 30076 USA

Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for the pesticide
registered under EPA Reg. No. 60063-11

5/5

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

CAUTION

Harmful if swallowed or absorbed through skin. Causes moderate eye irritation. Avoid contact with eyes, skin, and clothing. Wash thoroughly with soap and water after handling.

ENVIRONMENTAL HAZARDS:

Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment authority. For guidance contact your State Water Board or Regional Office of the EPA.

DIRECTIONS FOR USE:

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Only for use in the formulation of fungicide products for use on sugarbeets. Products formulated from this technical material will require registration with the U.S. Environmental Protection Agency.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE STORAGE: Store unused product in original container only in a cool, dry area out of the reach of children or animals.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on-site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, by incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke.

WARRANTY AND LIMITATION OF DAMAGES

Conditions of sale: Sipcarn Agro USA, Inc. warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated on the label when used in accordance with the directions under normal conditions of use. This warranty does not extend to the use of this product contrary to label instructions, or under conditions not reasonably foreseeable to Sipcarn Agro USA, Inc. SIPCARN AGRO USA, INC. DISCLAIMS ALL OTHER WARRANTIES, EXPRESS OR IMPLIED. To the extent allowable by state law, SIPCARN AGRO USA, INC. SHALL NOT BE LIABLE FOR CONSEQUENTIAL, SPECIAL, OR INDIRECT DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, AND SIPCARN AGRO USA, INC.'S SOLE LIABILITY AND BUYER'S AND USER'S EXCLUSIVE REMEDY SHALL BE LIMITED TO THE REFUND OF THE PURCHASE PRICE. BUYER AND USER ACKNOWLEDGE AND ASSUME ALL RISKS AND LIABILITY RESULTING FROM HANDLING, STORAGE AND USE OF THIS PRODUCT. SIPCARN AGRO USA, INC. DOES NOT AUTHORIZE ANY AGENT OR REPRESENTATIVE TO MAKE ANY OTHER WARRANTY, GUARANTEE OR REPRESENTATION CONCERNING THIS PRODUCT.