



60063-39

12/10/2009

1/6

	<b>U.S. ENVIRONMENTAL PROTECTION AGENCY</b> Office of Pesticide Programs Registration Division (7505P) Ariel Rios Building 1200 Pennsylvania Ave., NW Washington, D.C. 20460	<b>EPA Registration Number:</b>  60063-39	<b>Date of Issuance:</b>  DEC 10 2009
	<b>NOTICE OF PESTICIDE:</b> <u>  x  </u> Registration <u>    </u> Reregistration (under FIFRA, as amended)	<b>Term of Issuance:</b> Conditional	
		<b>Name of Pesticide Product:</b> Myclobutanil 2% Homeowner Fungicide	
<b>Name and Address of Registrant (include ZIP Code):</b> Sipcam Agro USA, Inc. 2520 Meridian Parkway Suite 525 Durham, NC 27713			
<b>Note:</b> Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.			
<p>On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act. Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.</p> <p>This product is conditionally registered in accordance with FIFRA sec. 3 (c) (7) (A) provided that you:</p> <ol style="list-style-type: none"><li>1. Submit/cite all data required for the registration/ reregistration of your product when the Agency requires all registrants of similar products to submit data; and submit acceptable responses required for reregistration of your product under FIFRA section 4.</li><li>2. Make the following label changes:<ol style="list-style-type: none"><li>(a) Change the EPA Registration Number to 60063-39</li></ol></li></ol> <p>(Continued)</p>			
<b>Signature of Approving Official:</b>  Shaja B. Joyner, Product Manager 20 Fungicide Branch Registration Division (7505P)		<b>Date:</b>  DEC 10 2009	

2/6

Continued from first page

EPA Registration. Number 60063-39

(b) Page 2 – User Safety Recommendations:

Delete the entire box entitled “User Safety Recommendations.”

(c) Page 2 – Environmental Hazards:

Replace the text following the heading “Environmental Hazards” with:

“To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area.”

(d) Page 2 – Directions for Use:

Change “For home lawn use only.” to “Intended for home lawn use only.”

(d) Page 4 – Storage and Disposal:

- Immediately underneath the heading “Storage and Disposal” add the sentence: “Do not contaminate water, food or feed by storage or disposal.”
- Change the heading “Pesticide Disposal” to “Pesticide Disposal and Container Handling”.
- Change the text following this heading to: “Nonrefillable container. Do not reuse or refill this container. Wrap container and put in trash or offer for recycling if available.”

3. Submit one (1) copy of the revised final printed label before the product is released for shipment.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records. If you have any questions, contact Lisa Jones of my team at (703) 308-9424 or at [jones.lisa@epa.gov](mailto:jones.lisa@epa.gov).

Sincerely,



Shaja B. Joyner  
Product Manager (20)  
Fungicide Branch  
Registration Division (7505P)

Enclosure: Stamped copy of label

# MYCLOBUTANIL 2% HOMEOWNER FUNGICIDE

EDITOR'S NOTE: Optional marketing text noted by italicized text in brackets

- [• Do-it-yourself disease control • Prevents and cures all major lawn diseases • Controls brown patch, crown rot, powdery mildew, leaf spot, rust, Summer patch and more • Systemic action • Systemic action – Can't be washed off by rain once dried • Rainproof -Can't be washed off [away] by rain once dried • Protects for up to 2 weeks • Treats [3,000] [6,000] [12,000] sq ft. • Just connect to your [garden] hose and spray. Easy-to-use spray ready nozzle • No spreading or complicated mixing • Water-based • Easy-View [CleanView] measuring window • Guaranteed Results or your money back\*]*

*[MYCLOBUTANIL 2% HOMEOWNER prevents and cures all major diseases on lawns. Because it works systemically, it can't be washed off by rain or sprinklers once dried and it works for weeks. Use this product on your lawn to keep it thriving.]*

*[Prevents and cures... Brown Patch, Dollar Spot, Powdery Mildew, Rust, Blight, Leaf Spot... and more!]*

- [One 32 oz bottle of this formula will treat 3,000 sq ft]*
- [One 64 oz bottle of this formula will treat 6,000 sq ft]*
- [One gallon bottle of this formula will treat 12,000 sq ft]*

## [CONTROLS] [DISEASES CONTROLLED]

*[Use MYCLOBUTANIL 2% HOMEOWNER as directed to treat the following diseases in your lawn:]*

MYCLOBUTANIL 2% HOMEOWNER prevents and cures anthracnose, brown patch, copper spot, dollar spot, leaf spot (including septoria, zonate), melting out, crown rot, leaf smuts, powdery mildew, rust, red thread, Spring dead spot, necrotic ring spot and Summer patch,

### Active Ingredient:

Myclobutanil .....	2.0%
Other Ingredients: .....	98.0%
Total: .....	100.0%

**ACCEPTED**

**with COMMENTS**  
**In EPA Letter Dated:**  
**DEC 10 2009**

**Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No.**

Read all instructions inside before using.

**KEEP OUT OF REACH OF CHILDREN**

**CAUTION**

**60063-39**

See back [booklet] for additional precautionary statements

EPA Reg. No. 60063-xx

EPA Est. No. xxxxx-xx-xxxx

**Net Contents:** 1 quart (946 ml) [2 quarts (1.892 l)] [1 gallon (3.74 l)]

MANUFACTURED FOR  
Sipcam Agro USA, Inc.  
2520 Meridian Parkway, Suite 525  
Durham, NC 27713

FIRST AID	
IF IN EYES.	Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eyes. Call a Poison Control Center or doctor for treatment advice.
IF SWALLOWED	Call a Poison Control Center or doctor immediately for treatment advice. Have person sip glass of water if able to swallow. Do not induce vomiting unless told to by a Poison Control Center or doctor. Do not give anything by mouth to an unconscious person.
Have the product container or label with you when calling the Poison Control Center or doctor, or going for treatment.	
Emergency Phone Numbers	1-800-222-2220 Poison Control Center 1-800-858-7378 NPIC (human and animal health)

### PRECAUTIONARY STATEMENTS

#### HAZARDS TO HUMANS AND DOMESTIC ANIMALS

**CAUTION:** Causes moderate eye irritation. Avoid contact with eyes or clothing. Wear protective eyewear. Harmful if swallowed. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

### USER SAFETY RECOMMENDATIONS

- Remove contaminated clothing. Wash clothing before reuse.

### ENVIRONMENTAL HAZARDS [be sure to check against PR Notice 2008-1]

Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters or rinsate.

### [OPTIONAL PRODUCT FACT BOX]

#### PRODUCT FACTS

What it Does: Prevents and cures all Major Lawn Diseases including Anthracnose, Brown Patch, Copper Spot, Dollar Spot, Leaf Spot (including Septoria, Zonate), Melting Out, Crown Rot, Leaf Smuts, Powdery Mildew, Rust, Red Thread, Spring Dead Spot, Necrotic Ring Spot and Summer Patch

Where to Use: (grass icon) Lawns

When to Use: Start Treating When Grass Begins to Turn Green in Spring or When Signs of Diseases are First Noticed.

Questions & Comments (phone icon) (computer icon)  
Call 1-866-429-0887 or e-mail us at [info@advanllc.com](mailto:info@advanllc.com)

STOP. READ ENTIRE LABEL BEFORE USE.

### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

For home lawn use only.

Keep pets and people other than applicator off treated areas until spray has dried. (stop sign icon) (walking dog icon)



## WHEN TO USE

This product is highly effective when it is used to prevent diseases or applied at the first sign of disease. Start treating when grass begins to turn green in the spring or when signs of diseases are first noticed. For best disease control, treat every 2 weeks.

## RESTRICTIONS

Do not apply more than 13 treatments per year. In Nassau and Suffolk Counties in New York State, do not apply more than 3 times per given area per year.

Do not treat lawns during periods of stress, i.e. heat, drought, flooding, insects, excessive fertilizer, herbicides or pesticide use, etc.

Do not apply when temperatures are above 85°F as injury to lawn can occur.

If it rains before product has dried, reapply.

If you need more information, contact your local County Extension Service.

## HOW TO USE

Determine the size of the area (lawn) to be treated. To calculate square feet, multiply length by width. Start at the farthest point to be treated and work backward so you don't walk over treated area. Walk at a Steady pace and spray using aside-to-side [arc] motion, slightly overlapping the treated area.

The entire [32 oz] bottle will treat 3,000 sq ft of lawn. Refer to [sight gauge] [Easy-View] [Clear-View] Measuring window to guide coverage. When bottle is half empty, you should have covered half the area.

## ENTIRE LAWN

### HOSE END SPAYER INSTRUCTIONS [Dial Button]

1. Shake container well before using.
2. Connect a garden hose to the Ready Spray nozzle. Make sure the dial on the nozzle is in the "OFF" position with the [green] safety tab in the valve notch.
3. Turn on water at faucet. Extend hose to the farthest area to be treated and work back toward the faucet so you don't come in contact with the treated area.
4. To BEGIN spraying, point nozzle toward lawn or plants to be treated and a) bend the [green] safety tab (located at right of [yellow] dial) back and hold, b) using your other hand, QUICKLY turn the dial clockwise until it stops and [green] tab engages in to notch. Water will automatically mix with the product.
5. Spray lawn or plants thoroughly. Walk at a steady pace while spraying using an even sweeping motion, slightly overlapping treated areas. One quart [two quarts] [one gallon] will treat 3,000 [6,000] [12,000] sq ft. Calculate square feet by multiplying length by width. Refer to sight gauge to guide coverage (example: when one quart bottle is half empty, you should have covered 1,500 square feet).
6. To STOP spraying, QUICKLY turn the dial in the opposite direction of "ON" (counter clockwise) until it stops and the safety tab engages into the notch. Turn water off at faucet. To relieve pressure before removing nozzle from hose, bend the safety tab back and turn dial "ON" until water stops spraying.
7. To STORE unused product, make sure the dial is in the "OFF" position with the green safety tab in the valve notch. Place in a cool area away from heat or open flame.

Rainproof- rain or watering 2 hours after application will not wash away effectiveness. [If rainfall occurs within 2 hours of application, the product should be reapplied.]

NOTE: This product is non-staining to most home siding depending on age and cleanliness. However, before using in areas where the spray may contact home siding (vinyl siding in

6/6  
particular) test in an inconspicuous area and recheck in a few hours. Do not use if any staining is observed.

**STORAGE AND DISPOSAL**

**PESTICIDE STORAGE:** Store in a cool, dry secure area away from heat, sunlight, open flame, children and pets.

**PESTICIDE DISPOSAL:** If empty: Do not reuse or refill this container. Place in trash or offer for recycling if available.

If partly filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

**NOTICE:** Buyer assumes all responsibility for safety and use not in accordance with directions. [\*Guaranteed Results- if you are not satisfied with the product for any reason, send your written request for a refund to the address below, together with the original dated store receipt showing the price you paid. Please allow 6-8 weeks for processing.]