U.S. ENVIRONMENTAL PROTECTION AGENCY Office of Pesticide Programs Registration Division (7505P) 1200 Pennsylvania Ave., N.W. Washington, D.C. 20460 NOTICE OF PESTICIDE: <u>X</u> Registration Reregistration	Office of Pesticide Programs Registration Division (7505P) 1200 Pennsylvania Ave., N.W.	Office of Pesticide Programs Registration Division (7505P) 1200 Pennsylvania Ave., N.W.	EPA Reg. Number: 60063-56	Date of Issuance: 9/27/16	
	F	Term of Issuance: Conditional			
(under FIFRA, as amended)			Name of Pesticide Product: Torrent G		
Name and Address of Registrant of Patricia McFadden Registration Manager Sipcam Agro USA, Inc. 2525 Meridian Parkway Durham, NC 27713					
<b>Note:</b> Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.					
	On the basis of information furnished by the registrant, the above named pesticide is hereby registered under the Federal Insecticide, Fungicide and Rodenticide Act.				
Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.					
This product is conditionally registered in accordance with FIFRA section $3(c)(7)(A)$ . You must comply with the following conditions:					
1. Submit and/or cite all data required for registration/reregistration/registration review of your product under FIFRA when the Agency requires all registrants of similar products to submit such data.					
Signature of Approving Official:			Date:		
2 Por			9/27/16	5	
Kable Bo Davis, Produc Invertebrate & Vertebra EPA Form 8570-6	et Manager 03 te Branch 1, Registration Division	a (7505P)			

Page 2 of 3 EPA Reg. No. 60063-56 Decision No. 507158

- 2. You are required to comply with the data requirements described in the DCIs identified below:
  - a. Lambda-cyhalothrin GDCI-128897-1104 GDCI-128897-1151 GDCI-128897-1249

You must comply with all of the data requirements within the established deadlines. If you have questions about the Generic DCIs listed above, you may contact the Chemical Review Manager in the Pesticide Reevaluation Division: <u>http://www.epa.gov/pesticide-contacts/contacts-office-pesticide-programs-pesticide-re-evaluation-division</u>

- 3. The data requirements for storage stability and corrosion characteristics (Guidelines 830.6317 and 830.6320) are not satisfied. A one year study is required to satisfy these data requirements. You have 18 months from the date of registration to provide these data.
- 4. Make the following label changes before you release the product for shipment:
  - Revise the EPA Registration Number to read, "EPA Reg. No. 60063-56."
- 5. Submit one copy of the final printed label for the record before you release the product for shipment.

Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance.

If you fail to satisfy these data requirements, EPA will consider appropriate regulatory action including, among other things, cancellation under FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions. A stamped copy of the label is enclosed for your records. Please also note that the record for this product currently contains the following CSFs:

- Basic CSF dated 07/16/2015
- Alternate CSF 1 dated 07/16/2015
- Alternate CSF 2 dated 07/16/2015
- Alternate CSF 3 dated 07/16/2015
- Alternate CSF 4 dated 07/16/2015
- Alternate CSF 5 dated 07/16/2015

Page 3 of 3 EPA Reg. No. 60063-56 Decision No. 507158

If you have any questions, please contact Tim Ciarlo by phone at 703-347-8082, or via email at <u>Ciarlo.Timothy@epa.gov</u>.

#### RESTRICTED USE PESTICIDE

Due to Toxicity to Fish and Aquatic Organisms For retail sale and use only by Certified Applicators or persons under their direct supervision and only for those uses covered by the Certified Applicator's certification.

Group 3A Insecticide

# Torrent<sup>™</sup> G

#### **Active Ingredient:**

Lambda-cyhalothrin [1-α(S*),3-α(Z)]-(±)-cyano-(3-phenoxyphenyl)methyl-3-(2-chloro-3,3,3-trifluoro-1-propenyl)-			
2,2-dimethylcyclopropanecarboxylate	1.8%		
Other Ingredients:			
Total:			

Contains 1.8 lbs of active ingredient per 100 lbs of granular insecticide.

## Keep Out of Reach of Children CAUTION

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail).

FIRST AID				
IF SWALLOWED:	<ul><li>Have pers</li><li>Do not ind</li></ul>	son control center or doctor immediately for treatment advice. son sip a glass of water if able to swallow. duce vomiting unless told to by a poison control center or doctor. re anything by mouth to an unconscious person.		
IF INHALED:	<ul> <li>If person is preferably</li> </ul>	son to fresh air. is not breathing, call 911 or an ambulance, then give artificial respiration, mouth-to-mouth if possible. son control center or doctor for further treatment advice.		
IF IN EYES:	<ul> <li>Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing.</li> <li>Call a poison control center or doctor for treatment advice.</li> </ul>			
IF ON SKIN OR CLOTHING:	<ul> <li>Take off contaminated clothing.</li> <li>Rinse skin immediately with plenty of water for 15-20 minutes.</li> <li>Call a poison control center or doctor for treatment advice.</li> </ul>			
Have the product container or label with you when calling a poison control center or doctor or going for treatment.				
Emergency phone numbers(800) 424-9300 CHEMTREC (transportation and spills) (800) 222-1222 Poison Control Center				

EPA Reg. No. 60063-xx Net Contents: \_\_\_\_\_ lbs.

EPA Est. No: \_\_\_\_\_ [Date code or lot number]

See additional Precautionary Statements and Directions for Use inside label booklet.

Manufactured for: Sipcam Agro USA, Inc. 2525 Meridian Parkway, Suite 350 Durham, NC 27713



Under the Federal Insecticide, Fungicide and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No. 20000 ED

60063-56 <sup>rkeg.</sup>

Page 1 of 4

#### PRECAUTIONARY STATEMENTS

#### HAZARDS TO HUMANS AND DOMESTIC ANIMALS

**CAUTION.** Harmful if swallowed, inhaled, or absorbed through the skin. Avoid contact with skin, eyes or clothing. Avoid breathing dust. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove and wash contaminated clothing before reuse.

#### PERSONAL PROTECTIVE EQUIPMENT (PPE)

Applicators and other handlers must wear:

- Long-sleeved shirt and long pants
- Shoes plus socks
- Waterproof gloves

#### USER SAFETY REQUIREMENTS

Follow the manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry.

#### **ENGINEERING CONTROLS**

When handlers use closed systems or enclosed cabs in a manner that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides [40 CFR 170.240(d)(4-6)], the handler PPE requirements may be reduced or modified as specified in the WPS.

### USER SAFETY RECOMMENDATIONS

Users should:

- Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.
- Remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

#### ENVIRONMENTAL HAZARDS

This product is extremely toxic to fish and aquatic invertebrates. Drift and runoff may be hazardous to aquatic organisms in neighboring areas. Do not apply directly to water, or to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment wash water. "This product is highly toxic to bees and other pollinating insects exposed to direct treatment or residues on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds if bees or other pollinating insects are foraging at the treatment area."

### DIRECTIONS FOR USE RESTRICTED USE PESTICIDE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the Agency responsible for pesticide regulation.

## FAILURE TO FOLLOW THE DIRECTIONS FOR USE AND PRECAUTIONS ON THIS LABEL MAY RESULT IN POOR INSECT CONTROL, CROP INJURY, AND/OR ILLEGAL RESIDUES.

#### AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR Part 170. This standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE), restricted-entry interval, and notification to workers. The requirements in this box apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted-entry interval (REI) of 24 hours.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water is:

- Coveralls,
- Shoes plus socks,
- Chemical resistant gloves (made of any waterproof material).

#### **RESISTANCE MANAGEMENT**

Torrent G contains a Group 3A insecticide. Insect biotypes with acquired resistance to Group 3A may eventually dominate the insect population if Group 3A insecticides are used repeatedly in the same field or in successive years as the primary method of control for targeted species. This may result in partial or total loss of control of those species by Torrent G or other Group 3A insecticides.

To delay insecticide resistance consider:

- Avoiding the consecutive use of Torrent G or other group 3A insecticides that have a similar target site of action, on the same insect/mite species.
- Using tank-mixtures or premixes with insecticides from a different target site of action Group as long as the involved products are all registered for the same use and have different sites of action.
- Basing insecticide use on a comprehensive IPM program.
- Monitoring treated insect populations for loss of field efficacy.
- Contacting your local extension specialist, certified crop advisors, and/or local Sipcam Agro USA, Inc. representative for insecticide resistance management and/or IPM recommendations for the specific site and resistant pest problems.

Field Corn, Seed Corn, Sweet Corn, Popcorn			
Target Pest	Application Rate	Use Directions	
Cutworms Wireworms White Grubs	3.5 - 4.5 oz. per 1,000 ft. of row	Torrent G should be applied in-furrow at planting for optimal control of labeled pests.	
Corn Rootworm Larvae: - Northern - Western - Southern Seedcorn Maggots		In-Furrow Application at Planting: Apply Torrent G in conventional, conservation or no-till corn as an in-furrow treatment. Place the applicator tube either directly into or behind the planter shoe, so the granules drop into the open seed furrow and are completely covered with soil.	
Seedcorn Beetle		Granules must be incorporated into the top one inch of soil using tines, press wheels, closing wheels or other	

#### **APPLICATION DIRECTIONS**

Torrent G EPA Reg. No. 60063-LA

	suitable equipment.
	DO NOT apply as a surface band behind the press wheel.
RESTRICTIONS:	

#### RESTRICTIONS:

- Pre-harvest interval: 21 days.
- DO NOT graze livestock or cut treated crops for feed within 21 days of at-plant application.
- DO NOT apply more than 0.09 lb of lambda-cyhalothrin active ingredient per acre at planting (equivalent to 5.0 lb of formulated product).
- DO NOT make more than one in furrow application at planting per year.

To define the amount of product required per acre, select the use rate per 1,000 row feet and the row spacing as shown in the following chart:

Ounces of Torrent G	Pounds of Torrent G Required per Acre at Various Row Spacings			
per 1,000 feet of row	30"	32"	34"	
3.5 oz	3.8	3.6	3.4	
4.0 oz	4.4	4.1	3.8	
4.5 oz	4.9	4.6	4.3	

#### Planter Gauge Settings

Calibrate application equipment according to manufacturer's directions. Continually check the amount of Torrent G used against a known length of row or acreage and adjust gauge settings accordingly. Check equipment calibration prior to each planting to ensure that equipment wear, changing conditions etc. have not caused a change in flow rate.

#### STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

**Pesticide Storage:** Store in a cool, dry place and in such a manner as to prevent cross-contamination with other pesticides, fertilizers, food, and feed.

**Pesticide Disposal:** Wastes resulting from the use of this product must be disposed of on site or at an approved waste disposal facility.

**Container Handling:** Nonrefillable container. Do not reuse or refill this container. Completely empty bag into application equipment, then offer for recycling if available or dispose of empty bag in a sanitary landfill or by incineration.

#### WARRANTY AND LIMITATION OF DAMAGES

**CONDITIONS OF SALE**: To the extent consistent with applicable law, Sipcam Agro USA, Inc. warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated on the label when used in accordance with the directions under normal conditions of use. This warranty does not extend to the use of this product contrary to label instructions, or under abnormal use conditions, or under conditions not reasonably foreseeable to Sipcam Agro USA, Inc. To the extent consistent with applicable law, **SIPCAM AGRO USA, INC. DISCLAIMS ALL OTHER WARRANTIES, EXPRESS OR IMPLIED.** To the extent consistent with applicable law, **SIPCAM AGRO USA, INC. DISCLAIMS ALL OTHER WARRANTIES, EXPRESS OR IMPLIED.** To the extent consistent with applicable law, **SIPCAM AGRO USA, INC. SHALL NOT BE LIABLE FOR CONSEQUENTIAL, SPECIAL, OR INDIRECT DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, AND SIPCAM AGRO USA, INC.'S SOLE LIABILITY AND BUYER'S AND USER'S EXCLUSIVE REMEDY SHALL BE LIMITED TO THE REFUND OF THE PURCHASE PRICE. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, BUYER AND USER ACKNOWLEDGE AND ASSUME ALL RISKS AND LIABILITY RESULTING FROM HANDLING, STORAGE AND USE OF THIS PRODUCT. SIPCAM AGRO USA, INC. DOES NOT AUTHORIZE ANY AGENT OR REPRESENTATIVE TO MAKE ANY OTHER WARRANTY, GUARANTEE OR REPRESENTATION CONCERNING THIS PRODUCT.** 

Torrent is a trademark of Sipcam Agro USA, Inc.