1/6

Virahol® Hospital Surface Disinfectant Towelette Master Label EPA Reg. Number 60142-3

# Virahol® Hospital Surface Disinfectant Towelette

- For Disinfecting, Cleaning and Deodorizing Hard, Non-Porous Environmental Surfaces
- Non-Staining
- Tuberculocide
- Bactericide
- Fungicide
- Virucide
- Ready-to-Use
- · Disinfects and Deodorizes

# Keep Out of Reach of Children CAUTION

[See package insert for additional precautionary statements]

Active Ingredient:	
Isopropanol	70%
Other Ingredients*	
Total	100%

EPA Reg. No. 60142-3

EPA Est. No. 60142-FL-1 (A)

EPA Est. No. 10088-WI-1 (B)


The letter in () following the Est. No. corresponds to the letter suffix of the lot code and identifies which establishment produced this lot.

U.S. Patent # 5,145,663

U.S. Patent #5,441,723

UPC Code Lot#

Net Contents: 160 Towelettes 6.5" x 6.5"



SEP 2 6 2005

Under the Federal Insecticide, Fungicide, and Rodenticide, Act as amended, for the pesticide, registered under IEPA Reg. No. 60 142 - 3

<sup>\*</sup>Does not include weight of towelette.

Page 10 of 115

Virahol® Hospital Surface Disinfectant Towelette Master Label EPA Reg. Number 60142-3

## PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION. Causes moderate eye irritation. Harmful if inhaled or absorbed through the skin. Avoid contact with eyes, skin or clothing. Wash thoroughly with soap and Water after handling.

### **FIRST AID**

Have the product container or label with you when calling a poison control center or doctor or going for treatment.

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing the eve. Call a poison control center or doctor for further treatment and advice.

If on skin or clothing: Take off contaminated clothing. Rinse skin with plenty of water for 15-20 minutes. Call a poison control center or doctor for further treatment and advice.

If inhaled: Move person to fresh air. If person is not breathing, call 9-1-1 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment and advice.

### PHYSICAL OR CHEMICAL HAZARDS:

Flammable. Keep away from heat, sparks and open flame.

### STORAGE AND DISPOSAL:

Do not contaminate water, food or feed by storage and disposal.

**PESTICIDE DISPOSAL:** Store in a cool, dry place, at room temperature.

CONTAINER DISPOSAL: Do not reuse container. Discard empty container in trash. PESTICIDE DISPOSAL: Discard used Towelettes and empty container in regular

trash.

Veridien Corporation 2875 MCI Drive, Suite B Pinellas Park, FL 33782-6105 Phone: 1-800-345-5444

SEP **2 6** 2005

Under the Federal Insecticide, Fungicide, and Rodenticide, Act as amended, for the pasticide, registered under EPA Reg. No. 6 0

Virahol® Hospital Surface Disinfectant Towelette Master Label EPA Reg. Number 60142-3

# SEP 2 6 2005 Under the Federal Insecticide, Fungicide, and Roderdicide, Act as amended, for the pesticide, registered under EPA Reg. No. 6 144 - 3

# Effective against a broad range of pathogens listed on this label

VIRUCIDAL: Hepatitis A Virus (HAV), Hepatitis B Virus (HBV), Hepatitis C Virus (HCV), Human Immunodifiency Virus (HIV-1) (AIDS Virus) – Inactivates HIV-1, Hepatitis B Virus, Hepatitis C Virus on precleaned environmental surfaces/objects previously soiled with blood or body fluids in healthcare settings or other settings in which there is an expected likelihood of soiling of inanimate surfaces or objects with blood or body fluids, and in which the surfaces and objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of Human Immunodeficiency Virus (HIV-1) (AIDS virus). Cytomegalovirus (CMV), ATCC-VR538; Respiratory syncytial virus (RSV), ATCC#VR26; Rotavirus (SA-11; Group A), Influenza type A-2 (Hong Kong), ATCC#VR544; Adenovirus type 2, ATCC#VR846; Herpes Simplex type 1, ATCC#VR260; Herpes Simplex type 2, ATCC#VR539.

TUBURCULOCIDAL: Mycobacterium bovis (BCG).

BACTERICIDAL: Methicillin-resistant Staphylococcus aureus (MRSA), ATCC#33593; Vanomycin-resistant Enterococcus faecalis (VRE), ATCC#51299; Pseudomonal aeruginosa, ATCC#15442; Salmonella choleresuis, ATCC#10708; Staphylococcus aureus, ATCC#6538; Streptococcus pyogenes, ATCC#49399, #19615; Escherichia coli, Strain 0157, ATCC#43895.

FUNGICIDAL: Trichophyton mentagrophytes, ATCC#9533.

COMPATIBLE IN CONTACT WITH THESE MATERIALS: Aluminum, Buna N, Cast Bronze, Nylon, Polypropylene, Rigid PVC, Titanium, Stainless Steel (304,316,440), Teflon\*, Tygon\*\*, Viton\*\*\*

\*a registered trademark of E.I. DuPont de Nemours and Company \*\*a registered trademark of Norton Company \*\*\*a registered trademark of DuPont-Dow Elastomer

#### DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

General Information: [An effective disinfectant and deodorant towelette for hospitals, clinics, medical and dental offices, nursing homes, veterinary offices, laboratories, industrial clean rooms, ambulances, hotels and lodging establishments, restaurants, schools, transportation terminals, office buildings, manufacturing facilities, retail businesses, athletic and recreational facilities, professional salons, spa and health clubs, amusement parks, restrooms, garage storage areas, and basements.] When used as directed this product is designed for effective cleaning, disinfecting and deodorizing of hard, nonporous, inanimate surfaces [including countertops, walls, floors, bathrooms (toilet seats, sinks, shower stalls, bathtubs), water coolers, bed frames, stretchers, thermometers, stethoscopes, otoscopes, stainless steel surfaces (including Stainless Steel 304, 316, 440), appliances, tables, chairs, computer keyboards and housings, 2 way radios, telephones, and other similar surfaces.] [This product may also be used to deodorize areas which generally are hard to keep fresh smelling, such as

garage storage areas, empty garbage bins and cans, restrooms and other areas which are prone to odors caused by microorganisms.

General Precautions and Restrictions: When using strong cleaners and disinfecting agents, it is always advisable to first test in an inconspicuous area. This product may be used in kitchen and food preparation areas [on counters, sinks, tables, chairs, thermometers and appliances]. For surfaces which may come into contact with food, a potable water rinse is required.

This product is not to be used as a terminal sterilant/high level disinfectant on any surface or instrument that (1) is introduced directly into the human body, or (2) contacts intact mucous membranes but does not ordinarily penetrate the blood barrier or otherwise enter normally sterile areas of the body.


### **Application Instructions:**


To disinfect contaminated hard, non-porous surfaces and objects: Pull out towelette from dispenser and wipe surface to be disinfected with towelette. Make certain to wet surface thoroughly. Surface must remain visibly wet for a full 10 minutes. Use additional towelettes if needed to assure 10 minute wet contact time. For heavily soiled areas, or surfaces of objects soiled with blood or body fluids, a pre-cleaning step is required. For surfaces which may come into contact with food, a potable water rinse is required. Dispose of towelette in regular trash.

Special Instructions for Cleaning and Decontamination against HIV-1, Hepatitis B Virus or Hepatitis C Virus on Hard, Inanimate Surfaces and/or Objects Soiled with Blood or Body Fluids:

Personal Protection: When handling items soiled with blood or body fluids, use disposable latex gloves, gown, mask and/or eye coverings. Cleaning Procedures: Blood and body fluids must be thoroughly cleaned from surfaces and objects before application of this product. Contact Time: Surface must remain visibly wet for one minute to assure total inactivation of HIV virus. For all other organisms listed on this label, the surface must remain visibly wet for a full 10 minutes. Use additional towelettes, if needed, to assure a 10 minutes wet contact time. Disposal of infectious materials: Blood and other body fluids should be autoclaved and disposed according to federal, state and local regulations for infectious waste disposal.

No warranty, either expressed or implied, is given to usage contrary to instructions given herein.





## **Optional Disinfectant Claims:**

- For general disinfection
- One Step Clean [Cleaner] [/] [and] Disinfect [Disinfectant]
- Cleans and Disinfects in One Step
- Effective against Hepatitis A Virus (HAV)
- Kills Hepatitis A Virus (HAV)
- Effective against Hepatitis B Virus (HBV)
- Kills Hepatitis B Virus (HBV)
- Effective against Hepatitis C Virus (HCV)
- Kills Hepatitis C Virus (HCV)
- Effective against Hepatitis A Virus, Hepatitis B Virus, Hepatitis C Virus and HIV-1 on precleaned environmental surfaces/objects previously soiled with blood or body fluids
- Kills Hepatitis A Virus, Hepatitis B Virus, Hepatitis C Virus and HIV-1 on precleaned environmental surfaces/objects previously soiled with blood or body fluids
- Effective against TB (Mycobacterium tuberculosis), HIV (Human Immunodeficiency Virus), MSRA (Methicillin Resistant Staphyloccus aureus), VRE (Vancomycin Resistant Enterococcus faecium)
- Kills (more than) 99.9% (bacterial) germs and viruses\* (\*Hepatitis A Virus (HAV), Hepatitis B Virus (HBV), Hepatitis C Virus (HCV), Cytomegalovirus (CMV), ATCC-VR538; Respiratory syncytial virus (RSV), ATCC#VR26; Rotavirus (SA-11; Group A), Influenza type A-2 (Hong Kong), ATCC#VR544; Adenovirus type 2, ATCC#VR846; Herpes Simplex type 1, ATCC#VR260; Herpes Simplex type 2, ATCC#VR539; and HIV-1 on precleaned environmental surfaces/objects previously soiled with blood or body fluids
- Virucidal
- Bactericidal
- Germicidal
- Tuberculocidal
- Fungicidal
- Kills bacteria and viruses [important to first responders] such as Hepatitis A Virus (HAV), Hepatitis B Virus (HBV), Hepatitis C Virus (HCV), Human Immunodifiency Virus (HIV-1) (AIDS Virus), Mycobacterium tuberculosis (TB) Methicillin-resistant Staphylococcus aureus (MRSA), Vanomycin-resistant Enterococcus faecalis (VRE).

ACCEPTED

SEP 2 6 2005

# **Optional Marketing Claims and Surface Safety Claims:**

- Ready To Use
- Full Strength
- Non-staining
- Non-corrosive
- Contains no abrasives
- Will not harm most surfaces
- Compatible with most surfaces
- Non-damaging to most surfaces
- Incidental contact does not compromise integrity of tumout gear\*\*
- Leaves pleasant citrus scent
- Deodorizes and leaves a pleasant citrus scent
- Kills the [bacteria] [pathogens] [microorganisms] responsible for odors
- Recommended for use by [healthcare] [professionals], [emergency personnel], [and] [other commercial establishments] [anyone] concerned with reducing the germs that cause disease and infection and controlling the hazards of cross contamination.

ACCEPTED

SEP 2 6 2005

Under the Federal Insecticide, Fungicide, and Rodenticide, Act as amended, for the pesticide, registered under EPA Reg. No. 147 - 3

<sup>\*\*</sup>turnout gear is protective gear used by first responders (including firefighters, paramedics and police