

DRAFT



PUBLIC PLACES

*Pocket Sized
Disinfectant Spray*

KEEP OUT OF
REACH OF
CHILDREN.
CAUTION:
See back panel
for additional
precautionary
statements.

ACTIVE INGREDIENTS:
Alkyl (C14 60%, C16 30%, C12
5%, C18 5%) dimethyl benzyl
ammonium chloride... 0.07%
Alkyl (C12 68%, C14 32%)
dimethyl ethylbenzyl ammonium
chloride... 0.07%
INERT INGREDIENTS... 99.86%

Net Contents: 1 FL. OZ.

CENTER PANEL

Revised 12-22-89

ACCEPTED
MAR 09 1990
61178-2

PUBLIC PLACES. the pocket sized disinfectant spray for use on toilet seats, telephones, door knobs and similar hard non-porous, inanimate, environmental surfaces, in homes, restaurants, hotels, motels, and gas stations.

DIRECTIONS FOR USE:

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. To clean, deodorize, and kill herpes simplex type 1 and 2, hold dispenser 10 inches from the surface, press atomizer with quick short strokes, spraying evenly until wet. Wait 30 seconds and wipe dry with tissue. To kill staph, strep and fungi repeat as above, wait 10 minutes and wipe dry.

PRECAUTIONARY STATEMENT

Hazard to humans and domestic animals. Avoid contact with eyes. In case of contact flush eyes with water. Get medical attention if irritation persists.

Disposal: Wrap empty container and dispose in trash container.


MICROGEN INC

West Caldwell, N. J. 07006

EPA Reg No 61178-2 EPA Est. No 42186-MN01

~~BACK~~
RIGHT PANEL

Revised 12-22-84



**HERPES TYPE 1 & 2
INFLUENZA IN SECONDS**

CLEANS AS IT KILLS



for pocket or purse for travel or work

The Pocket Sized Virucidal Disinfectant Spray
Disinfects • Cleans • Deodorizes

SPRAY

Toilet Seats
 Telephones
 Door Knobs
 Light Switches
 Shower Stalls
 Furniture
FOR USE IN
 Public Restrooms
 Fast Food Chains
 Airplanes
 Hotels, Motels
 Day Care Centers
 Highway Service
 Areas
 Hospitals **of sickrooms**
PERFECT FOR
 Vacationers
 Business Travelers
 Truckers
 Doctors, Nurses
 Paramedics
 CPR Instructors
 Firefighters, Police

(HIV 1) (Aids Virus)
 human Herpesvirus type 1
 virus Type 2
 Herpes Simplex
 Type 1 and Type 2
 Influenza
 A 2 (Asian) and
 B (Allent) Viruses
 Pseudomonas
 Salmonella
 Staph.
 Strep.
 Pathogenic Fungi
 (Athlete's Foot
 and Ringworm)
 Aspergillus niger
 Legionella pneumophila

EPA Reg. No. 61178-2 EPA Est. No. 1-1111-11

BEST AVAILABLE COPY

61178-2

PUBLIC PLACES™

The Pocket Sized Disinfectant Spray

Reduce the danger of infection from the inanimate environment, with PUBLIC PLACES, the pocket sized disinfectant spray, for use on toilet seats, telephones, door knobs and similar hard non-porous inanimate environmental surfaces.

Sprayed on environmental surfaces. PUBLIC PLACES kills (HIV-1) (Aids Virus), human immunodeficiency virus Type 1 Herpes Simplex Type 1 and Type 2, Parainfluenza I and Pseudorabies in 30 seconds. Kills Influenza, A-2 (Asian) and B (Allen) Viruses. in 50 seconds. Also Kills Pseudomonas, Salmonella, Staph. *Legionella pneumophila*, Strep, Pathogenic Fungi; (Athlete's Foot, and Ringworm-*Trichophyton mentagrophytes*) *Aspergillus niger*. in 10 minutes

KILLS HIV-1 ON ENVIRONMENTAL SURFACES/OBJECTS PREVIOUSLY SOILED WITH BLOOD/BODY FLUIDS in health care settings or other settings in which there is an expected likelihood of soiling of inanimate surfaces/objects with blood or body fluids, and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of human immunodeficiency virus Type 1 (HIV-1) (associated with AIDS).

SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1 OF SURFACES/OBJECTS SOILED WITH BLOOD/BODY FLUIDS:

PERSONAL PROTECTION: Specific barrier protection items to be used when handling items soiled with blood or body fluids are disposable latex gloves, gowns, masks, or eye coverings.

CLEANING PROCEDURE: Blood and other body fluids must be thoroughly cleaned from surfaces and objects before application of the disinfectant.

DISPOSAL OF INFECTIOUS MATERIALS: Blood and other body fluids should be autoclaved and disposed of according to federal, state and local regulations for infectious waste disposal.

CONTACT TIME: Leave surfaces wet for 30 seconds. This contact time will not control other common types of viruses and bacteria.



MICROGEN, INC.
P.O. Box 1281
West Caldwell, N.J. 07008
Net Weight - 1 FL. Oz.

BACK OF CARD

ACC
MAR 09 1990
611-6-2

For Use in 5,35,55 gallon
containers

STORAGE AND DISPOSAL

- Do not contaminate water, food, or feed by storage disposal.
- Do not store on side
- Avoid creasing or impacting of side walls

PESTICIDE DISPOSAL

Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray or mixture or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your state Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL

Triple rinse (or equivalent). Then offer for recycling or reconditioning or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities by burning. If burned, stay out of smoke.

Metal Container: Triple Rinse (or equivalent), then offer for recycling or reconditioning, or dispose of in a sanitary landfill, or by other procedures approved by state and local authorities (if container is 1 gallon or less, use this container disposal statement).

Do not reuse empty container (bottle, can, bucket). Wrap container and put in trash.

ACCEPTED
MAR 09 1990

611782