

PM 31

61178-2

10/5



PUBLIC PLACES

*Pocket Sized
Disinfectant Spray*

KEEP OUT OF
REACH OF
CHILDREN.
CAUTION:
See back panel
for additional
precautionary
statements.

ACTIVE INGREDIENTS:
Alkyl (C14 60%, C16 30%, C12
5%, C18 5%) dimethyl benzyl
ammonium chloride..... 0.07%
Alkyl (C12 68%, C14 32%)
dimethyl ethylbenzyl ammonium
chloride..... 0.07%
INERT INGREDIENTS... 99.86%

Net Contents: 1 FL OZ


CENTER PANEL

SEP 05 1990

Revised

8-1-90

61178-2



PUBLIC PLACES, use pocket sized disinfectant spray for use on toilet seats, telephones, door knobs and similar hard non-porous, inanimate, environmental surfaces, in homes, restaurants, hotels, motels, and gas stations.

DIRECTIONS FOR USE:

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. To clean, deodorize, and kill herpes simplex type 1 and 2, hold dispenser 18 inches from the surface, press trigger with quick short strokes, spraying evenly until wet. Wait 30 seconds and wipe dry with tissue. To kill stool, drop and hang repeat as above, wait 10 minutes and wipe dry.

PRECAUTIONARY STATEMENT:

Hazard to humans and domestic animals. Avoid contact with eyes. In case of contact flush eyes with water. Get medical attention if irritation persists.

Disposal: Wrap empty container and dispose in trash container.

MICROGEN INC.

West Caldwell, N. J. 07006

EPA Reg. No. 61178-2, EPA Est. No. 42186-MW01

**BACK
RIGHT PANEL**

ACCEPTED
SEP 05 1990
U.S. Environmental Protection Agency
as required by Federal law
registered under
EPA Reg. No. **61178-2**



KILLS
HERPES TYPE 1 & 2 &
INFLUENZA IN SECONDS

CLEANS AS IT KILLS

Use in
 travel
 or
 work

Use in
 purse
 or
 pocket



The Pocket Sized Virucidal Disinfectant Spray
 Disinfects • Cleans • Deodorizes

SPRAYS KILLS


Parainfluenza I
 Pseudorabies

of sickrooms

Aspergillus niger
 Legionella pneumophila

PRINTS OF CARD



PUBLIC PLACES™

The Pocket Sized Disinfectant Spray

Reduce the danger of infection from the inanimate environment, with PUBLIC PLACES, the pocket sized disinfectant spray, for use on toilet seats, telephones, door knobs and similar hard non-porous inanimate environmental surfaces.

Sprayed on environmental surfaces, PUBLIC PLACES kills (HIV-1) (Aids Virus), human immunodeficiency virus Type 1, Herpes Simplex Type 1 and Type 2, Parainfluenza I, and Pseudorabies in 30 seconds. Kills Influenza, A-2 (Asian) and

Influenza B (Allen)
Measles virus,

in 50 seconds. Also kills Pseudomonas, Neisseria gonorrhoeae, Salmonella, Staph. Legionella pneumophila, Strep. Treponema pallidum, Pathogenic Fungi; (Athlete's Foot, and Ringworm-Trichophyton mentagrophytes) Aspergillus niger. in 10 minutes

KILLS HIV-1 ON ENVIRONMENTAL SURFACES/OBJECTS PREVIOUSLY SOILED WITH BLOOD/BODY FLUIDS in health care settings or other settings in which there is an expected likelihood of soiling of inanimate surfaces/objects with blood or body fluids, and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of human immunodeficiency virus Type 1 (HIV-1) (associated with AIDS).

SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1 OF SURFACES/OBJECTS SOILED WITH BLOOD/BODY FLUIDS:

PERSONAL PROTECTION: Specific barrier protection items to be used when handling items soiled with blood or body fluids are disposable latex gloves, gowns, masks, or eye coverings.

CLEANING PROCEDURE: Blood and other body fluids must be thoroughly cleaned from surfaces and objects before application of the disinfectant.


DISPOSAL OF INFECTIOUS MATERIALS: Blood and other body fluids should be autoclaved and disposed of according to federal, state and local regulations for infectious waste disposal.

CONTACT TIME: Leave surfaces wet for 30 seconds. This contact time will not control other common types of viruses and bacteria.



MICROGEN, INC.
P.O. Box 1281
West Caldwell, N.J. 07090
Net Weight - 1 FL. Oz.

BACK OF CARD



For use on 5,35,55 gallon
containers.

STORAGE AND DISPOSAL

- Do not contaminate water, food, or feed by storage disposal.
- Do not store on side
- Avoid crossing or impacting of side walls

PESTICIDE DISPOSAL

Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray or mixture or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL

Triple rinse (or equivalent). Then offer for recycling or reconditioning or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities by burning. If burned, stay out of smoke.
Metal Container: Triple rinse (or equivalent), then offer for recycling or reconditioning, or dispose of in a sanitary landfill, or by other procedures approved by state and local authorities (if container is 1 gallon or less, use this container disposal statement).
Do not reuse empty container (bottle, can, bucket). Wrap container and put in trash.

