

PUBLIC PLACES

BOTTLE: CENTER PANEL

Pocket sized disinfectant spray

ACTIVE INGREDIENTS

Alkyl (C14 60%, C16 30%, C12 5%, C18 5%)
 dimethyl benzyl ammonium chloride.....0.07%
 Alkyl (C12 68%, C14 32%)dimethyl
 ethylbenzyl ammonium chloride.....0.07%
 INERT INGREDIENTS.....99.86%
 100.00%

KEEP OUT OF REACH OF CHILDREN

CAUTION

See back panel for additional precautionary statements
Net Contents:

BOTTLE: BACK PANEL

The pocket sized disinfectant spray for use on toilet seats, telephones, door knobs and similar hard nonporous inanimate environmental surfaces in homes, restaurants, hotels, motels, and gas stations.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. To clean, deodorize and kill Herpes simplex Type 1 and Type 2, hold dispenser 10 inches from the surface, press atomizer with quick short strokes, spraying evenly until wet. Wait 30 seconds and wipe dry with tissue. To kill Staph, Strep and fungi repeat as above, wait 10 minutes and wipe dry.


PRECAUTIONARY STATEMENTS

Hazard to humans and domestic animals
Avoid contact with eyes, in case of contact flush eyes with water. Get medical attention if irritation persists.

DISPOSAL Wrap empty container and dispose in trash container.

Microgen Inc.
POBox 1281
West Caldwell, NJ 07006

EPA REG NO. 61178-2 EPA EST NO



2/2/95

FRONT OF CARD

PUBLIC PLACES

KILLS HERPES TYPE 1 & 2 & INFLUENZA IN SECONDS
CLEANS AS IT KILLS

For pocket or purse

For travel or work

The Pocket Sized Virucidal* Disinfectant Spray

Disinfects

Cleans

Deodorizes

SPRAY:

- Toilet Seats
- Telephones
- Door Knobs
- Light Switches
- Shower Stalls
- Furniture

KILLS:

- (HIV-1) (Aids Virus)
- human immunodeficiency virus Type 1
- Herpes simplex Type 1 and Type 2
- Parainfluenza Type I
- Pseudorabies
- Influenza A2(Asian) & B (Allen) Viruses
- Pseudomonas aeruginosa
- Salmonella choleraesuis
- Staphylococcus aureus
- Pathogenic Fungi (Athlete's Foot & Ringworm)
- Aspergillus niger
- Legionella pneumophilia
- Streptococcus salivarius
- Streptococcus faecalis

FOR USE IN:

- Public Restrooms
- Fast Food Chains
- Airplanes
- Hotels, Motels
- Day Care Centers
- Highway Service Areas
- Hospitals & Sickrooms

FOR:

- Vacationers
- Business Travelers
- Truckers
- Doctors, Nurses
- Paramedics
- CPR Instructors
- Firefighters, Police

ACCEPTED
SEP 21 1995
 Under the Federal Insecticide,
 Fungicide, and Rodenticide Act,
 as amended, for the pesticide
 registered under
 EPA Reg. No. 61178-2

Microgen Inc
 POB 0x 1281
 West Caldwell, NJ 07006

EPA REG NO 61178-2
 EPA EST NO.

BACK OF CARD

The Pocket Sized Disinfectant Spray

Controls cross contamination from treated inanimate environmental surfaces with the pocket sized disinfectant spray. For use on toilet seats, telephones, door knobs and similar hard nonporous inanimate environmental surfaces.

* Kills (HIV-1) (Aids Virus), human immunodeficiency virus Type 1, Herpes simplex Type 1 & Type 2, Parainfluenza, Influenza B(Allen)virus, Measles virus, & Pseudorabies in 30 seconds. Kills Influenza A2(Asian) in 50 seconds.

Kills Pseudomonas, Neisseria gonorrhoeae, Salmonella, Staph, Legionella pneumophilia, Strep, Treponema pallidum, Pathogenic fungi(Athlete's Foot , Ringworm, & Trichophyton mentagrophytes) & Aspergillus niger in 10 minutes.

KILLS HIV-1 ON PRECLEANED ENVIRONMENTAL SURFACES/OBJECTS PREVIOUSLY SOILED WITH BLOOD/BODY FLUIDS in health care settings or other settings in which there is an expected likelihood of soiling of inanimate surfaces/objects with blood or body fluids, and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of human immunodeficiency virus Type 1 (HIV-1) (associated with Aids).


SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1 OF SURFACES/OBJECTS SOILED WITH BLOOD/BODY FLUIDS:

PERSONAL PROTECTION: Specific barrier protection items to be used when handling items soiled with blood or body fluids are disposable latex gloves, gown, masks or eye coverings.

CLEANING PROCEDURE: Blood and other body fluids must be thoroughly cleaned from surfaces and objects before application of the disinfectant.

DISPOSAL OF INFECTIOUS MATERIALS: Blood and other body fluids should be autoclaved and disposed of according to federal, state and local regulations for infectious waste disposal

CONTACT TIME: Leave surfaces wet for 30 seconds. This contact time will not control other common types of viruses and bacteria.



4024

FOR USE ON 5 - 55 GALLON CONTAINERS OR REFILLS

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage disposal
Do not store on side
Avoid creasing or impacting of side walls

PESTICIDE DISPOSAL

Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray or mixture of rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL

Triple rinse (or equivalent). Then offer for recycling or reconditioning or puncture and dispose of in a sanitary landfill or incineration or if allowed by state and local authorities by burning. If burned, stay out of smoke.
Metal Containers: Triple rinse (or equivalent). Then offer for recycling or reconditioning or dispose of in a sanitary landfill or by other procedures approved by state and local authorities.

If container is 1 gallon or less, use this container disposal statement: Do not reuse empty container (bottle, can, bucket). Wrap container and put in trash.

