Ì

Ì

#### BOTTLE: CENTER PANEL

115

# PUBLIC PLACES

Disinfectant spray Cleans as it disinfects

#### ACTIVE INGREDIENTS

Alkyl (C14 60%,C16 30%,C12 5%,C18 5%)
dimethyl benzyl ammonium chloride . 0.07%
Alkyl (C12 68%,C14 32%) dimethyl
ethylbenzyl ammonium chloride 0.07%
INERT INGREDIENTS 99.86%
100.00%

## KEEP OUT OF REACH OF CHILDREN CAUTION

See back panel for additional precautionary statements. Net Contents. 1 ounce

- 16 ounces 32 ounces 1 gallon
- 5 gallons

A disinfectant spray for use on toilet seats, telephones, door knobs and similar hard nonporous inanimate environmental surfaces in homes, restaurants, hotels, motels, and gas stations.

#### DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. To clean, deodorize, and disinfect Herpes simplex Type 1 and Type 2, hold dispenser 10 inches from the surface, press atomizer with quick short strokes, spraying evenly until wet. Wait 30 seconds and wipe dry with tissue. To kill *Staphylococcus aureus*, *Streptococcus salivarius*, *Streptococcus faecalis*, and Athlete's Foot fungi, repeat as above, wait 10 minutes, and wipe dry.

#### PRECAUTIONARY STATEMENTS


Hazard to humans and domestic animals. Avoid contact with eyes, in case of contact flush eyes with water. Get medical attention if irritation persists.

DISPOSAL Wrap empty container and dispose in trash container.

Microgen Inc. POBox 1281 West Caldwell, NJ 07006 EPA REG NO. 61178-2 EPA EST. NO. 42186-MN-01

x /wp/microgen/labelupdate pp. (02/96), 1 of 5

#### BOTTLE: BACK PANEL



#### FRONT PANEL

.

# PUBLIC PLACES

# KILLS HERPES SIMPLEX TYPES 1 & 2 AND INFLUENZA B IN 30 SECONDS (INFLUENZA A IN 50 SECONDS) ON INANIMATE ENVIRONMENTAL SURFACES.

CLEANS AS IT DISINFECTS.

For pocket, purse, or institutional use Virucidal\* Disinfectant Spray Disinfects Cleans

For travel or work

÷ д.

Treponema pallidum

#### **SPRAY:**

)

}

Toilet Seats Telephones Door Knobs Light Switches Shower Stalls Furniture

#### FOR USE IN:

Public Restrooms Fast Food Chains Airplanes Hotels, Motels Day Care Centers Highway Service Areas Hospitals & Sickrooms Veterinary Clinics

#### FOR:

Vacationers Business Travelers Truckers Doctors, Nurses Paramedics CPR Instructors Firefighters, Police

Microgen Inc. POBox 1281 West Caldwell, NJ 07006 EPA REG. NO. 61178-2 EPA EST. NO. **KILLS:** 

HBV (Hepatitis B Virus) (HIV-1) (Aids Virus) human immunodeficiency virus Type 1 Herpes simplex Type 1 and Type 2 Parainfluenza Type I Pseudorabies Influenza A2 (Asian) & B (Allen) Viruses Measles Pseudomonas aeruginosa Salmonella choleraesuis Staphylococcus aureus Pathogenic Fungi (Athlete's Foot and Ringworm Fungi) Aspergillus niger ACCEPTED FEB2 9 1996 Legionella pneumophila Streptococcus salivarius Streptococcus faecalis Neisseria gonorrhoeae

Deodorizes

This product is not to be used as a terminal sterilant/high level disinfectant on any surface or instrument that (1) is introduced directly into the human body, either into or in contact with the bloodstream or normally sterile areas of the body, or (2) contacts intact mucous membranes but which does not ordinarily penetrate the blood barrier or otherwise enter normally sterile areas of the body. This product may be used to preclean or decontaminate critical or semi-critical medical devices prior to sterilization or high level disinfection.

#### BACK PANEL

#### Disinfectant Spray

Controls cross contamination from treated inanimate environmental surfaces as a disinfectant spray. For use on toilet seats, veterinary clinics, telephones, door knobs and similar hard, nonporous inanimate environmental surfaces.

\*Kills (HIV-1) (Aids Virus), human immunodeficiency virus Type 1, Herpes simplex Type 1 & Type 2, Parainfluenza Type I, Influenza B(Allen) virus, Measles virus, & Pseudorabies in 30 seconds. Kills Influenza A2(Asian) in 50 seconds. Kills HBV (Hepatitis B Virus) in 10 minutes.

Kills Pseudomonas aeroginosa, Neisseria gonorrhoeae, Salmonella choleraesuis, Staphylococcus aureus, Legionella pneumophila, Streptococcus salivarius, Treponema pallidum, Pathogenic fungi (Athlete's Foot and Ringworm Fungi) & Aspergillus niger in 10 minutes.

KILLS HIV-1 AND HBV ON PRECLEANED ENVIRONMENTAL SURFACES/OBJECTS PREVIOUSLY SOILED WITH BLOOD/BODY FLUIDS in health care settings or other settings in which there is an expected likelihood of soiling of inanimate surfaces/objects with blood or body fluids, and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of human immunodeficiency virus Type 1 (HIV-1) (associated with Aids) or Hepatitis B Virus (HBV).


SPECIAL INSTRUCTIONS FOR CLEANING & DECONTAMINATION AGAINST HIV-1 AND HBV OF SURFACES/OBJECTS SOILED WITH BLOOD/BODY FLUIDS:

PERSONAL PROTECTION: Specific barrier protection items to be used when handling items soiled with blood or body fluids are disposable latex gloves, gown, masks, or eye coverings.

CLEANING PROCEDURE: Blood and other body fluids must be thoroughly cleaned from surfaces and objects before application of the disinfectant.

DISPOSAL OF INFECTIOUS MATERIALS: Blood and other body fluids should be autoclaved and disposed of according to federal, state and local regulations for infectious waste disposal.

CONTACT TIME: Leave surfices wet for 30 seconds and 10 minutes for HIV-1 and HBV, respectively. The 30 second contact time will not control other common types of viruses and bacteria.



x/wp/microgen/labelupdate pp/(02/96), 3 of 5

)

)

#### NOTE: INSTRUCTIONS FOR USE ON LARGER SIZE CONTAINERS SUCH AS ONE QUART, ONE GALLON OR BULK WHICH ARE NOT SOLD WITH A MECHANICAL SPRAY DEVICE AS A BACK OR SIDE PAGE INSERT

#### PUBLIC PLACES

#### CARPET SANITIZER AGAINST ODOR CAUSING BACTERIA FOR INSTITUTIONAL AND INDUSTRIAL USE

This product sanitizes the carpet by controlling/reducing the growth of odor causing bacteria. It can be used in industrial and institutional areas such as motels, hotel chains, nursing homes and hospitals.

Vacuum carpet thoroughly prior to application. Mix 1 quart (32 ounces) of product per gallon of water. Follow the Injection and/or Extraction procedures as specified for any conventional steam cleaning equipment you are using. For rotary floor machines, mix 2 quarts (64 ounces) per gallon of water and spray on carpet at a rate of 200-300 sq. ft. per gallon.

For use on washable synthetic fibers. Do not use on wool. Do not use on stain resistant carpets. Test color fastness of carpet before use. Apply diluted product to a small concealed spot, then rub with a clean white cloth. If color changes or transfers to cloth, a water base product should not be used.


After using the product, set carpet pile in one direction with a stiff brush. Place aluminum foil under the legs of furniture while the carpet is drying. Over-wetting can cause carpet to shrink. Manufacturer assumes no responsibility for over-wetting to misuse.

LAUNDRY ADDITIVE (RESIDUAL BACTERIOSTATIC AND RESIDUAL SELF SANITIZING ACTIVITY UNDER CONDITIONS OF HIGH RELATIVE HUMIDITY OR WET CONTAMINATION) AGAINST ODOR CAUSING BACTERIA FOR INSTITUTIONAL, INDUSTRIAL AND HOSPITAL USE

This product sanitizes laundry such as bed spreads, sheets, pillow cases, diapers, towels, and other wet linens by controlling and/or reducing the growth of odor causing bacteria. It can be used in industrial and institutional areas such as motels, hotel chains, nursing homes and hospitals. This product is used as an addition to the final rinse cycle.

Add 2 gallons of this product per 100 lbs of dry laundry to the final rinse cycle water (200 ppm).

If the product is to be diluted prior to adding in the final rinse cycle, use I quat per gallon of water and then add to the washwheel in the final rinse cycle.



4-15

x \wp\microgen\labelupdate pp (02/96), 4 of 5

)

)

#### FOR USE ON 5 - 55 GALLON CONTAINERS OR REFILLS

# STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage disposal Do not store on side Avoid creasing or impacting of side walls

#### PESTICIDE DISPOSAL


Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray or mixture of rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

### ) CONTAINER DISPOSAL

1

Triple rinse (or equivalent). Then offer for recycling or reconditioning or puncture and dispose of in a sanitary landfill or incineration or if allowed by state and local authorities by burning. If burned, stay out of smoke. Metal Containers: Triple rinse (or equivalent). Then offer for recycling or reconditioning or dispose of in a sanitary landfill or by other procedures approved by state and local authorities.

If container is 1 gallon or less, use this container disposal statement: Do not reuse empty container (bottle, can, bucket). Wrap container and put in trash.



54.5