

**NOTICE OF PESTICIDE:**

REGISTRATION  
 REREGISTRATION

(Under the Federal Insecticide, Fungicide,  
and Rodenticide Act, as amended)

TERM OF ISSUANCE  
Conditional

NAME OF PESTICIDE PRODUCT

CHIP SHIELD

NAME AND ADDRESS OF REGISTRANT (Include ZIP code)

BWI COMPANIES, INC.  
P.O. BOX 990  
NASH, TX 75569

**NOTE:** Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA section 3(c)(7)(A) provided that you:

1. Add the phrase "EPA registration no. 01258-2" to the label before you release the product for shipment.
2. Revise the environmental hazards statements in compliance with FR notice 93-8, by deleting the phrase: "for terrestrial use"
3. Place the "Agricultural Use Requirement" in accordance with FR notice 93-8.
4. Submit five (5) copies of the final printed labeling before you release the product for shipment.
5. Submit and/or cite all data required for registration/reregistration of this product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data; and submit acceptable responses required for reregistration of your product under FIFRA sec. 4.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions. A stamped copy of the label is enclosed for your records.

**BEST AVAILABLE COPY**

Jeanne I. Miller  
Product Manager (23)  
Fungicide-Pesticide Branch  
Registration Division (7505C)

Enclosure

ATTACHMENT IS APPLICABLE

SIGNATURE OF APPROVING OFFICIAL

DATE  
APR 7 1994

ACCEPTED  
with COMMENTS  
In EPA Letter Dated

APR 7 1994

Under the Federal Insecticide,  
Fungicide and Rodenticide Act  
as amended for the pesticide  
registered under EPA Reg. No.

61258-2

.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....

**BEST AVAILABLE COPY**



# CHIP SHOT I

## 1% Ronstar® with Fertilizer

Page 7 of 21

50 lb. Bag Treats up to 11,000 sq.ft.

SUPPLEMENTAL LABELING

FOR WOODY ORNAMENTAL SHRUBS, VINES, TREES & CONTAINER GROWN ORNAMENTAL

FOR SALE TO, USE AND STORAGE BY NURSERY, TURF AND LANDSCAPE PERSONNEL ONLY. FOR USE ON PARKS, GOLF COURSES, AND OTHER RECREATIONAL AND ORNAMENTAL AREAS.

Controls: Crabgrass, Annual Bluegrass, Goosegrass, Florida Pusley, Oxalis, Stinging Nettle, Carpetgrass, Pigweed & Other Weeds Listed.

### ACTIVE INGREDIENT:

Oxadiazon, [2-tert-butyl-4-(2,4-dichloro-5-isopropoxyphenyl) A<sup>2</sup>-1,3,4-oxadiazolin-5-one] 1.0%

INERT INGREDIENTS 99.0%  
Total 100.0%

Contains RONSTAR® Herbicide a Registered Trade Mark of Rhone-Poulenc Inc.

### KEEP OUT OF REACH OF CHILDREN WARNING - AVISO

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. If you do not understand the label, find someone to explain it to you in detail.

#### STATEMENTS OF PRACTICAL TREATMENT

**IF SWALLOWED:** Call a physician or Poison Control Center immediately. Induce vomiting by giving victim 1 or 2 glasses of water and touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious or convulsing person. **IF IN EYES:** Flush eyes with plenty of water. Get medical attention if irritation persists. **IF ON SKIN:** Wash with plenty of soap and water. Get medical attention if irritation persists.

#### SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

#### PRECAUTIONARY STATEMENTS

##### HAZARDS TO HUMANS AND DOMESTIC ANIMALS

**WARNING:** Causes eye and skin irritation. Avoid contact with skin, eyes or clothing. Do not allow domestic animals to graze in treated areas. Avoid contamination of food and feedstuffs.

#### PERSONAL PROTECTIVE EQUIPMENT (PPE)

Applicators and other handlers must wear coveralls over short-sleeved shirt and short pants; waterproof gloves; chemical resistant footwear plus socks; protective eyewear; chemical resistant hoodgear for overhead exposure; chemical resistant apron when cleaning equipment. Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washable, use detergent and hot water. Keep and wash PPE separately from other laundry.

#### User Safety Recommendations

Users should wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Remove PPE immediately after handling this product. Wash the outside of your hands before removing. As soon as possible, wash thoroughly and change into clean clothing.

#### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation. Do not apply this product through any type of irrigation system.

#### AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 29 CFR part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification and emergency assistance. It also contains specific instructions and provisions pertaining to the statements on this label about personal protective equipment (PPE) notification to workers and restricted-entry intervals. The requirements in this box only apply to uses of this product on nursery grown ornamental shrubs, vines, trees and container grown ornamentals that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the Restricted-Entry Interval (REI) of 12 hours.

**REI:** (excludes) For early entry to treated areas that is permitted under the Worker Protection Standard, wear coveralls over short-sleeved shirt and short pants; waterproof gloves; chemical resistant footwear plus socks; protective eyewear, and chemical resistant hoodgear for overhead exposure.

#### ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish. For terrestrial uses, do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not apply when weather conditions favor drift from areas treated. Do not apply where runoff is likely to occur. Do not contaminate water when disposing of equipment washwaters. Apply only as specified on this label.

#### STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal. **STORAGE:** Store product in its original bag, in a cool, dry, locked place out of reach of children. In case of spill, sweep up, and use according to directions or dispose of as follows.

**PESTICIDE DISPOSAL:** Pesticide wastes are toxic. Improper disposal of excess pesticide, or residue is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative of the nearest EPA regional office for guidance.

**CONTAINER DISPOSAL:** Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. It burned stay out of smoke.

#### GUARANTEED FERTILIZER ANALYSIS

Total Nitrogen (N) 15%

Nitrate Nitrogen 0%

Ammoniacal Nitrogen 12%

Water Soluble Nitrogen

and/or Urea Nitrogen 0%

Water Insoluble Nitrogen 3%

Available Phosphoric Acid (P<sub>2</sub>O<sub>5</sub>) 5%

Soluble Potash (K<sub>2</sub>O) 15%

Derived from Ammonium Sulfate, Urea, Muriate of Potash

NOTICE: Buyer and user assume all risk and liability of use, storage and/or handling of this product not in accordance with the terms of this label (EPA Reg. No. 61258-1)

EPA Reg. No. 61258-1 EPA EST. NO. 61258-TX-1  
NET WEIGHT 50 POUNDS

# BWI COMPANIES, INC.

NASH, TEXAS, 75569 U.S.A.

### WEED CONTROL AROUND WOODY ORNAMENTAL SHRUBS, VINES & TREES. CONTROLS THE FOLLOWING GRASSY WEEDS and BROADLEAF WEEDS

Annual Bluegrass, Barnyardgrass, Bittercress, Carpetweed, Carpetgrass, Common Groundsel, Common Purslane, Crabgrass, Evening Primrose, Green Foxtail, Fall Panicum, Florida Pusley, Galinsoga, Golden Ragwort, Goosegrass, Lambsquarter, Oxalis, Pennsylvania Smartweed, Petty Spurge, Prostrate Spurge, Redroot Pigweed, Spotted Catsear, Stinging Nettle, Swinecress, Yellow Woodsorrel

Can be applied to both newly transplanted and established ornamentals plants where both weed control and fertilization is desired. Rainfall or overhead irrigation will improve weed control. Do not disturb or cultivate soil after treatment. Do not apply to wet foliage or under conditions in which granules will collect on leaves.

#### USE PRECAUTIONS

Avoid contact with flowers and shrubs except as recommended on this label.

#### HOW MUCH TO USE

For susceptible weeds apply 50 lbs. to treat 7,350 to 11,000 sq ft of Ornamental planted area. This supplies plants with approximately 0.68 to 1.02 lbs. actual (N) Nitrogen plant food per 1,000 sq ft of plant bed. See Chart WHEN TO APPLY. (50 lbs / 7,350 sq ft. is preferred rate.) \*For hard to kill weeds as indicated use the rate of 50 lbs for 7,350 sq ft or 50 lbs for 5,555 sq ft (3 to 4 lbs A / Acre) = 6.8 lbs to 9 lbs actual product per 1000 sq ft of plant bed.

#### FOR AREAS WHERE WEEDS ARE GROWING

If treatment is desired in non-turf areas where weeds are presently growing first remove existing weeds. Rake and smooth the soil by 'breaking-up' clumps. Apply at rate as directed for specific weeds (50 lbs to treat either 7,350 or 11,000 sq ft.) This treatment will only control weeds germinating from seeds. It will not control weeds sprouting from roots! Irrigate the area after treatment with 1/4 to 1/2 inch water to get maximum weed control.

#### WEED AND FEED FOR CONTAINER GROWN ORNAMENTAL PLANTS

This product is recommended on a wide variety of *Container and Field Grown Woody Ornamental Shrubs, Vines and Trees*. It may be used on the following list of *Container Grown Plants*. Use at the rate of 50 lbs per 5,555 sq ft of pot soil surface area. Plants in 14 inch containers set out in 12 foot wide rows X 100 feet long will require 10 3/4 lbs product per row (Equivalent to 4 lbs A / per acre). Apply with a "shoulder strap held" grass-seeder or granule applicator that will direct the granules to each pot soil surface.

Agapanthus	Cedar	Heath Heather	Cymbarius	Rose
Andromeda	Colonaster	Hedera	Palmetto	Star Jasmine
Arbutus	Cypress	Holly	Philadelphus	Syringium
Archostaphylos	Dogwood	Honey-suckle	Pine Varieties	Viburnum
Azalea	Douglas Fir	Jasmine	Philosporum	Xylocarpus
Berberis	Eucalyptus	Juniper-Varieties	Pedocarpus	
Bonwood	Euonymus	Justia	Philadelphus	
Camellia	Evergreen	Leuc. Ahoas	Pyracantha	
Callistemon	Forsythia	Magnolia	Quercus	
Ceanothus	Gardenia	Myrica	Rhododendron	
	Ginkgo	Myrica	Rhododendron	

#### FOR FIELD GROWN ORNAMENTALS

\*Apply at the rate of 50 lbs per 7,350 or 11,000 sq ft. of area. This product may be used around the following *Established Plants*.

Arbutus	Euonymus	Philosporum	Ground Conns.
Ash	Forsythia	Privet	Carpobrotus
Azalea	Holly	Rhododendron	Oleocarpum
Berberis	Honeysuckle	Rose	Sedum
Japanese	Juniper	Russian Olive	Algerian Ivy
Beech	Lilac	Spruce	Vinca Major
Camellia	Maple	Taxus	English Ivy
Colonaster	Myrica	Viburnum	Pachysandra
Cornus	Parrotilla	Xylocarpus	Algae
Dogwood	Pine		Euonymus

\*Use higher rate (50 lbs / 7,350 sq ft.) for hard to kill weeds. May be used around the following *Newly Transplanted Ornamentals*.

Camellia	Holly	Pine	Spruce
Dogwood	Juniper	Privet	Taxus
Forsythia	Oak	Rhododendron	Tsuga
Hedera	Parrotilla	Russian Olive	

To obtain continued season long weed control on the following list of plants additional applications may be made 60 days after the previous application in the following situations

#### APPLY 2 REPEAT TREATMENTS

50 lbs / 7,350 SQ.FT. ON FOLLOWING PLANTS

*Established - Container Grown Plants* - Abelia, Common Bonwood, English Ivy, Holly, Juniper, Pine, Rhododendron  
*Newly Transplanted - Container Grown Plants* - Common Bonwood, English Ivy, Juniper, Pine, Rhododendron

#### APPLY 3 REPEAT TREATMENTS

50 lbs / 7,350 SQ.FT. ON FOLLOWING PLANTS

*Established - Container Grown Plants* - Abelia, Holly, Rhododendron  
*Forest Nurseries - For Pines* - Loblolly, Slash, Eastern White