

Page 1 of 1
ACCEPTED
 APR - 4 1994
 Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 61282-4

SEVIN® brand 10% carbaryl
insecticide
BAIT GRANULES

SUPPLEMENTAL LABELING

(CONTAINS ADDITIONAL INFORMATION WHICH MAY NOT APPEAR ON PACKAGE LABEL)

EPA REG. NO. 61282-4

EPA EST. NO 61282-WI-1

FOR USE IN POULTRY HOUSES

ALL APPLICABLE DIRECTIONS, RESTRICTIONS, AND PRECAUTIONS ON THE EPA REGISTERED LABEL ARE TO BE FOLLOWED.

THIS LABEL MUST BE IN POSSESSION OF USER AT THE TIME OF APPLICATION.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

POULTRY HOUSES

SITE	INSECT	OUNCES OF SEVIN brand 10% BAIT/1000 SQUARE FEET	SPECIFIC DIRECTIONS
Poultry Houses (chickens, turkeys, ducks, geese, gamebirds, and pigeons)	Darkling beetle (Lesser mealworm or litter beetle)	24	<p>Apply bait uniformly to floor or litter area using appropriate equipment such as chest-carried fertilizer/seed spreader. Do not incorporate. It is not necessary to remove birds during application, but uniform coverage may be difficult to achieve with birds present. Do not contaminate feeding or watering units.</p> <p>Optimum treatment timings are: 1. Ten to 14 days after the birds are placed in the house and 2. two weeks after timing #1 above. One application at each of the two timings listed above should be made for heavy infestations. If only one application can be made, timing #1 should be followed.</p> <p>For best control of high darkling beetle populations: In addition to a bait application, walls, cracks, posts, crevices, and insulation around ventilation areas should be treated with a sprayable or a flowable formulation of SEVIN® brand carbaryl insecticide. Spray applications should be made immediately following removal of the flock from the house or immediately prior to introducing the flock into the house. All label directions and restrictions for the application of the liquid SEVIN® brand carbaryl insecticide formulation used should be carefully followed.</p> <p>Avoid spraying of nests, eggs and feeding and watering units.</p> <p>Do not treat poultry, game birds or their premises within seven days of slaughter.</p>

HACCO, INC.
 BOX 7190
 MADISON, WISCONSIN 53707 U.S.A.

SEVIN® is the registered trademark of Rhone-Poulenc for carbaryl insecticides.

BEST AVAILABLE COPY