

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

READ THIS LABEL: Read this entire label and follow all use directions and use precautions.

IMPORTANT: Do not expose children, pets or other non-target animals to rodenticides. To help to prevent accidents:

- 1 Store product not in use in a location out of reach of children and pets.
- 2 Apply bait in locations out of reach of children, pets, domestic animals and non-target wildlife, or in tamper-resistant bait stations. These stations must be resistant to destruction by dogs and by children under six years of age, and must be used in a manner that prevents such children from reaching into bait compartments and obtaining bait. If bait can be shaken from stations when they are lifted, units must be secured or otherwise immobilized. For stronger bait stations are needed in areas open to hoofed livestock, raccoons, bears, or other potentially destructive animals, or in areas prone to vandalism.
- 3 Dispose of product container, and unused, spoiled, and unconsumed bait as specified on this label.

USE RESTRICTIONS: For control of Norway rats, roof rats and house mice in and around homes, industrial and agricultural buildings, and similar man made structures. This product is especially suited for use in wet or damp areas, including river banks, gullies, irrigation ditches, railroad tracks, loading areas, in or around rat holes, under granaries, along fences, garbage dumps and landfills.

Do not place bait in areas where there is a possibility of contaminating food or surfaces that come in direct contact with food. Do not apply bait directly to ground surface or in grass or other ground cover. Do not broadcast bait.

SELECTION OF TREATMENT AREAS: Determine areas where rats or mice will most likely find and consume the bait. Generally, these areas are along walls, by gnawed openings, in or beside burrows, in corners and concealed places, between floors and walls, or in locations where rodents or their signs have been seen. Protect bait from rain or snow. Remove as much alternative food as possible.

APPLICATION DIRECTIONS:

Rats: Apply 2-8 placepacks per bait placement.⁽¹⁾ Maintain an uninterrupted supply of fresh bait for at least 10 days.

Mice: Open pack and apply 1/4 to 1/2 oz. (1-2 level tablespoons) of bait at 8- to 12-foot intervals. Larger placements (up to one entire 2-ounce placepack) may be needed at points of extremely high mouse activity. Maintain an uninterrupted supply of fresh bait for at least 15 days.

PROMAR[®] BAIT PACKS RAT & MOUSE KILLER

Weather Resistant Rodenticide
For Control of Commensal Rats and Mice,
Indoors and Outdoors

ACTIVE INGREDIENT:

Diphacinone (2-Diphenylacetyl-1,3-

Indandione) 0.005%

INERT INGREDIENTS: 99.995%

TOTAL 100.000%

EPA Reg. No. 61282-6

EPA Est. No. 61282-WI-1

KEEP OUT OF THE REACH OF CHILDREN

CAUTION

PRECAUTIONARY STATEMENTS

HAZARD TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Keep away from humans, domestic animals and pets. If swallowed, this material may reduce the clotting ability of the blood and cause bleeding.

FIRST AID

Have label with you when obtaining treatment advice

| | |
|--------------|--|
| If swallowed | <ul style="list-style-type: none"> • Call a poison control center, doctor, or 1.800. 228.5635, Ext. 136 or call collect 612.851.8180, Ext. 136 immediately for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by the poison control center or doctor. |
| | <ul style="list-style-type: none"> • Note to Physician: If ingested, administer Vitamin K₁, intramuscularly or orally as indicated in bishydroxycoumarin overdose. Repeat as necessary based on monitoring of prothrombin times. |

See side panels for additional precautionary statements
PROMAR is a Registered Trademark of HACCO, Inc.

NET CONTENTS:

6 x 2 oz.⁽¹⁾, 8 x 2 oz., 60 x 2 oz., 300 x

ACCEPTED
NOV 13 2002
Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for the pesticide
Registered under
EPA Reg. No. 61282-6

DIRECTIONS FOR USE (Cont.)

Rats: Replace contaminated or spoiled bait immediately.

Mice: Collect and dispose of all dead animals and leftover bait properly. To prevent reinfestation, limit sources of rodent food, water, and harborage as much as possible. If reinfestation does occur, repeat treatment. Where a continuous source of infestation is present, establish permanent bait stations and replenish as needed.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal. **STORAGE:** Store only in original closed container in a cool, dry place inaccessible to children and pets. Store separately from fertilizer and away from products with strong odors which may contaminate the bait and reduce acceptability. Spillage should be carefully swept up and collected for disposal.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of onsite or at an approved waste disposal facility.

CONTAINER DISPOSAL: Commercial use: Dispose of empty container in a sanitary landfill, or by incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke.

Household use: If empty: Do not reuse empty container. Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

ENVIRONMENTAL HAZARDS

This product is toxic to mammals and birds. Do not apply this product directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark.

NOTICE OF WARRANTY: Seller and Manufacturer make no warranty of merchantability, fitness for any purpose, express or implied, concerning this product or its use, which extends beyond the statements on this label.

HACCO, Inc. • P.O. Box 7190 • Madison, WI 53707

CODE 0.0L(R/OT)

⁽¹⁾ For 6 x 2 oz. only, the following statement would be added: "The amount of bait (6 x 2 oz.) in this package is unlikely to be sufficient to kill more than 3 to 12 rats."

61282-6

11-13-2002

1/4

2/4

PROMAR BAIT PACK RAT & MOUSE KILLER
EPA Reg. No. 61282-6
Packet Labeling: 2 oz
Page 1 of 3

October xx, 2002

PROMAR® BAIT PACK RAT & MOUSE KILLER

**Weather Resistant Rodenticide
For Control of Commensal
Rats and Mice,
Indoors and Outdoors**

ACTIVE INGREDIENT:

Diphacinone (2-Diphenylacetyl-1,3-Indandione) 0.005%

INERT INGREDIENTS: 99.995%

TOTAL 100.000%

EPA Reg. No. 61282-6
EPA Est. No. 61282-WI-1

ACCEPTED
NOV 13 2002
Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide Registered under EPA Reg. No. 61282-6

KEEP OUT OF THE REACH OF CHILDREN*

CAUTION**

** (Pt. size as required by size of front panel.)

PRECAUTIONARY STATEMENTS

HAZARD TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Keep away from humans, domestic animals and pets. If swallowed, this material may reduce the clotting ability of the blood and cause bleeding.

| FIRST AID | |
|---|--|
| Have label with you when obtaining treatment advice. | |
| If swallowed | <ul style="list-style-type: none"> • Call a poison control center, doctor, or 1.800. 228.5635, Ext. 136 or call collect 612.851.8180, Ext. 136 immediately for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by the poison control center or doctor. |
| <ul style="list-style-type: none"> • Note to Physician: If ingested, administer Vitamin K₁, intramuscularly or orally as indicated in bishydroxycoumarin overdose. Repeat as necessary based on monitoring of prothrombin times. | |

ENVIRONMENTAL HAZARDS: This product is toxic to mammals and birds. Do not apply this product directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark.

Manufactured By:
HACCO, Inc.
P.O. Box 7190
Madison, WI 53707

NET WEIGHT: 2 oz.

3/4

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

READ THIS LABEL: Read this entire label and follow all use directions and use precautions.

IMPORTANT: Do not expose children, pets or other non-target animals to rodenticides. To help to prevent accidents:

1. Store product not in use in a location out of reach of children and pets.
2. Apply bait in locations out of reach of children, pets, domestic animals and nontarget wildlife, or in tamper-resistant bait stations. These stations must be resistant to destruction by dogs and by children under six years of age, and must be used in a manner that prevents such children from reaching into bait compartments and obtaining bait. If bait can be shaken from stations when they are lifted, units must be secured or otherwise immobilized. Even stronger bait stations are needed in areas open to hooved livestock, raccoons, bears, or other potentially destructive animals, or in areas prone to vandalism.
3. Dispose of product container, and unused, spoiled, and unconsumed bait as specified on this label.

USE RESTRICTIONS: For control of Norway rats, roof rats and house mice in and around homes, industrial and agricultural buildings, and similar man-made structures. This product is especially suited for use in wet or damp areas, including river banks, gullies, irrigation ditches, railroad tracks, loading areas, in or around rat holes, under granaries, along fences, garbage dumps and landfills.

Do not place bait in areas where there is a possibility of contaminating food or surfaces that come in direct contact with food. Do not apply bait directly to ground surface or in grass or other ground cover. Do not broadcast bait.

4/4

EPA Reg. No. 61282-6

Packet Labeling: 2 oz

Page 3 of 3

BACK RIGHT PANEL

SELECTION OF TREATMENT AREAS: Determine areas where rats or mice will most likely find and consume the bait. Generally, these areas are along walls, by gnawed openings, in or beside burrows, in corners and concealed places, between floors and walls, or in locations where rodents or their signs have been seen. Protect bait from rain or snow. Remove as much alternative food as possible.

APPLICATION DIRECTIONS:

Rats: Apply 2-8 placepacks per bait placement. Maintain an uninterrupted supply of fresh bait for at least 10 days.

Mice: Open pack and apply 1/4 to 1/2 oz. (1-2 level tablespoons) of bait at 8- to 12-foot intervals. Larger placements (up to one entire 2-ounce pack) may be needed at points of very high mouse activity. Maintain an uninterrupted supply of fresh bait for at least 15 days.

Rats/ Replace contaminated or spoiled bait immediately. Collect and dispose of all dead

Mice: animals and leftover bait properly. To prevent reinfestation, limit sources of rodent food, water, and harborage as much as possible. If reinfestation does occur, repeat treatment. Where a continuous source of infestation is present, establish permanent bait stations and replenish as needed

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: **If empty:** Do not reuse empty container. Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

NOTICE OF WARRANTY: Seller and Manufacturer make no warranty of merchantability, fitness for any purpose, express or implied, concerning this product or its use, which extends beyond the statements of this label.

PROMAR is a Registered Trademark of HACCO, Inc.