

US ENVIRONMENTAL PROTECTION AGENCY
OFFICE OF PESTICIDES PROGRAMS
REGISTRATION DIVISION (TS 767)
WASHINGTON, DC 2046J

EPA REGISTRATION NO.

61282-10

DATE OF ISSUANCE

June 29, 1992

TERM OF ISSUANCE

Until Reregistration

NAME OF PESTICIDE PRODUCT

SNAIL AND SLUG LG/ PELLETTED BAIT

NOTICE OF PESTICIDE: REGISTRATION
 REREGISTRATION

(Under the Federal Insecticide, Fungicide,
and Rodenticide Act, as amended)

NAME AND ADDRESS OF REGISTRANT (Include ZIP code)

HACCO, INC.
P.O. BOX 7190
MADISON, WI 53707

NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This registration is conditionally registered in accordance with FIFRA section 6(e)(7)(A) provided that you:

1. Notify the Agency for each and every other material required to be registered under the distribution of your product under FIFRA section 6(e)(7)(A) of the Act. The Agency requires all such materials to be finally approved to submit such data.

2. Place the phrase "EPA Registration No. 61282-10" on your label before you release the product for shipment.

3. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-70 enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

BEST AVAILABLE COPY

ATTACHMENT IS APPLICABLE

SIGNATURE OF APPROVING OFFICIAL

Deborah A. Edwards

DATE

6/29/92


A stamped copy of the label is enclosed for your records.

DATE

Dennis H. Edwards, Jr.
Product Manager (19)
Insecticide Rodenticide Branch
Registration Division (H-7505C)

Enclosure

BEST AVAILABLE COPY



SNAIL AND SLUG LG

● **PELLETED BAIT** ●

ATTRACTS AND KILLS SNAILS and SLUGS !

**BERRY CROPS - VEGETABLES, SETS, & SEEDLINGS
AROUND PATIOS & FLOWER BOXES**

DICHONDRA & TURFGRASS LAWNS - FRUIT & NUT TREES

FLOWERS, ORNAMENTALS & LANDSCAPE PLANTINGS



ACCEPTED
Under the Federal
EPA
21233-10

ACTIVE INGREDIENT:

Metaldehyde (2,4,6,8-tetramethyl-1,3,5,7-tetraoxycyclo-octane) - - 3.5%

INERT INGREDIENTS: - - - - - 96.5%

Total 100.0%

KEEP OUT OF REACH OF CHILDREN

CAUTION

STATEMENTS OF PRACTICAL TREATMENT

IF SWALLOWED: Call a physician or Poison Control Center immediately. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious or convulsing person.

IF ON SKIN: Wash with soap and warm water. **IF IN EYES:** Flush with flowing water. Get medical attention if irritation persists.

THIS PESTICIDE MAY BE FATAL TO DOGS OR OTHER PETS IF EATEN - KEEP PETS OUT OF TREATED AREA

SEE SIDE/BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DO NOT TAKE INTERNALLY. DO NOT GET IN EYES OR ON SKIN. CAUTION: May be harmful if swallowed inhaled or absorbed through the skin. Do not breathe dust, get in eyes, on skin or on clothing. Wash thoroughly with soap and warm water after handling. Wash contaminated clothing with soap and warm water before re-use. If poisoning occurs, obtain prompt medical aid. Keep bait away from dogs and pets. Bait may be attractive to dogs. Confine pets during application to prevent them from believing they are being fed.

ENVIRONMENTAL HAZARDS

Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water where the posing of equipment washwaters.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in manner inconsistent with its labeling. Read entire label and use in accordance with precautionary statements and directions. Do not apply directly onto plants. Do not allow bait to contact the edible portions of any food crop.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. **STORAGE:** Store product in original labeled container in a cool, dry, locked place out of reach of children. Keep container tightly closed when not in use. Do not store in direct sunlight. **DISPOSAL:** Do not reuse empty container. Securely wrap original container in several layers of newspaper and discard in trash.

USE PRECAUTIONS

Read entire label before using. Use only as a baiting treatment to be applied directly to the soil area beneath plants as listed on this label. Do not allow bait to come in contact with parts of plant that may be used for food or feed purposes. The grower is responsible for residues on his crops, as well as for damages caused by drift from his property to that of others. Do not allow to drift to areas occupied by unprotected humans or beneficial animals or onto adjoining food, fiber or pasture crops. **NOTE:** Snail & Slug LG Pelleted Bait should never be applied to dry soil. Applications should be made following an irrigation for best results. Apply any time of the day but evening applications are preferred. Do not re-water for 48 hours after application.

General Information

Snails and Slugs generally feed during the night and damage many varieties of plants and plant seedlings. They inhabit damp moist areas of the soil surface around decaying refuse, organic matter, beneath boards, rocks and trash piles and hide at the base of growing plants outdoors and in the greenhouse. Their presence can be detected by observing the shiny trails which they leave on sidewalks, driveways and patios.

The Use Profile for Snail and Slug LG includes the following Sites and the Listed Plants in - Terrestrial Food Crops; Terrestrial Non Food Crops; Greenhouse Flowers/Ornamentals; Domestic and Nondomestic Outdoor Areas. Uses are as follows.

HOW MUCH AND WHEN TO USE

For control of Snails and Slugs in the following areas, use 1 lb. to treat 1,100 to 1,750 Sq Ft (equivalent to 24 to 40 pounds of pelleted bait per acre), unless otherwise stated. Snails and Slugs attack the tender growing tips of plants devouring the entire tip or sometimes eating holes in the new leaves which are yet unfolded. When the leaves expand and open, this feeding appears as a "row of holes" in the leaf, all in a line. This is one "sign" of Snail or Slug damage to your plants. Apply when this first plant damage appears or is anticipated and repeat as needed for control. Pour Pellets directly from container. Do not dispense by hand unless wearing protective gloves. Apply down wind; do not breathe dust.

NOTICE: Seller's warranty shall be limited to the terms of the label and subject thereto. The buyer and user assumes any risk to persons or property arising out of the use or handling of this product and accepts the product on these conditions. (12 01 91 Version)

NET WEIGHT (1; 2; 2-1/2; 5; 10; 25) POUNDS

HACCO, INC. P.O. BOX 7190 - Madison WI 53707

FOR THE BERRY PATCH

Blackberries, Blueberries, Boysenberries, Raspberries, Dewberries, Gooseberries,

Loganberries, Raspberries, Strawberries

For soil surface coverage; Apply 1 lb. to treat 1,100 to 3,600 sq ft (2 to 39 lbs/acre).

TO PROTECT VEGETABLES, SETS AND SEEDLINGS IN THE GARDEN

Apply 1 lb. to treat 1,100 to 1,750 sq ft.

Alfalfa, Artichoke, Asparagus, Beans, Beets, Black-eyed Peas, Broccoli, Brussels Sprouts, Cabbage, Cantaloupe, Carrots, Cauliflower, Cereal Crops, Celery, Clover, Cole Crops, Collards, Corn, Cowpeas, Cucumbers, Eggplant, Endive, Garlic, Ginseng, Horseradish, Kale, Kohlrabi, Leeks, Legumes, Lettuce, Melons, Muskmelons, Mustard Greens, Okra, Onions, Parsnips, Peas, Peppers, Pimientos, Potatoes, Pumpkins, Radishes, Rhubarb, Rutabagas, Salsify, Shallots, Spinach, Squash, Sweet Potatoes, Swiss Chard, Tomatoes, Turnips, Watermelons.

FOR HERB GARDENS

Anis, Caraway, Catnip, Chervil, Chives, Coriander, Dill, Mustard, Oregano, Parsley, Peppermint, Sage, Savory, Spearmint, Thyme. Apply 1 lb. to treat 1,100 to 1,750 sq ft.

FOR CONTROL OF SNAILS & SLUGS AROUND PATIOS, PORCHES, PREMISE AND POOL AREAS

SNAIL and SLUG LG Pelleted Bait attracts and kills snails and slugs. Sprinkle pellets on moist areas where these pests have been seen or their "shiny" trails (from the night before) are seen on the sidewalk or patio stones. Keep pets out of area while baiting and until pellets have expanded and disintegrated into the soil surface. Apply 1 pound of pellets to cover 1750 sq ft (35 ft. x 50 ft. area). Repeat in 5 to 7 days or as needed for control.

DICHONDRA AND TURFGRASS LAWNS

Water infested area thoroughly before application. Broadcast **SNAIL & SLUG AG Pelleted Bait** directly on lawn or turf. Spread evenly. Apply 1 lb. to treat 1,100 to 1,750 sq ft. Do not re-water for 48 hours.

USE AROUND FRUIT AND NUT TREES

Almonds, Apples, Apricots, Avocados, Bananas, Cherries,

Citrus (Oranges, Lemons, Limes, Grapefruit, etc.) Grapes, Nectarines, Peaches, Pears,

Pecans, Plums, Stone Fruits, Walnuts

Broadcast liberally under trees, around irrigation pipes, farm buildings and any other place where slugs and snails may congregate. Apply 1 lb. to treat 1,100 to 1,750 sq ft.

TO PROTECT FLOWERS, FOLIAGE PLANTS AND SEEDLINGS GROWING IN BENCHES OR FLATS IN THE HOME GREENHOUSE, LATH HOUSE, OR COLD FRAME

Vegetables, Ornamental Flowering Plants and College Plants. Do not apply directly to plants unless prior experience has shown the plant to be tolerant to this product. Most plants are tolerant however some slight tip burning has been noticed on extremely tender orchids. One pound will cover up to 1,100 sq ft. Do not re-water for 48 hours.

FOR FLOWER, ORNAMENTAL AND LANDSCAPE PLANTINGS - ORNAMENTAL GARDENS, PLANTED BORDERS AND GROUND COVERS

Including Azaleas, Begonias, Camellias, Chrysanthemum, Dahlias, Daisies, Geraniums, Honeyuckle, Hydrangeas, Ice Plant, Impatiens, Iris, Marigolds, Petunias, Phloxes, Rhododendron, Rose, Sweet Peas, Snowdrops, Spatiophyllum, Tulips. Snails and Slugs attack the tender growing tips of plants some times eating holes in the new leaves which are yet unfolded. When the leaves expand and open, this feeding appears as a "row of holes" in the leaf, all in a line. This is a "sign" of Snail or Slug damage. Water the infested area thoroughly before application. Broadcast or sprinkle **Snail & Slug LG Pelleted Bait** evenly over the infested areas and along edges of flower beds adjacent to border or ground cover plants. Also apply on ground at base of fences and walls in shady, protected locations. Apply 1 lb. to treat 1,100 to 1,750 sq ft. Do not re-water for 48 hours.

BEST AVAILABLE COPY