

US ENVIRONMENTAL PROTECTION AGENCY
OFFICE OF PESTICIDES PROGRAMS
REGISTRATION DIVISION (TS 767)
WASHINGTON, DC 20460

EPA REGISTRATION NO.

61282-11

DATE OF ISSUANCE

JUNE 29, 1992

TERM OF ISSUANCE

Until Reregistration

NAME OF PESTICIDE PRODUCT

SNAIL AND SLUG BAIT
PELLETED BAIT

NOTICE OF PESTICIDE: REGISTRATION
 REREISTRATION

(Under the Federal Insecticide, Fungicide,
and Rodenticide Act, as amended)

NAME AND ADDRESS OF REGISTRANT (Include ZIP code)

HADCCO, INC.
P.O. BOX 7190
MADISON, WI 53707

NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

Registration is subject to conditions of registration in accordance with FIFRA section 4(c)(7)(A) provided that:

1. You will send and/or cite all data and other material required for registration/reregistration of your product under FIFRA sec. 4(c)(5) or FIFRA sec. 4 when the data are required for registration of similar product to submit such data.

2. Add the phrase "EPA Registration No. 61282-11" to your label before you release the product for shipment.

3. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-70 enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 4(c). Your release for shipment of the product constitutes acceptance of these conditions.

BEST AVAILABLE COPY

ATTACHMENT IS APPLICABLE

SIGNATURE OF APPROVING OFFICIAL

Dennis H. Edwards

DATE

6/29/92

A stamped copy of the label is enclosed for your records.

DHE

Dennis H. Edwards, Jr.
Product Manager (19)
Insecticide Fungicide Branch
Registration Division (E-7505C)

Enclosure

BEST AVAILABLE COPY

SNAIL AND SLUG AG

● PELLETTED BAIT ●

ATTRACTS AND KILLS SNAILS and SLUGS!

**BERRY CROPS - APPLE & PEACH ORCHARDS - CITRUS GROVES -
IN GREENHOUSES - LATHE HOUSES - VEGETABLE, HERB
& ORNAMENTAL GARDENS - DICHONDRA & TURFGRASS LAWNS**



JUN 29

ACTIVE INGREDIENT:
Metaldehyde (2,4,6,8-tetramethyl-1,3,5,7-tetraoxocyclo-octane) - - 3.5%
INERT INGREDIENTS: - - - - - 96.5%
Total 100.0%

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

STATEMENTS OF PRACTICAL TREATMENT

IF SWALLOWED: Call a physician or Poison Control Center immediately. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious or convulsing person.

IF ON SKIN: Wash with soap and warm water. **IF IN EYES:** Flush with flowing water. Get medical attention if irritation persists.
THIS PESTICIDE MAY BE FATAL TO DOGS OR OTHER PETS IF EATEN - KEEP PETS OUT OF TREATED AREA

SEE SIDE/BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

PRECAUTIONS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DO NOT TAKE INTERNALLY. DO NOT GET IN EYES OR ON SKIN. CAUTION: May be harmful if swallowed inhaled or absorbed through the skin. Do not breathe dust, get in eyes, on skin or on clothing. Wash thoroughly with soap and warm water after handling. Wash contaminated clothing with soap and warm water before re-use. If poisoning occurs, obtain prompt medical aid. Keep bait away from dogs and cats. Bait may be attractive to dogs. Confine pets during application to prevent them from believing they are being feed.

RE-ENTRY AND WORKER SAFETY STATEMENT

Do not apply this product in such a manner as to expose workers or other persons. The area being treated must be vacated and not re entered by persons without shoes. Written or oral warnings must be given to workers who are expected to be in a treated area or in an area about to be treated with this product. Oral warnings must be given if there is a reason to believe that written warnings cannot be understood by workers. When oral warnings are given, warnings shall be given in a language customarily understood by workers. Written or oral warnings must include the following information: CAUTION: Area treated with metaldehyde on (date). Do not enter without shoes.

ENVIRONMENTAL HAZARDS

Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in manner inconsistent with its labeling. Read entire label and use in accordance with precautionary statements and directions. Do not apply directly onto plants. Do not allow bait to contact the edible portions of any food crop.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. **STORAGE:** Store product in original labeled container in a cool, dry, locked place out of reach of children. Keep container tightly closed when not in use. Do not store in direct sunlight. **PESTICIDE DISPOSAL:** Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill, or by incineration, or, if allowed by State & local authorities, by burning. If burned stay out of smoke.

USE PRECAUTIONS

Read entire label before using. Use only as a baiting treatment to be applied directly to the soil area beneath plants as listed on this label. Do not allow bait to come in contact with parts of plant that may be used for food or feed purposes. The grower is responsible for residues on his crops, as well as for damages caused by drift from his property to that of others. Do not allow to drift to areas occupied by unprotected humans or beneficial animals or onto adjoining food, fiber or pasture crops. NOTE: Snail & Slug AG Pelleted Bait should never be applied to dry soil. Applications should be made following a irrigation for best results. Apply any time of the day but evening applications are preferred. Do not re-water for 48 hours after application.

NOTICE: Seller's warranty shall be limited to the terms of the label and subject thereto. The buyer and user assumes any risk to persons or property arising out of the use or handling of this product and accepts the product on these conditions (12 05 91)

General Information

Snails and Slugs generally feed during the night and damage many varieties of plants and plant seedlings. They inhabit damp moist areas of the soil surface around decaying refuse, organic matter, beneath boards, rocks and trash piles and hide at the base of growing plants outdoors and in the greenhouse. Their presence can be detected by observing the shiny trails left on sidewalks, driveways and patio blocks.

The Use Profile for Snail and Slug AG includes the following Sites and the Listed Crops and/or Areas in - Terrestrial Food Crops; Terrestrial Non-Food Crops; Greenhouse Food Crops; Greenhouse Flowers/Ornamentals; Domestic and Nondomestic Outdoor Areas; and Indoor uses. Uses are as follows:

NET WEIGHT 5 (10; 25; 50) POUNDS

For control of SNAILS and SLUGS in the following areas, use 1 lb. to treat 1,100 to 1,750 Sq Ft (equivalent to 24 to 40 pounds of pelleted bait per acre), unless otherwise stated. Apply when first plant damage appears or is anticipated and repeat as needed for control.

VEGETABLE AND FOOD CROPS

Apply 1 lb. to treat 1,100 to 1,750 sq ft

Alfalfa, Artichoke, Asparagus, Beans, Beets, Blackeye Peas, Broccoli, Brussels Sprouts, Cabbage, Cantaloupe, Carrots, Cauliflower, Cereal Crops, Celery, Clover, Cucumber, Collards, Corn, Cowpeas, Cucumbers, Eggplant, Endive, Garlic, Ginseng, Horseradish, Kale, Kohlrabi, Leeks, Legumes, Lettuce, Melons, Muskmelons, Mustard Greens, Okra, Onions, Parsnips, Peas, Peppers, Pimientos, Potatoes, Pumpkins, Radishes, Rhubarb, Rutabagas, Salsify, Shallots, Spinach, Squash, Sweet Potatoes, Swiss Chard, Tomatoes, Turnips, Watermelons, Wheat.

FRUIT AND NUT CROPS

Almonds, Apples, Apricots, Avocados, Bananas, Cherries,

Citrus (Oranges, Lemons, Limes, Grapefruit, etc.) Grapes, Nectarines, Peaches, Pears, Pecans, Plums, Stone Fruits, Walnuts

Broadcast liberally under trees, around irrigation pipes, farm buildings and any other place where slugs and snails may congregate. Apply 1 lb. to treat 1,100 to 1,750 sq ft.

BERRY CROPS

Blackberries, Blueberries, Boysenberries, Currants, Dewberries, Gooseberries, Loganberries, Raspberries, Strawberries

For soil surface coverage; Apply 1 lb. to treat 1,100 to 3,600sq ft. (12 to 39 lbs/acre)

HERBS

Anis, Caraway, Catnip, Chloery, Chives, Coriander, Dill, Mustard, Oregano, Parsley, Peppermint, Sage, Savory, Spearmint, Thyme. Apply 1 lb. to treat 1,100 to 1,750 sq ft

FLOWER AND ORNAMENTAL PLANTINGS

ORNAMENTAL GARDENS, PLANTED BORDERS AND GROUPS COVERS including Azaleas, Begonias, Camellias, Chrysanthemums, Larkspurs, Daisies, Geraniums, Honey-suckle, Hydrangeas, Ice Plant, Impatiens, Iris, Marigolds, Petunias, Petunias, Rhododendron, Rose, Sweet Peas, Snapdragons, Spatiphyllum, Tulips. Water the infested area thoroughly before application. Broadcast or spin 1 lb. Snail and Slug AG Pelleted Bait evenly over the infested areas and along edges of flower beds adjacent to border or ground cover plants. Also apply on ground at base of fences and walls in shady, protected locations. Apply 1 lb. to treat 1,100 to 1,750 sq ft. Do not re-water for 48 hours.

DICHONDRA AND TURFGRASS LAWNS

Water infested area thoroughly before application. Broadcast SNAIL & SLUG AG Pelleted Bait directly on lawn or turf. Spread evenly. Apply 1 lb. to treat 1,100 to 1,750 sq ft. Do not re-water for 48 hours.

GREENHOUSES AND LATHE HOUSES

Distribute pellets on and beneath benches, but do not place in pots or flats unless plants are well established. Keep pellets from coming in contact with plants. If soil is dry, irrigate prior to, or sprinkle lightly, after distributing pellets. For crops such as Tobacco, Asparagus, Beans, Beets, Cabbage, Carrots, Celery, Collards, Cucumbers, Eggplant, Endive, Kale, Kohlrabi, Lettuce, Melons, Mustard, Peas, Peppers, Radish, Spinach, Swiss Chard, Tomatoes, Turnips. Apply 1 lb. to treat 500 to 600 sq ft. Do not re-water for 48 hours. NOTE: This product has proven to have a reasonable residual control; however for heavily infested greenhouses a second application may be needed in 7 to 10 days.

GREENHOUSE FLOWERS & ORNAMENTALS

Orchids, Ornamental Flowering Plants and Foliage Plants. Do not apply directly to plants unless prior experience has shown the plant to be tolerant to this product. Most plants are tolerant however some slight tip burning has been noticed on extremely tender orchids. One pound will cover up to 1,100 sq ft. Do not re-water for 48 hours.

SEED MIXTURES

Alfalfa, Barley, Hay, Oats, Wheat. Apply up to 45 lbs per acre

SEED FOOD CROPS

Wheat, Alfalfa, Beans, Clover, Corn (Sweet), Grasses (Barley, Hay, Oats, Wheat), Peas, Potato. Apply 1 lb. to treat 1,100 to 1,750 sq ft.

DOMESTIC AND NON DOMESTIC OUTDOOR USES

Domestic Dwellings, Greenhouses, Lath Houses, Lawns, including Dichondra, Ornamental Grasses, Ornamental Plants (including Nursery Stock, Turf

INDOOR USES

Farm Buildings. Do not allow pets or other animals access to bait. After control is achieved thoroughly sweep and clean the area.

HACCO, INC P.O. Box 7190 - Madison WI 53707