



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
WASHINGTON, D.C. 20460

MAR 24 1994

OFFICE OF  
PREVENTION, PESTICIDES AND  
TOXIC SUBSTANCES

Judith A. Thompson  
HACCO, INC.  
537 Atlas Avenue  
Madison, WI 53716

Subject: Label Amendment Submission of 10/25/93 in Response to PR Notice 93-7  
EPA Reg. No. 61282-11  
SNAIL AND SLUG AG PELLETTED BAIT

Dear Registrant:

The labeling cited above and submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), as amended, is accepted subject to the comments reflected on the enclosed sheet. A copy of your proposed labeling stamped "ACCEPTED WITH COMMENTS" is enclosed.

**WHAT THIS ACCEPTANCE MEANS:**

Based on your certification, the Agency has accepted the labeling changes that are necessary to comply with the Worker Protection Standard (WPS) labeling requirements of 40 CFR part 156, subpart K, described in PR Notices 93-7 and 93-11. Any other labeling changes submitted in connection with this amendment application but not directly related to compliance with the WPS have not been reviewed or accepted by the Agency. If you wish to make such changes, you must submit a separate amendment application proposing them. If your product is currently suspended, the acceptance of this labeling amendment does not affect the suspension in any way.

**WHAT YOU NEED TO DO NEXT:**

By the next label printing make all the specified changes to your labeling. Send to EPA one (1) copy of the final printed labeling:

- BEFORE selling or distributing any product bearing the final printed labeling
- AND
- WITHIN one year from date of this acceptance.



Recycled/Recyclable  
Printed with Soy/Canola Ink on paper that  
contains at least 50% recycled fiber


Submit the final printed labeling via the U.S. Postal Service to:

Document Processing Desk (FIN-LABEL)  
Office of Pesticide Programs (7505C)  
U.S. Environmental Protection Agency  
401 M Street, SW  
Washington, D.C. 20460-0001

Hand or courier deliveries of final printed labeling may be made to:

Document Processing Desk (FIN-LABEL)  
Office of Pesticide Programs  
Room 266A, Crystal Mall 2  
1921 Jefferson Davis Highway  
Arlington, VA 22202

Sincerely,



Jim Tompkins, Deputy Chief  
Registration Support Branch  
Registration Division (7505W)

Attachment

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
Office of Pesticide Programs  
Registration Division

Judith A Thompson  
HACCO, INC.  
537 ATLAS AVE  
MADISON WI 53716

Comment for: EPA Reg Nr.61282-11  
SNAIL AND SLUG AG PELLETTED BAIT

The following specific comments pertain to your WPS labeling submission concerning the product cited above:

User Safety Recommendations must either be placed in a box or printed on the label in a contrasting color from surrounding text.

The Agricultural Use Requirements section must be located in a clearly separate box on the product labeling -- with lines or other graphic indicators (such as contrasting color) to separate the section from the surrounding text.

Delete the Nonagricultural Use Requirements box on your proposed label.

Delete the crossed-out statements on your proposed label. They are redundant statements or phrases.

MAR 24 1974

Under the Federal Insecticide,  
Fungicide, and Rodenticide Act  
as amended, for the pesticide

SNAIL registered under EPA Reg. No.  
SLUG AG 61282-11  
PELLETED BAIT

ATTRACTS AND KILLS  
SNAILS and SLUGS!

BERRY CROPS - CITRUS GROVES  
APPLE & PEACH ORCHARDS  
IN GREENHOUSES - LATHE HOUSES  
VEGETABLE, HERB & ORNAMENTAL  
GARDENS  
DICHONDRA & TURFGRASS LAWNS

Self-  
Verified  
Label

ACTIVE INGREDIENT:  
Metaldehyde (2,4,6,8,-tetramethyl-  
1,3,5,7,-tetraoxycyclo-  
octane) ..... 3.5%  
INERT INGREDIENTS: ..... 96.5%  
Total..... 100.0%

EPA REG. NO. 61282-11  
EPA EST. NO. 61282-WI-1  
KEEP OUT OF REACH OF CHILDREN (12 pt.)  
CAUTION (18 pt.)\*

STATEMENTS OF PRACTICAL TREATMENT  
**IF SWALLOWED:** Call a physician or  
Poison Control Center immediately.  
Drink 1 or 2 glasses of water and  
induce vomiting by touching back of  
throat with finger. Do not induce  
vomiting or give anything by mouth to  
an unconscious or convulsing person.  
**IF ON SKIN:** Wash with soap and warm  
water. **IF IN EYES:** Flush with  
flowing water. Get medical attention  
if irritation persists.

THIS PESTICIDE MAY BE FATAL  
TO DOGS OR OTHER PETS IF EATEN  
KEEP PETS OUT OF TREATED AREA

PRECAUTIONARY STATEMENTS  
HAZARDS TO HUMANS AND  
DOMESTIC ANIMALS  
DO NOT TAKE INTERNALLY.  
DO NOT GET IN EYES OR ON SKIN.

CAUTION: May be harmful if swallowed,  
inhaled or absorbed through the skin.  
Do not breathe dust, get in eyes, on  
skin or on clothing. If poisoning  
occurs, obtain prompt medical aid.  
Keep bait away from dogs and pets.  
Bait may be attractive to dogs.  
Confine pets during application to  
prevent them from believing they are  
being fed.

**BEST AVAILABLE COPY**

\*Assumes a front panel of over  
30 sq. in.

**PERSONAL PROTECTIVE EQUIPMENT**

Applicators and other handlers must  
wear long-sleeved shirt and long  
pants, waterproof gloves and shoes  
plus socks.

Follow manufacturer's instructions  
for cleaning and maintaining Personal  
Protective Equipment (PPE) and  
such instructions for washables, use  
detergent and hot water. Keep and  
wash PPE separately from other  
laundry.

When handlers use closed systems,  
enclosed cabs, or aircraft in a  
manner that meets the requirements  
listed in the Worker Protection  
Standard (WPS) for agricultural  
pesticides (40 CFR 170.240(d)(4-6))  
the handler PPE requirements may be  
reduced or modified as specified in  
WPS.

**USER SAFETY RECOMMENDATIONS**

Users should wash hands before  
eating, drinking, chewing gum, using  
tobacco, or using the toilet. Remove  
clothing immediately if pesticide  
gets inside. Then wash thoroughly  
and put on clean clothing.

**ENVIRONMENTAL HAZARDS**

Do not apply directly to water, to  
areas where surface water is present  
or to intertidal areas below the mean  
high water mark. Do not contaminate  
water when disposing of equipment  
washwaters.

**DIRECTIONS FOR USE**

It is a violation of Federal Law to  
use this product in a manner  
inconsistent with its labeling. Read  
entire label before using this  
product.

Do not apply this product in a way  
that will contact workers or other  
persons, either directly or through  
drift. Only protected handlers may  
be in the area during application.  
For any requirements specific to your  
State or Tribe, consult the agency  
responsible for pesticide regulation.  
Do not apply directly onto plants.  
Do not allow bait to contact the  
edible portions of any food crop.

**AGRICULTURAL USE REQUIREMENTS**

Use this product only in accordance  
with its labeling and with the Worker  
Protection Standard, 40 CFR part 170.  
This Standard contains requirements  
for the protection of agricultural  
workers on farms, forests, nurseries,  
and greenhouses, and handlers of  
agricultural pesticides. It contains  
requirements for training,  
decontamination, notification and  
emergency assistance. It also  
contains specific instructions and  
exceptions pertaining to the

statements on this label about personal protective equipment (PPE) and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 12 hours.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, is: coveralls, waterproof gloves and shoes plus socks.

**NON-AGRICULTURAL USE REQUIREMENTS**  
The requirements in this box apply to uses of this product that are NOT within the scope of the Worker Protection Standard for Agricultural pesticides (40 CFR Part 170). The WPS applies when this product is used to produce agricultural plants on farms, forests, nurseries, or greenhouses.

**USE PRECAUTIONS**

Read entire label before using. Use only as a baiting treatment to be applied directly to the soil area beneath plants as listed on this label. Do not allow bait to come in contact with parts of plant that may be used for food or feed purposes. The grower is responsible for residues on his crops, as well as for damages caused by drift from his property to that of others. Do not allow to drift to areas occupied by ~~unprotected humans~~ or beneficial animals or onto adjoining food, fiber or pasture crops. NOTE: Snail & Slug AG Pelleted Bait should never be applied to dry soil. Applications should be made following an irrigation for best results. Apply anytime of the day, but evening applications are preferred. Do not re-water for 48 hours after application.

**GENERAL INFORMATION**

Snails and Slugs generally feed during the night and damage many varieties of plants and plant seedlings. They inhabit damp moist areas of the soil surface around decaying refuse, organic matter, beneath boards, rocks and trash piles and hide at the base of growing plants outdoors and in the greenhouse. Their presence can be detected by observing the shiny trails left on sidewalks, driveways and patio blocks. The Use Profile for Snail and Slug AG includes the following Sites and the Listed Crops

and/or Areas in - Terrestrial Food Crops; Terrestrial Non-Food Crops; Greenhouse Food Crops; Greenhouse Flowers/Ornamentals; Domestic and Nondomestic Outdoor Areas; and Indoor uses. Uses are as follows:

**APPLICATION RATE**

For control of SNAILS and SLUGS in the following areas, use 1 lb. to treat 1,100 to 1,750 Sq. Ft. (equivalent to 24 to 40 pounds of pelleted bait per acre), unless otherwise stated. Apply when first plant damage appears or is anticipated and repeat as needed for control.

**VEGETABLE AND FOOD CROPS**

Apply 1 lb. to treat 1,100 to 1,750 sq. ft.

Alfalfa, Artichoke, Asparagus, Beans, Beets, Black-eyed Peas, Broccoli, Brussels Sprouts, Cabbage, Cantaloupe, Carrots, Cauliflower, Cereal Crops, Celery, Clover, Cole Crops, Collards, Corn, Cowpeas, Cucumbers, Eggplant, Endive, Garlic, Ginseng, Horseradish, Kale, Kohlrabi, Leeks, Legumes, Lettuce, Melons, Muskmelons, Mustard Greens, Okra, Onions, Parsnips, Peas, Peppers, Pimentos, Potatoes, Pumpkins, Radishes, Rhubarb, Rutabagas, Salsify, Shallots, Spinach, Squash, Sweet Potatoes, Swiss Chard, Tomatoes, Turnips, Watermelons, Wheat.

**FRUIT AND NUT CROPS**

Almonds, Apples, Apricots, Avocados, Bananas, Cherries, Citrus (Oranges, Lemons, Limes, Grapefruit, etc.), Grapes, Nectarines, Peaches, Pears, Pecans, Plums, Stone Fruits, Walnuts. Broadcast liberally under trees, around irrigation pipes, farm buildings and any other place where slugs and snails may congregate. Apply 1 lb. to treat 1,100 to 1,750 sq. ft.

**BERRY CROPS**

Blackberries, Blueberries, Boysenberries, Currants, Dewberries, Gooseberries, Loganberries, Raspberries, Strawberries.

For soil surface coverage; apply 1 lb. to treat 1,100 to 3,600 sq. ft. (12 to 39 lbs./acre).

**HERBS**

Anis, Caraway, Catnip, Chicory, Chives, Coriander, Dill, Mustard, Oregano, Parsley, Peppermint, Sage, Savory, Spearmint, Thyme

Apply 1 lb. to treat 1,100 to 1,750 sq.ft.

**FLOWER AND ORNAMENTAL PLANTINGS**  
ORNAMENTAL GARDENS, PLANTED BORDERS AND GROUND COVERS: Including Azaleas, Begonias, Camellias, Chrysanthemums, Daffodils, Daisies, Geraniums, Honeysuckle, Hydrangeas, Ice Plant, Impatiens, Iris, Marigolds, Pansies, Petunias, Rhododendron, Rose, Sweet

Peas, Snapdragons, Spathiphyllum, Tulips. Water the infested area thoroughly before application. Broadcast or sprinkle Snail and Slug AG Pelleted Bait evenly over the infested areas and along edges of flower beds adjacent to border or ground cover plants. Also apply on ground at base of fences and walls in shady, protected locations. Apply 1 lb. to treat 1,100 to 1,750 sq. ft. Do not re-water for 48 hours.

**DICHONDRA AND TURFGRASS LAWNS**

Water infested area thoroughly before application. Broadcast SNAIL & SLUG AG Pelleted Bait directly on lawn or turf. Spread evenly. Apply 1 lb. to treat 1,100 to 1,750 sq. ft. Do not re-water for 48 hours.

**GREENHOUSES AND LATHE HOUSES**

Distribute pellets on and beneath benches, but do not place in pots or flats unless plants are well established. Keep pellets from coming in contact with plants. If soil is dry, irrigate prior to, or sprinkle lightly, after distributing pellets. For crops such as Tobacco, Asparagus, Beans, Beets, Cabbage, Carrots, Celery, Collards, Cucumbers, Eggplant, Endive, Kale, Kohlrabi, Lettuce, Melons, Mustard, Peas, Peppers, Radish, Spinach, Swiss Chard, Tomatoes, Turnips. Apply 1 lb. to treat 500 to 600 sq. ft. Do not re-water for 48 hours.

NOTE: This product has proven to have a reasonable residual control, however for heavily infested greenhouses a second application may be needed in 7 to 10 days.

**GREENHOUSE FLOWERS & ORNAMENTALS**

Orchids, Ornamental Flowering Plants and Foliage Plants.

Do not apply directly to plants unless prior experience has shown the plant to be tolerant to this product. Most plants are tolerant however some slight tip burning has been noticed on extremely tender orchids. One pound will cover up to 1,100 sq. ft. Do not re-water for 48 hours.

**SEED GRASSES**

Alfalfa, Barley, Hay, Oats, Wheat. Apply up to 45 lbs. per acre.

**SEED FOOD CROPS**

Wheat, Alfalfa, Beans, Clover, Corn (Sweet), Grasses (Barley, Hay, Oats, Wheat), Peas, Potato. Apply 1 lb. to treat 1,100 to 1,750 sq. ft.

**DOMESTIC AND NON-DOMESTIC OUTDOOR USES**

Domestic Dwellings, Greenhouses, Lathe Houses, Lawns, Including Dichondra, Ornamental Grasses, Ornamental Plants (Including Nursery Stock), Turf

**INDOOR USES**

**Farm Buildings:** Do not allow pets or other animals access to bait. After control is achieved thoroughly sweep and clean the area.

**STORAGE AND DISPOSAL (12 p.)\***

Do not contaminate water, food or feed by storage or disposal. **STORAGE:** Store product in original labeled container in a cool, dry, locked place out of reach of children. Keep container tightly closed when not in use. Do not store in direct sunlight.

**PESTICIDE DISPOSAL:** Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

**CONTAINER DISPOSAL:** Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill, or by incineration, or, if allowed by State & local authorities, by burning. If burned stay out of smoke.

NOTICE: Sellers warranty shall be limited to the terms of the label and subject thereto. The buyer and user assumes any risk to persons or property arising out of the use or handling of this product and accepts the product on these conditions.

NET CONTENTS: 5 (10, 25, 50) Pounds

MANUFACTURED BY:

HACCO, INC.

P.O. Box 7190

Madison, WI 53707 U.S.A.

**BEST AVAILABLE COPY**