

61282-11

# PROZAP®

Agri-brand

## SNAIL & SLUG

# AG

### PELLETED BAIT

ATTRACTS AND KILLS

SNAILS and SLUGS!

BERRY CROPS - CITRUS GROVES

APPLE & PEACH ORCHARDS

IN GREENHOUSES - LATHE HOUSES

VEGETABLE, HERB & ORNAMENTAL

GARDENS

DICHONDRA & TURFGRASS LAWNS

#### ACTIVE INGREDIENT:

Metaldehyde (2,4,6,8,-tetramethyl-1,3,5,7,-tetraoxycyclo-octane)..... 3.5%

INERT INGREDIENTS:..... 96.5%

Total..... 100.0%

EPA REG. NO. 61282-11

EPA EST. NO. 61282-WI-1

**KEEP OUT OF REACH OF CHILDREN**

## CAUTION

#### FIRST AID

Have label with you when obtaining treatment advice

If Swallowed	<ul style="list-style-type: none"> <li>Call a poison control center, doctor, 1.800.228.5635, ext. 136 immediately for treatment advice.</li> <li>Have person sip a glass of water if able to swallow.</li> <li>Do not induce vomiting unless told to do so by the poison control center or doctor.</li> </ul>
If on Skin	<ul style="list-style-type: none"> <li>Wash with plenty of soap and water.</li> </ul>
If in Eyes	<ul style="list-style-type: none"> <li>Hold eye open and rinse slowly and gently with water for 20 minutes</li> <li>Remove contact lenses if present, after the first 5 minutes, then continue rinsing eye.</li> </ul>
<ul style="list-style-type: none"> <li>Call a poison control center, doctor or 1-800.228.5635, ext. 136 for treatment advice.</li> </ul>	

**THIS PESTICIDE MAY BE FATAL TO DOGS OR OTHER PETS IF EATEN  
KEEP PETS OUT OF TREATED AREA**

**PRECAUTIONARY STATEMENTS  
HAZARDS TO HUMANS AND DOMESTIC ANIMALS  
DO NOT TAKE INTERNALLY.  
DO NOT GET IN EYES OR ON SKIN.**

**CAUTION:** May be harmful if swallowed, inhaled or absorbed through the skin. Do not breathe dust, get in eyes, on skin or on clothing. Keep bait away from dogs and pets. Bait may be attractive to dogs. Confine pets during application to prevent them from believing they are being fed.

ACCEPTED

APR 23 2003

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under

EPA Reg. No. 61282-11

4-23-2003

PERSONAL PROTECTIVE EQUIPMENT

Applicators and other handlers must wear long-sleeved shirt and long pants, waterproof gloves and shoes plus socks.

Follow manufacturer's instructions for cleaning and maintaining personal Protective Equipment (PPE). If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

When handlers use closed systems, enclosed cabs, or aircraft in a manner that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides [40 CFR 170.240(d)(4-6)] the handler PPE requirements may be reduced or modified as specified in WPS.

#### USER SAFETY RECOMMENDATIONS

Users should wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

#### ENVIRONMENTAL HAZARDS

Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters.

#### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Read entire label before using this product.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

Apply as a soil treatment. Terrestrial food and non-food crops may be broadcast by air or ground equipment unless specified otherwise on the label. Apply 24 to 40 pounds of pelleted bait per acre unless otherwise stated. Use a band treatment between the rows after formation of edible parts. Do not contaminate edible portions of the plant.

#### AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE) and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 12 hours.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, is: coveralls, waterproof gloves and shoes plus socks.

#### NON-AGRICULTURAL USE REQUIREMENTS

The requirements in this box apply to uses of this product that are NOT within the scope of the Worker Protection Standard for Agricultural pesticides (40 CFR Part 170). The WPS applies when this product is used to produce agricultural plants on farms, forests, nurseries, or greenhouses. The area being treated must be vacated and not re-entered by persons without shoes.

#### USE PRECAUTIONS

Read entire label before using. Use only as a baiting treatment to be applied directly to the soil area beneath plants as listed on this label. Do not allow bait to come in contact with parts of plant that may be used for food or feed purposes. The grower is responsible for residues on his crops, as well as for damages caused by drift from his property to that of others. Do not allow to drift to areas occupied by beneficial animals or onto adjoining food, fiber or pasture crops. NOTE: This product should never be applied to dry soil. Applications should be made following an irrigation for best results. Apply anytime of the day, but evening applications are preferred. Do not re-water for 48 hours after application.

#### GENERAL INFORMATION

Snails and Slugs generally feed during the night and damage many varieties of plants and plant seedlings. They inhabit damp moist areas of the soil surface around decaying refuse, organic matter, beneath

boards, rocks and trash piles and hide at the base of growing plants outdoors and in the greenhouse. Their presence can be detected by observing the shiny trails left on sidewalks, driveways and patio blocks. The Use Profile for this product includes the following Sites and the Listed Crops and/or Areas in - Terrestrial Food Crops; Terrestrial Non-Food Crops; Greenhouse Food Crops; Greenhouse Flowers/Ornamentals; Domestic and Nondomestic Outdoor Areas; and Indoor uses. Uses are as follows:

#### APPLICATION RATE

For control of SNAILS and SLUGS in the following areas, use 1 lb. to treat 1,100 to 1,750 Sq. Ft. (equivalent to 24 to 40 pounds of pelleted bait per acre), unless otherwise stated. Apply when first plant damage appears or is anticipated and repeat as needed for control.

#### VEGETABLE AND FOOD CROPS

Apply 1 lb. to treat  
1,100 to 1,750 sq. ft.

Alfalfa, Artichoke, Asparagus, Beans, Beets, Black-eyed Peas, Broccoli, Brussels Sprouts, Cabbage, Cantaloupe, Carrots, Cauliflower, Cereal Crops, Celery, Clover, Cole Crops, Collards, Corn, Cowpeas, Cucumbers, Eggplant, Endive, Garlic, Ginseng, Horseradish, Kale, Kohlrabi, Leeks, Legumes, Lettuce, Melons, Muskmelons, Mustard Greens, Okra, Onions, Parsnips, Peas, Peppers, Pimientos, Potatoes, Pumpkins, Radishes, Rhubarb, Rutabagas, Salsify, Shallots, Spinach, Squash, Sweet Potatoes, Swiss Chard, Tomatoes, Turnips, Watermelons, Wheat.

Artichokes: By air or ground application before tight bud stage, apply 25 to 70 lbs./acre. After tight bud stage, apply by ground application only.

#### FRUIT AND NUT CROPS

Almonds, Apples, Apricots, Avocados, Bananas, Cherries, Citrus (Oranges, Lemons, Limes, Grapefruit, etc.), Grapes, Nectarines, Peaches, Pears, Pecans, Plums, Stone Fruits, Walnuts. Broadcast liberally under trees, around irrigation pipes, farm buildings and any other place where slugs and snails may congregate. Apply 1 lb. to treat 1,100 to 1,750 sq. ft.

#### BERRY CROPS

Blackberries, Blueberries, Boysenberries, Currants, Dewberries, Gooseberries, Loganberries, Raspberries, Strawberries. For soil surface coverage; apply 1 lb. to treat 1,100 to 3,600 sq. ft. (12 to 39 lbs./acre).

#### HERBS

Anis, Caraway, Catnip, Chlorey, Chives, Coriander, Dill, Mustard, Oregano, Parsley, Peppermint, Sage, Savory, Spearmint, Thyme  
Apply 1 lb. to treat 1,100 to 1,750 sq.ft.

#### FLOWER AND ORNAMENTAL PLANTINGS

ORNAMENTAL GARDENS, PLANTED BORDERS AND GROUND COVERS: Including Azaleas, Begonias, Camellias, Chrysanthemums, Daffodils, Daisies, Geraniums, Honeysuckle, Hydrangeas, Ice Plant, Impatiens, Iris, Marigolds, Pansies, Petunias, Rhododendron, Rose, Sweet Peas, Snapdragon, Spathiphyllum, Tulips. Water the infested area thoroughly before application. Broadcast or sprinkle this product evenly over the infested areas and along edges of flowerbeds adjacent to border or ground cover plants. Also apply on ground at base of fences and walls in shady, protected locations. Apply 1 lb. to treat 1,100 to 1,750 sq. ft. Do not re-water for 48 hours.

#### DICHONDRA AND TURFGRASS LAWNS

Water infested area thoroughly before application. Broadcast this product directly on lawn or turf. Spread evenly. Apply 1 lb. to treat 1,100 to 1,750 sq. ft. Do not re-water for 48 hours.

#### GREENHOUSES AND LATHE HOUSES

Distribute pellets on and beneath benches, but do not place in pots or flats unless plants are well established. Keep pellets from coming in contact with plants. If soil is dry, irrigate prior to, or sprinkle lightly, after distributing pellets. For crops such as Tobacco, Asparagus, Beans, Beets, Cabbage, Carrots, Celery, Collards, Cucumbers, Eggplant, Endive, Kale, Kohlrabi, Lettuce, Melons, Mustard, Peas, Peppers, Radish, Spinach, Swiss Chard, Tomatoes, Turnips. Apply 1 lb. to treat 500 to 600 sq. ft. Do not re-water for 48 hours.

NOTE: This product has proven to have a reasonable residual control however for heavily infested greenhouses a second application may be needed in 7 to 10 days. <sup>2/2</sup>

#### GREENHOUSE FLOWERS & ORNAMENTALS

Orchids, Ornamental Flowering Plants and Foliage Plants. Do not apply directly to plants unless prior experience has shown the plant to be tolerant to this product. Most plants are tolerant however some slight tip burning has been noticed on extremely tender orchids. One pound will cover up to 1,100 sq. ft. Do not re-water for 48 hours.

#### SEED GRASSES

Alfalfa, Barley, Hay, Oats, Wheat and other grasses grown for seed.  
Apply up to 45 lbs. per acre.

#### SEED FOOD CROPS

Wheat, Alfalfa, Beans, Clover, Corn (Sweet), Grasses (Barley, Hay, Oats, Wheat), Peas, Potato. Apply 1 lb. to treat 1,100 to 1,750 sq. ft.

#### DOMESTIC AND NON-DOMESTIC

##### OUTDOOR USES

Domestic Dwellings, Greenhouses, Lathe Houses, Lawns, Including Dichondra, Ornamental Grasses, Ornamental Plants (Including Nursery Stock), Turf

##### INDOOR USES

Farm Buildings: Do not allow pets or other animals access to bait. After control is achieved thoroughly sweep and clean the area.

#### STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

**STORAGE:** Store product in original labeled container in a cool, dry, locked place out of reach of children. Keep container tightly closed when not in use. Do not store in direct sunlight.

**PESTICIDE DISPOSAL:** Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

**CONTAINER DISPOSAL:** Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill, or by incineration, or, if allowed by State & local authorities, by burning. If burned stay out of smoke.

#### NOTICE OF WARRANTY

IT IS IMPOSSIBLE TO ELIMINATE ALL RISKS INHERENTLY ASSOCIATED WITH THE USE OF THIS PRODUCT. CROP INJURY, INEFFECTIVENESS, OR OTHER UNINTENDED CONSEQUENCES MAY RESULT BECAUSE OF SUCH FACTORS AS WEATHER CONDITIONS, PRESENCE OF OTHER MATERIALS, OR THE MANNER OF USE OR APPLICATION, ALL OF WHICH ARE BEYOND THE CONTROL OF HACCO, THE MANUFACTURER OR SELLER. IN NO CASE SHALL HACCO, THE MANUFACTURER OR SELLER BE LIABLE FOR CONSEQUENTIAL, SPECIAL OR INDIRECT DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT. ALL SUCH RISKS SHALL BE ASSUMED BY THE BUYER.

EXCEPT AS EXPRESSLY PROVIDED HEREIN, HACCO, THE MANUFACTURER OR SELLER MAKES NO WARRANTIES, GUARANTEES, OR REPRESENTATIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED, OR BY USAGE OF TRADE, STATUTORY OR OTHERWISE, WITH REGARD TO THE PRODUCT SOLD, INCLUDING, BUT NOT LIMITED TO, MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, USE OR ELIGIBILITY OF THE PRODUCT FOR ANY PARTICULAR TRADE USAGE. BUYER'S OR USER'S EXCLUSIVE REMEDY, AND HACCO'S, THE MANUFACTURER'S OR SELLER'S TOTAL LIABILITY, SHALL BE FOR DAMAGES NOT EXCEEDING THE COST OF THE PRODUCT.

NET CONTENTS:

MANUFACTURED BY:  
HACCO, INC.  
P.O. Box 7190  
Madison, WI 53707 U.S.A.