5. Name and Address of Applicant (Include ZIP Code) HACCO, Inc. P.O. Box 7190	6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to:					
Madison, WI 53707	EPA Reg. No. 264+312, 1264-320					
Check if this is a new address	Product Name					
Section I 1						
Amendment - Explain below Final printed labels in response to Agency letter dated						
Resubmission in response to Agency letter dated	"Me Too" Application.					
Notification - Explain below. Clerical error in label accepted 12/21/9	Other - evoluin holow					
Explanation: Use additional page(s) if necessary. (For section I a	and Section II.) Notification per 40 CFR 152.46(a) & (b)					
and PR Notice 88-6. "Limited Warranty $\mathfrak s$	Disclaimer" heading inadvertently did not print					
highlighted.Likewise, the last line in t	is a "before" and "after" label with this change the chart on page 2 has now been included & hi-lited					
Please accept our typewritten label as o	our final printed label as this product will only					
be sold by a subregistrant in 50 lb. pre	eprinted bags for the foreseeable future.					
Section	111					
Material This Product Will Be Packaged in:						
Child-Resistant Packaging Unit Packaging V	Vater Soluble Packaging 2. Type of Container					
Yes* Yes	Yes Metal Yestic					
· 🔀 No 🗔	X No Glass					
l	X Paper					
	ackage wgt. container Other (Specify)					
submitted.	tail Container 5. Location of Label Directions					
3. Location of Net Contents Information 4. Size(s) of Ret	TY On Label					
X Label Container 1,2 2/1,5,10,25, & 50 Lbs On Labeling accompanying product						
6. Manner In Which Label Is Affixed To Product Lithograph Other () Stenciled Continue Continu						
Section						
	I individual to be contacted, if necessary, to process this application.)					
Name Title	T					
Judith A. Thompson Re	egistration Manager (608)221-6309					
Certification I certify that the statements I have made on this form and all atta I acknowledge that any knowingly false or misleading statement both under applicable law.						
2/Signature / 3. 1	Title ,,,,,,					
Re Re	egistration Manager					
4. Typed Name 5. I	Date , ; , ;					
Judith A. Thompson	Tune 5, 1995					
EPA Form 8570-1 (Rev. 12-90) Previous editions are obsolet	e. White - EPA File Copy (original) Yellow - Applicant copy					

"After" Labeling

SEVINO Brand 10% Carbaryl INSECTICIDE BEETLE BAIT GRANULES FOR CONTROL OF INSECTS

ACTIVE INGREDIENT:

EPA REG. NO. 61282-21

EPA EST NO. 61282-WI-1

SEVIN is the registered trademark of Rhone-Poulenc for carbaryl insecticides.

KEEP OUT OF REACH OF CHILDREN CAUTION

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: MAY BE HARMFUL IF SWALLOWED. Avoid breathing dust. Do not take internally. Avoid contact with eyes, skin, or clothing. Wear regular long-sleeved work clothing. Change to clean clothing daily. Wash hands and face before eating. Wash thoroughly after handling.

ANTIDOTE STATEMENT

ATROPINE SULFATE IS HIGHLY EFFECTIVE AS AN ANTIDOTE. See NOTE TO PHYSICIAN below.

STATEMENT OF PRACTICAL TREATMENT

Carbaryl is an N-Methyl Carbamate Insecticide. GENERAL

Contact a physician immediately in all cases of suspected poisoning.
Transport to a physician or hospital immediately and SHOW A COPY OF THIS LABEL
TO THE PHYSICIAN.

IF SWALLOWED: Never give anything by mouth to an unconscious or convulsing person. If conscious and not convulsing, drink 1 to 2 glasses of water and induce vomiting by touching the back of the throat with finger.

IF IN EYES: Flush eyes with plenty of water. Get medical attention, if irritation persists.

IF ON SKIM: Wash thoroughly with noap and water.

COUNTRACTOR SOME CONTRACTOR AND AND AND AN ARCHITECTURE.

IF INHALED: Move from contaminated atmosphere and call a physician. NOTE TO PHYSICIAN:

Carbaryl is a carbamate insecticide, which is a cholinesterase inhibitor. Overexposure to this substance may cause toxic signs and symptoms due to stimulation of the cholinergic nervous system. These effects of overexposure are spontaneously and rapidly reversible.

Specific treatment consists of parenteral atropine sulfate. Caution should be maintained to prevent overatropinization. Mild cases may be given 1 to 2 mg intramuscularly every 10 minutes until full atropinization has been achieved and repeated thereafter whenever symptoms reappear. Severe cases should be given 2 to 4 mg intravenously every 10 minutes until fully atropinized, then intramuscularly every 30 to 60 minutes, if needed, to maintain the effect for at least 12 hours. Dosages for children should be appropriately reduced. Complete recovery from overexposure is to be expected within 24 hours.

Narcotics and other sedatives should not be used. Further, drugs like 2-RAM (pyridine-2-aldoxime methiodide) are NOT recommended.

ENVIRONMENTAL HAZARDS

This product is extremely toxic to aquatic and estuarine invertebrates. .. Ld. not apply directly to water or to areas where surface water is present by to intertidal areas below the mean high water mark. Do not apply when weather's conditions favor drift from area treated. Do not contaminate water by '''' cleaning equipment or disposal of wastes.

6/5/95 P.1

2

HTIEF LABELING DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

STORAGE: Store unused product in original container only, in cool, dry area out of reach of children and animals. Do not store in areas where temperatures frequently exceed 100°F.
PESTICIDE DISPOSAL: Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited. Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State and local authorities,

by burning. If bag is burned, stay out of smoke.

POULTRY HOUSES							
SITE	Insect	OUNCES OF SEVIN brand 10% BAIT/1000 SQUARE FEET	SPECIFIC DIRECTIONS				
Poultry Houses (chickens, turkeys, ducks, geese, gamebirds, and pigeons)	Darkling beetle (lesser mealworm or litter beetle)	24	Apply bait uniformly to floor or litter area using appropriate equipment such as chest-carried fertilizer/seed spreader. Do not incorporate. It is not necessary to remove birds during application, but uniform coverage may be difficult to achieve with birds present. Do not contaminate feeding or watering units.				
			Optimum treatment timings are: 1. Ten to 14 days after the birds are placed in the house and 2. two weeks after timing "#1" above. One application at each of the two timings listed above should be made for heavy infestations. If only one application can be made, timing #1 should be followed.				
			For best control of high darkling beetle populations: In addition to a bait application, walls, cracks, posts, crevices, and insulation around ventilation areas should be treated with a sprayable or a flowable formulation of SEVIN® brand carbaryl insecticide. Spray				
			application should be made immediately following removal of the flock from the house or immediately prior to 'introducing the flock into the house.' All label directions and restrictions for the application of the liquid SEVIN® brand carbaryl insecticing formulation used should be carefully followed. Avoid spraying of nests, eggs, and				
			feeding and watering units. Do not treat poultry, grame birds or their premises within seven days of slaughter.				

The manufacturer warrants (a) that this product conforms to the chemical description on the label; (b) that this product is reasonably fit for the purposes set forth in the directions for use when it is used in accordance with such directions; and (c) that the directions, warnings and other statements on this label are based upon responsible experts evaluation of reasonable tests of effectiveness, of toxicity to laboratory animals and to plants, and of residues on food crops, and upon reports of field experience. Tests have not been made on all varieties or in all states or under all conditions. THE MANUFACTURER NEITHER MAKES NOR INTENDS, NOR DOES IT AUTHORIZE ANY AGENT OR REPRESENTATIVE TO MAKE, ANY OTHER WARRANTIES, EXPRESS OR IMPLIED, AND IT EXPRESSLY EXCLUDES AND DISCLAIMS ALL IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.

THIS WARRANTY DOES NOT EXTEND TO, AND THE BUYER SHALL BE SOLELY RESPONSIBLE FOR, ANY AND ALL LOSS OR DAMAGE WHICH RESULTS FROM THE USE OF THIS PRODUCT IN ANY MANNER WHICH IS INCONSISTENT WITH THE LABEL DIRECTIONS, WARNINGS OR CAUTIONS.

BUYER'S EXCLUSIVE REMEDY AND MANUFACTURER'S OR SELLER'S EXCLUSIVE LIABILITY FOR ANY AND ALL CLAIMS, LOSSES, DAMAGES, OR INJURIES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, WHETHER OR NOT BASED IN CONTRACT, NEGLIGENCE, STRICT LIABILITY IN TORT OR OTHERWISE SHALL BE LIMITED, AT THE MANUFACTURER'S OPTION, TO REPLACEMENT OF, OR THE REPAYMENT OF THE PURCHASE PRICE FOR, THE QUANTITY OF PRODUCT WITH RESPECT TO WHICH DAMAGES ARE CLAIMED. IN NO EVENT SHALL MANUFACTURER OR SELLER BE LIABLE FOR SPECIAL, INDIRECT OR CONSEQUENTIAL DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT.

MANUFACTURED BY
HACCO, INC.
P.O. Box 7190
Madison, Wisconsin 53707

NET WEIGHT POUNDS

615/95-P.3

4

"Before" Labeling

SEVIN® Brand 10% Carbaryl INSECTICIDE BEETLE BAIT GRANULES FOR CONTROL OF INSECTS

ACTIVE INGREDIENT:

EPA REG. NO. 61282-21

EPA EST NO. 61282-WI-1

SEVIN is the registered trademark of Rhone-Poulenc for carbaryl insecticides.

KEEP OUT OF REACH OF CHILDREN CAUTION

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: MAY BE HARMFUL IF SWALLOWED. Avoid breathing dust. Do not take internally. Avoid contact with eyes, skin, or clothing. Wear regular long-sleeved work clothing. Change to clean clothing daily. Wash hands and face before eating. Wash thoroughly after handling.

ANTIDOTE STATEMENT

ATROPINE SULFATE IS HIGHLY EFFECTIVE AS AN ANTIDOTE. See NOTE TO PHYSICIAN below.

STATEMENT OF PRACTICAL TREATMENT

Carbaryl is an N-Methyl Carbamate Insecticide.

Contact a physician immediately in all cases of suspected poisoning. Transport to a physician or hospital immediately and SHOW λ COPY OF THIS LABEL TO THE PHYSICIAN.

IF SWALLOWED: Never give anything by mouth to an unconscious or convulsing person. If conscious and not convulsing, drink 1 to 2 glasses of water and induce vomiting by touching the back of the throat with finger.

IF IN EYES: Flush eyes with plenty of water. Get medical attention, if irritation persists.

IF OH SKIM: Wash thoroughly with soap and water.

IF IMMALED: Move from contaminated atmosphere and call a physician.

NOTE TO PHYSICIAN:

Carbaryl is a carbamate insecticide, which is a cholinesterase inhibitor. Overexposure to this substance may cause toxic signs and symptoms due to stimulation of the cholinergic nervous system. These effects of overexposure are spontaneously and rapidly reversible.

Specific treatment consists of parenteral atropine sulfate. Caution should be maintained to prevent overatropinization. Mild cases may be given 1 to 2 mg intramuscularly every 10 minutes until full atropinization has been achieved and repeated thereafter whenever symptoms reappear. Severe cases should be given 2 to 4 mg intravenously every 10 minutes until fully atropinized, then intramuscularly every 30 to 60 minutes, if needed, to maintain the effect for at least 12 hours. Dosages for children should be appropriately reduced. Complete recovery from overexposure is to be expected within 24 hours.

Narcotics and other sedatives should not be used. Further, drugs like 3.7AM (pyridine-2-aldoxime methiodide) are NOT recommended.

ENVIRONMENTAL HAZARDS

This product is extremely toxic to aquatic and estuarine invertebrates. "Bo" not apply directly to water or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not apply when weather conditions favor drift from area treated. Do not contaminate water by cleaning equipment or disposal of wastes.

6/5/95. P.1

6

.

697

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

STORAGE: Store unused product in original container only, in cool, dry area out of reach of children and animals. Do not store in areas where temperatures frequently exceed 100°F.
PESTICIDE DISPOSAL: Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited. Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State and local authorities,

by burning. If bag is burned, stay out of smoke.

POULTRY HOUSES

	POULTRY HOUSES					
SITE	INSECT	OUNCES OF SEVIH brand 10% BAIT/1000 SQUARE FEET	SPECIFIC DIRECTIONS			
Poultry Houses (chickens, turkeys, ducks, geese, gamebirds, and pigeons)	Darkling beetle (lesser mealworm or litter beetle)	24	Apply bait uniformly to floor or litter area using appropriate equipment such as chest-carried fertilizer/seed spreader. Do not incorporate. It is not necessary to remove birds during application, but uniform coverage may be difficult to achieve with birds present. Do not contaminate feeding or watering units.			
			Optimum treatment timings are: 1. Ten to 14 days after the birds are placed in the house and 2. two weeks after timing "#1" above. One application at each of the two timings listed above should be made for heavy infestations. If only one application can be made, timing #1 should be followed. For best control of high darkling			
			beetle populations: In addition to a bait application, walls, cracks, posts, crevices, and insulation around ventilation areas should be treated with a sprayable or a flowable formulation of SEVIND brand carbaryl insecticide. Spray application should be made immediately following removal of the flock from the house or immediately prior to introducing			
			the flock into the house, Ali label directions and restrictions for the application of the liquid SEVIN® brand carbaryl insecticide formulation used should be carefully followed. Avoid spraying of nests, eggs and feeding and watering units. Do not treat poultry, game birds or their premises within seven			

The manufacturer warrants (a) that this product conforms to the chemical description on the label; (b) that this product is reasonably fit for the purposes set forth in the directions for use when it is used in accordance with such directions. with such directions; and (c) that the directions, warnings and other statements on this label are based upon responsible experts evaluation of reasonable tests of effectiveness, of toxicity to laboratory animals and to plants, and of residues on food crops, and upon reports of field experience. Tests have not been made on all varieties or in all states or under all conditions. THE MANUFACTURER NEITHER MAKES NOR INTENDS, NOR DOES IT AUTHORIZE ANY AGENT OR REPRESENTATIVE TO MAKE, ANY OTHER WARRANTIES, EXPRESS OR IMPLIED, AND IT EXPRESSLY EXCLUDES AND DISCLAIMS ALL IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.

THIS WARRANTY DOES NOT EXTEND TO, AND THE BUYER SHALL BE SOLELY RESPONSIBLE FOR, ANY AND ALL LOSS OR DAMAGE WHICH RESULTS FROM THE USE OF THIS PRODUCT IN ANY MANNER WHICH IS INCONSISTENT WITH THE LABEL DIRECTIONS, WARNINGS OR CAUTIONS.

BUYER'S EXCLUSIVE REMEDY AND MANUFACTURER'S OR SELLER'S EXCLUSIVE LIABILITY FOR ANY AND ALL CLAIMS, LOSSES, DAMAGES, OR INJURIES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, WHETHER OR NOT BASED IN CONTRACT, NEGLIGENCE, STRICT LIABILITY IN TORT OR OTHERWISE SHALL BE LIMITED, AT THE MANUFACTURER'S OPTION, TO REPLACEMENT OF, OR THE REPAYMENT OF THE PURCHASE PRICE FOR, THE QUANTITY OF PRODUCT WITH RESPECT TO WHICH DAMAGES ARE CLAIMED. IN NO EVENT SHALL MANUFACTURER OR SELLER BE LIABLE FOR SPECIAL, INDIRECT OR CONSEQUENTIAL DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT.

MANUFACTURED BY: HACCO, INC. P.O. Box 7190 Madison, Wisconsin 53707 NET WEIGHT POUNDS

6/5/95

P.3