

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

177



U.S. ENVIRONMENTAL PROTECTION AGENCY
Office of Pesticide Programs
Registration Division (7505C)
401 "M" St., S.W.
Washington, D.C. 20460

EPA Reg. Number:
61282-22

Date of Issuance:
MAR 10 1997

Term of Issuance: Conditional

NOTICE OF PESTICIDE:
 Registration
 Reregistration

Name of Pesticide Product:
Prozap™ 5% Carbaryl
Insecticide Bait Granules

(under FIFRA, as amended)

Name and Address of Registrant (include ZIP Code):

Judith A. Thompson
Hacco, Inc.
P.O. Box 7190
Madison, WI 53707

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A) provided that you:

1. Submit and/or cite all data required for registration/reregistration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data; and submit acceptable responses required for reregistration of your product under FIFRA section 4.
2. Make the following label changes:
 - a. Revise the EPA Registration Number to read, "EPA Reg. No. 61282-22".
3. Submit two copies of the revised final printed label for the record.

Signature of Approving Official:

Date:

CONCURRENCES

SYMBOL	SURNAME	DATE

Prozap A. 161282/22. REG 3/6/97

297

MAR 10 1961

2

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Sincerely yours,

/s/

Dennis H. Edwards, Jr.
Product Manager (19)
Insecticide-Rodenticide Branch
Registration Division (7505C)

Enclosure

377

PROZAP 5% Carbaryl Insecticide Bait Granules

Page 1 of 5
October 23, 1996

PROZAP™
5% CARBARYL INSECTICIDE BAIT GRANULES

For Lawns, Ornamental Plant Beds,
& Premise Insect Control
Use for Outdoor Pest Control
To Attract and Kill Insect Pests Listed on this Label

ACTIVE INGREDIENT:

Carbaryl (1-naphthyl N-methylcarbamate).....	5%
INERT INGREDIENTS:	95%
Total	100%

EPA Reg. No. 61282-

EPA Est. No. 61282-WI-1

Contains SEVIN brand Carbaryl Insecticide.
SEVIN is the registered trademark of Rhone-Poulenc for carbaryl insecticides.

ACCEPTED
with COMMENTS
EPA Letter Dated

KEEP OUT OF REACH OF CHILDREN {12 pt¹}

MAR 10 1997

CAUTION {18 pt¹}

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
CAUTION

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.
61282-22

MAY BE HARMFUL IF SWALLOWED. Avoid breathing dust. Do not take internally. Avoid contact with eyes, skin, or clothing. Wear regular long-sleeved work clothing. Change to clean clothing daily. Wash hands and face before eating. Wash thoroughly after handling.

ANTIDOTE STATEMENT

ATROPINE SULFATE IS HIGHLY EFFECTIVE AS AN ANTIDOTE. See NOTE TO PHYSICIAN below.

STATEMENT OF PRACTICAL TREATMENT

GENERAL

Contact a physician immediately in all cases of suspected poisoning. Transport to a physician or hospital immediately and SHOW A COPY OF THIS LABEL TO THE PHYSICIAN.

IF SWALLOWED: Never give anything by mouth to an unconscious or convulsing person. If conscious and not convulsing, drink 1 to 2 glasses of water and induce vomiting by touching the back of the throat with finger.

IF IN EYES: Flush eyes with plenty of water. Get medical attention, if irritation persists.

IF ON SKIN: Wash thoroughly with soap and water.

IF INHALED: Move from contaminated atmosphere and call a physician.

NOTE TO PHYSICIAN

Carbaryl is a carbamate insecticide, which is a cholinesterase inhibitor. Overexposure to this substance may cause toxic signs and symptoms due to stimulation of the cholinergic nervous system. These effects of overexposure are spontaneously and rapidly reversible.

¹Assumes a front panel of over 30 sq. in.

477

PROZAP 5% Carbaryl Insecticide Bait Granules

Page 2 of 5

October 23, 1996

Specific treatment consists of parenteral atropine sulfate. Caution should be maintained to prevent overatropinization. Mild cases may be given 1 to 2 mg. intramuscularly every 10 minutes until full atropinization has been achieved and repeated thereafter whenever symptoms reappear. Severe cases should be given 2 to 4 mg intravenously every 10 minutes until fully atropinized, then intramuscularly every 30 to 60 minutes, if needed, to maintain the effect for at least 12 hours. Dosages for children should be appropriately reduced. Complete recovery from overexposure is to be expected within 24 hours.

Narcotics and other sedatives should not be used. Further, drugs like 2-PAM (pyridine-2-aldoxime methiodide) are NOT recommended, unless organophosphate intoxication is also suggested.

USER SAFETY REQUIREMENTS

Wear long-sleeved shirt, long pants, shoes plus socks and household latex or rubber gloves when applying this product. Change clothing as soon as possible after use. Wash the outside of gloves before removing. As with any pesticide product, wash hands thoroughly immediately after handling and before eating, smoking or using the toilet. Do not allow children or pets to contact treated area until dust has settled.

ENVIRONMENTAL HAZARDS

This product is extremely toxic to aquatic and estuarine invertebrates and toxic to birds and other wildlife. Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

Store unused product in original container only, in cool, dry area out of reach of children and animals. Do not store in areas where temperatures frequently exceed 100°F. Do not contaminate water food or feed by storage or disposal. Do not reuse empty container. Wrap container and put in trash.

Not for use on plants grown for sale or other commercial use, or for commercial seed production, or for research purposes. For use on plants intended for aesthetic purposes or climatic modification and being grown in interior plantscapes, ornamental gardens or parks, or on golf courses or lawns and grounds.

LAWNS, RECREATIONAL, AND ORNAMENTAL TURF AREAS

For control of lawn and turfgrass pests, apply granules uniformly to the turf grass. For optimum control, follow specific directions for proper watering after application.

SITE	INSECT	OUNCES OF SEVIN brand 5% BAIT/1000 SQUARE FEET	SPECIFIC DIRECTIONS
Lawns/ Turfgrass	Armyworms, Crickets, Cutworms, Darkling ground beetle, Grass- hoppers, Mole crickets, Sowbugs	8 to 16	Treat entire area to obtain uniform coverage, giving particular attention to building perimeters, edges of sidewalks, and along porch and patio foundations. For best results, mow lawn, remove clippings, and thoroughly water area to be treated prior to application.
Ornamental plants	Armyworms, Crickets, Cutworms, Darkling ground beetle, Grass- hoppers, Mole crickets, Sowbugs	8 to 16	Apply uniformly to soil around plants, shrubs, and trees. For best results, thoroughly water area to be treated prior to application.
Lawns, Recreational & Ornamental Turf Areas	Ants, Centipedes, Chiggers, Chinch bugs, Earwigs, Essex skipper, European chafer, Fall army- worm, Fiery skipper, Fleas Green June beetle, Green June beetle grubs, Lawn moths (sod web- worm),	44 to 60	Treat entire area to obtain uniform coverage, giving particular attention to building perimeters, edges of sidewalks, and along porch and patio foundations. Use the lower rate before insects "build-up" and before turf is damaged. Use the higher rate when insects are numerous and turf damage is imminent. For best results mow lawn, remove clippings and apply material, then allow sprinklers to run for 15 minutes after application. Keep children and pets off treated area until grass is dry. Repeat application may be made at 30 day intervals or as needed for control of Sod Webworms, Chinch Bugs or Ants.

October 23, 1996

687

LAWNS, RECREATIONAL, AND ORNAMENTAL TURF AREAS (CONT.)

SITE	INSECT	OUNCES OF SEVIN brand 5% BAIT/1000 SQUARE FEET	SPECIFIC DIRECTIONS
	Leaf-hoppers Lucerne moth larvae, Millipedes, Spittlebugs, Spring-tails, Ticks, Yellow-striped armyworm		

FOUNDATION "INSECT BARRIER" TREATMENT
FLOWER BEDS, ORNAMENTAL PLANTINGS

Apply 1 pound per 1,000 Sq. Ft. (32'x32') to all soil areas for use as a contact and bait control of Earwigs, Cutworms, Armyworms, Crickets, Sowbugs, Millipedes, Ants; and for contact control of Fleas; around the outside of buildings, under porches and foundation crawl spaces, in and around flower and ornamental plantings, along soil cracks next to buildings and as an insect barrier in a band 5 feet wide surrounding the foundation. For the insect "Barrier" sprinkle 1/2 lb. of granules in a 5 foot wide band 100 feet in length (500 Sq. Ft.).

IMPORTED FIRE ANTS

For control of Imported Fire ants, apply two to four ounces to each mound. Immediately irrigate with a minimum of one gallon of water to flush the chemical from the granule to the inside of the mound. Do not use over two gallons of water, as flooding of the mound will result in poor control. Apply water gently to avoid disturbing ants and causing migration from the mound. For best results, apply in the early morning or late evening hours when ants are least active. Treat new mounds as they appear.

LIMITED WARRANTY AND DISCLAIMER

MANUFACTURER AND SELLER WARRANT THAT THIS PRODUCT CONFORMS TO THE CHEMICAL DESCRIPTION ON THE LABEL THEREOF AND IS REASONABLY FIT FOR THE PURPOSES STATED ON SUCH LABEL ONLY WHEN USED IN ACCORDANCE WITH THE DIRECTIONS UNDER NORMAL USE CONDITIONS. IT IS IMPOSSIBLE TO ELIMINATE ALL RISKS INHERENTLY ASSOCIATED WITH THE USE OF THIS PRODUCT. CROP INJURY, INEFFECTIVENESS, OR OTHER UNINTENDED CONSEQUENCES MAY RESULT BECAUSE OF SUCH FACTORS AS WEATHER CONDITIONS, PRESENCE OF OTHER MATERIALS, OR THE MANNER OF USE OR APPLICATION, ALL OF WHICH ARE BEYOND THE CONTROL OF MANUFACTURER AND SELLER. IN NO CASE SHALL MANUFACTURER AND SELLER BE LIABLE FOR CONSEQUENTIAL, SPECIAL OR INDIRECT DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT. ALL SUCH RISKS SHALL BE ASSUMED BY THE BUYER.

PROZAP 5% Carbaryl Insecticide Bait Granules

Page 5 of 5

October 23, 1996

EXCEPT AS EXPRESSLY PROVIDED HEREIN, MANUFACTURER AND SELLER MAKE NO WARRANTIES, GUARANTEES OR REPRESENTATIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED, OR BY USAGE OF TRADE, STATUTORY OR OTHERWISE, WITH REGARD TO THE PRODUCT SOLD, INCLUDING, BUT NOT LIMITED TO MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, USE OR ELIGIBILITY OF THE PRODUCT FOR ANY PARTICULAR TRADE USAGE.

NET WEIGHT

2 POUNDS

MANUFACTURED BY
HACCO, INC.
BOX 7190
MADISON, WISCONSIN 53707 U.S.A.

797