ad instructions	s on reverse before completing form.	GOINTAGE FORM Approve	ed. OMB No. 2070	-0060. Approval expires 2-28-9
À)	United States Environmental Protect		gistration	OPP Identifier Number
	Office of Pesticide Programs (I		endment	
EPA	Washington, DC 2046	,	er	
	Application for Pest		. .	
		Section I		<u> </u>
Company/Product Nu	ımhor	2. EPA Chemical Manager	3. Proposed C	Nacaification
61282-51	anibe.	John Hebert	3. Proposed C	
 Company/Product (N Prozap[®] Zinc Phosphi 		PM#	Denviousky sta	onition "Donationed Hoo?
	f Applicant (Include ZIP Code)	6. Expedited Review. In acco	rdance with FIFRA	
HACCO, Inc.		product is similar or identical in	composition and l	abeling to:
110 Hopkins Drive		EPA Reg. No.		
Randolph, WI 53956		Product Name		
☐ Check if this is a	new address			
		Section II		
☐ Amendment - Ex	plain Below	☐ Final printed labels in re	sponse to Agency	letter dated NOTIFICATION
☐ Resubmission in r	response to Agency letter dated			FEB 1 5 2006
★ Notification - Exp.	lain below	Other - explain below		. 25 - 0 2000
. Material This Prod	luct Will Be Packaged In:	Section III		
Child-Resistant Packagin		Water Soluble Packaging	2. Type of Cor	Hainer
☐ Yes*	□ Yes	☐ Yes	Metal	
□ No	□ No	□ No	Plastic	
Certification must be submitted.		Wes," No. Per	☐ Glass	
opinitou.				
idomitiod.	If "Yes," No. Per	Package Wt. Container	☐ Paper	
	Unit Package Wt. Container	Package Wt. Container	☐ Other (S	pecify) <u>C</u> Label Directions
	Unit Package Wt. Container	Package Wt. Container 4. Size(s) of Retail Container 1.25 lb.	☐ Other (S	Label Directions
3. Location of Net Conte	Unit Package Wt. Container	Package Wt. Container 4. Size(s) of Retail Container	Other (S 5. Location of On Labe	Label Directions
Label Conte	Unit Package Wt. Container ents Information	4. Size(s) of Retail Container 1.25 lb.	Other (S 5. Location of On Labe	Label Directions
Label Conte	Unit Package Wt. Container ents Information Container Del's Affixed To Product Lithograph	4. Size(s) of Retail Container 1.25 lb. Other (Other (S 5. Location of On Labe	Label Directions
Label Conte	Unit Package Wt. Container ents Information	4. Size(s) of Retail Container 1.25 lb. Other (Other (S 5. Location of On Labe	Label Directions
B. Location of Net Conte	Unit Package Wt. Container ents Information Container Det S Affixed To Product Lithograph Paper Glue	4. Size(s) of Retail Container 1.25 lb. Other (Other (S 5. Location of On Labe	Label Directions
Label Conte	Unit Package Wt. Container ents Information Container Det S Affixed To Product Lithograph Paper Glue	Package Wt. Container 4. Size(s) of Retail Container 1.25 lb. Other (Other (S 5. Location of On Labe	Label Directions Il eling accompanying product
Label Contest Label Contest Contact Point (Com	Unit Package Wt. Container ents Information Container Lithograph Paper Glue Stenciled	Package Wt. Container 4. Size(s) of Retail Container 1.25 lb. Other (Section IV Individual to be contacted, if necessary	Other (S 5. Location of On Labe On Labe Salabe On Labe The Salabe The Salabe On Labe The Salabe The	Label Directions il eling accompanying product this app:lication; (Include Area Code)
Label Contact Point (Com	Unit Package Wt. Container ents Information Container Lithograph Paper Glue Stenciled splete items directly below for identification of	Package Wt. Container 4. Size(s) of Retail Container 1.25 lb. Other (Section IV of individual to be contacted, if neces	Other (S 5. Location of On Labe On Labe	this app://cc.tio.n.; (Include Area Code) 477 6. Date Application
Label Contact Point (Com	Unit Package Wt. Container ents Information Container Paper Glue Stenciled Certification on this I have made on this form and all attachments.	Package Wt. Container 4. Size(s) of Retail Container 1.25 lb. Other (Section IV If individual to be contacted, if necessary in the Registration Manager Title Registration Manager	Other (S 5. Location of On Labe On Labe Seary, to process Telephone No. (920) 326-24	Label Directions Il Il Il III III III III III III III
Label Contact Point (Com Contact Point (Com Judith A. Thompson certify that the stateme acknowledge that any keeps	Unit Package Wt. Container ents Information Container Lithograph Paper Glue Stenciled Certification of	Package Wt. Container 4. Size(s) of Retail Container 1.25 lb. Other (Section IV If individual to be contacted, if necessary in the Registration Manager Title Registration Manager	Other (S 5. Location of On Labe On Labe Seary, to process Telephone No. (920) 326-24	this app://cc.tio.n.; (Include Area Code) 477 6. Date Application
Label Contact Point (Companies Judith A. Thompson certify that the stateme acknowledge that any kinder applicable law.	Unit Package Wt. Container ents Information Container Paper Glue Stenciled Certification on this I have made on this form and all attachments.	Package Wt. Container 4. Size(s) of Retail Container 1.25 lb. Other (Section IV If individual to be contacted, if necessary in the Registration Manager Title Registration Manager	Other (S 5. Location of On Labe On Labe Seary, to process Telephone No. (920) 326-24	this application (Include Area Code) 477 6. Date Application Received
Label Contact Point (Companies Judith A. Thompson	Unit Package Wt. Container ents Information Container Paper Glue Stenciled Certification on this I have made on this form and all attachments.	Package Wt. Container 4. Size(s) of Retail Container 1.25 lb. Other (Section IV I individual to be contacted, if necessary be punishable by fine or imprisons 3. Title	Other (S 5. Location of On Labe On Labe Seary, to process Telephone No. (920) 326-24	this application (Include Area Code) 477 6. Date Application Received

19 AND AROUND STRUCTURES
19 OCKNITOR AROUND STRUCTURES
Cdes. To help to prevent accidents.
1 Store product ARDTS AND MAC

Cdes. To help to prevent accidents.
1 Store product off in the or about our death of oldern and pets.
2 Apply bast in locations and of mach of oldernen, pets, demestic awards and northoget widtile, or in tumper-resolate that rations. These statum mest be resistant to be about non-petropolate that rationals. These statum mest be resistant to about the prevent such diddren from technologists and any and most be used to a name of the greenest such diddren from technologists and any and most be used to a name of the control of the petropolate (and the stored or offeneive bemossibilited. Then stored to a size open to hooked brestock, amounts, when they are lifted, and so that he are a pense to hooked brestock and more mannered belt as specifically defeat on this belt.

3 Depace of postulat containing and immedi, specifical and innominanted belt as specifically feet on this belt.

Fig. Biographies. This product may be used in and answer homes, industrial, the Biographies. This product may be used in and answer houses in control agricultural and commercial huisings, and siterial meanuage structures to cortical horsespirate, of so to structure to control and any white of the not handscale that the control and east where there are a possible your to will controlled the theory care. Any though the the things where the season of took for medients as possible, determine by acid-free areas when they searce of took for medients are possible, determine by acid-free areas when the sale. By sprawed the operangs, no it sistle beneave, an control and controlled the production of the season and operangs, no it sistle beneave, an control and controlled the season and while by growed the observage, no other locations where types of rask or muce have been seen, hydrect ball to

Builting:
Annts: Apply 1 to 2 teaspoons (4 to 8 grams) of the product per placement. Space placement at the product per placement at intervals of 15 to 30 test along vertical surface is infected and.
Maintain an university to supply of tresh balt until new signs of feeting by rate.

More Apply 1 teagonn (4 gams) of talk per placement, Space placements at in-ABB
thread of 0-to 12-box along vertical surfaces in mifested areas, behavioral an unitative.

The period apply of their biak until signs of new feeding by more as lineage appear.

Anders we giften a Microl. Replace contaminated or spaced base immediately. Got talk let and properly depose of all dead animals and leftoner bail. To discussing entry account, limit versions of interferon or version and properly depose of all dead animals and leftoner bail. To discussing entry account, limit versions of interferon or version and public places. Done of report in products are not not not seen that small the product at nature to each of the pervisor treatment period.

Product at nature side of less than 30 day from end of the pervisor treatment period.



110 Hoptins Dr. - Randolph, WI 53956 USA FACCO, Inc.

Code RE MI

Bo not contaminate water, food, or feed by stocage or disposal. STORMGE Store only in original container, in a dry and-free place macces.

sible to diddren and piece.
Forming to Biological, the backde weaths are track impraper disposal of exorange biological, behanded with the availation of release laws, in these
waste cannot be disposed of by the exacuting to label instructions, cortact
your Sizes be estable or fundamental continual Aproxy, or the Nazadoos
Nazis representance at the reasest PR Regional Office the quadrate.
ONTIMES DESPOSALL Completely empty container. Then dispose of empty container in a seasesty brinding the year-seasement, or it allowed by Sizes and
bell administes, by humbing Fibrared, say our distribute.

PHOSPHIDE

OAT BAIT

RODENT

CONDITIONS OF SALE AND LIMITATION OF WARRANTY AND LIABILITY

of Warmeny and Liability before buying or exing this product. If the Lentes are net acceptable, return the product at once, unopersed, and the purchase price METRICE: Read the entere Directions for Use and Conditions of Sale and Limitation

In accordance with directors under normal use conditions. This warranty does not extend to be use of the product contrary in bales mentations, or under all-mental conditions or under conditions or under conditions not resembly fromescable to or beyond the countral of seller or Manufactures, and Bayer and User account the risk of any sear has a MAUNIACTURES AND SELLER MAILE NO WARRANTIES OF MERCHANI-BAILTY OF Manufactures and Seller warrant that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated in the Directions for Use, subject to the inherent rists referred to above, when used

MOLES

OR HANDLING OF THIS PRODUKT, SHALL BETHER RETURN OF THE PURCHASE PRICE Of the produkt or, at the election of manufacturer or seller, the Retoken special damages resulting from the use or handling of this product. THE EXCLUSIVE LEMBELITY OF SECURITY OF DAMAGES (PACULDRAG CLANAS BASED ON BREACH OF WARRANTY, CONTRACT, REGLEGACE, TORE, STRICT LARGELY OF OTHERWISS RESULTING FROM THE USE MANUFOCTIVES AND SELER FOR ANY AND ALL CLAMAS, LOSSES, INJURIES OR in no event shalf Manufastruen or Selber be tiable for any anodental, Ornse PLACEMENT OF THE PRODUCT.

Manufacture and Selfer offer this product, and Bryes and Uses accept it, subject to the Response conditions of sale and functions of wersaring and of Bability, which may not be modified except by written agreement signed by a duty an University presentation of Manufacture.

Have tabel with you when obtaining treatment

	ı	, , , , , , , , , , , , , , , , , , , ,	
1 :	٠	Call a poison control centre, doctor, or 1-800-690-5743,	equirements in your area to p
sarafformed:		immediately for treatment advice or transport the patient	MIC
	•	Do not crank water.	II is a violation of reserva the its labeling.
	٠	Bo not administer anything by mouth.	Bend this Labor Read this
	•	Do not induce vonsiting unless told to do so by the polson control center or doctor.	LANNES, GOLF COURSES, I TO CONTROL MOLES AND
Res side	<u>.</u>	Take off contaminated clothing.	the heathythens, this prode
or detition;	<u>. </u>	Rinse skin immediately with plenty of water for 15-20 minutes.	cop area only to Control year area must be made directly gophers. All balt must be an
Harrie A.	Ŀ	- Move person to fresh air.	definery system) as charted in
		If person is not breathing call an ambdance, then give artificial respiration preferably mouth-to-mouth, if possible.	contaminated Collect and har Search's Practises for the
M'la oyer:	ļ	 Hold eye open and rinse slowly and gently with water for 15-20 minutes. 	work of surface ridges in the ti fram deep learness, or by dam
	<u> </u>	Remove contact lenses, if present, after the fixst 5 minutes, then continue mising eye.	To do this, either press down section of the tamer's mod. M
· Call a potion or	Ιğί	Call a polion control center, doctor, or 1-906-696-5749, Innrediately for	berrow is considered active if has been repaired. Only treat a

Zinc Phasphide 2 0 [NEVT PIGKEDIENTS 98:0] Taxal ... 100:0

ACTIVE INGREDIEST

KILLES

PRECAUTIONARY STATEMENTS

statements and directions for use.

REACH UE CHILDREN
CAUTION
See side panels for
additional precautionary

KEEP OUT OF

	FIRST AID	may pose a huzard to Federa
4	Have taket with you when obtaining treatment achies.	gested measure to protect a
Amy person.	Any person applying zinc phasphide products and experiencing signs	3-605-407-1413. to find out
and sympton	and symptotic such as nausea, abdominal pain, tightness in the chect, or whateves, cheek to seem by a absorban immediately.	county and have one sent to y
1	· Call a poison control center, doctor, or 1-888-498-5743,	rance of pestuare state man a
SWidewood	immediately for treatment advice or transport the patient	20
	to the nearest bospical.	It is a violation of Federal law
	• Do not chink water.	ts labeling
	 Bo not administer anything by mouth. 	Base this Labor Read this
	 Do not induce vontiting uniess told to do so by the potom 	LANNES, GOLF COURSES, 1
	control center or doctor.	TO CONTROL MOLES AND
If on sith	furquion partecular auto go agen.	Use Bestrictions: This prode
or cletthing:	 Rinse skin immediately with plendy of water for 15-20 	ares must be made directly
	minutes.	gaphers. All balt must be app
If included	 Howe person to fresh air. 	defery system as checked to
	 If person is not breathing call an ambulance, then give 	conteminated (ollect and her
	atilistal repiration preferably mouth-to-mouth, if possible.	South President for Bed
If he eyes:	to had age open and time slowly and gently with water for	work of surface ridges in the ti from deep between, or by dam
	D-Commenced of the Commenced of the Comm	Serfers Midges: Prior to treat
	then continue trising eye.	section of the tymosis nod. M
· Call a pobo	Call a poison control center, doctor, or 1-888-9763, immediately for	hamow is considered active if has been repaired. Only treat a

HAZARDS TO MUMANS AND DOMESTIC ANDMALS

CAUTION: Keep sweep from humans, domestic animals and pets, likey be fatal or hearnful if swellowed, Aved eye or stan contact. Wear nabber spens when handlag this product. To not breather dust. Wear inhomography with scoap and waster after handling, Aveid comtamination of feed or foodstuffs. Aveid contact with acids.

ENVIRONMENTAL HAZARDS

This product is mak to beind address widdle. Do not allow but to be exposed on sed surface. Do not apply where mend is labely to cours. Do not apply the product descript to water on to access where surface water is present of the later trial areas below the mean largh water ment. Check for and depose of exercis or sponded but and cacracts daily until the ball's to openind not removed. Mendor it is a rected of these to use any periode in a menter that it results in the death of a immorber of an endangered species. The use of this position in the death of a immorber of an endangered species. The use of this position



Ż

After Label

et cartaminate wate, food, or fred by storage or disposal. IMEE: Store only in original container, in a dry acut-free place !

STORAGE & DISPOSAL

Lourners, All JANAMA MALE, The Contract and States and the contract of the Contract and Contract

CONDITIONS OF SALE AND LIMITATION OF WARRANTY AND LIABILITY

Restances: Space of 15 to 30 feet along vettical surfaces in effected area, placements, Space ment placements, Space ment placements or recental of 15 to 30 feet along vettical surfaces in effected area, placements or recental or 15 to 30 feet along vettical surfaces in effected area, placements of purples of 15 to 30 feet along vettical surfaces. Space in effected area, placements of the area of purples of 15 to 30 feet along vettical surfaces in release of 15 to 15 feet along vettical surfaces in release surfaces and purples of the 15 feet along vettical surfaces in the surfaced of the 15 feet along vettical surfaces in the 15 feet and properly dispose of all dead armost and efficience tall, to 6 decourage refer to 15 to 15 feet and properly dispose of all dead armost and efficience talls to 6 decourage refer. The 15 feet and properly dispose of all dead armost and efficience talls to 6 decourage refer. The 15 feet and properly dispose of all dead armost and end efficience talls to 6 decourage refer. The 15 feet along the surface of the s



110 Hopkins Dr. - Randolph, WI 53956 USA

Cade IE III

Here beel with you whose electronic treatment advice.

Any secure appearance placepass or experiments signs and symptoms such as mance, adelented less, uptimes in the chest, or weakness, should be seen by a physician introvidately. REACH OF CHILDREN
CAUTION RODENT OAT BAIT d rections for use. See side panels for additional precautionary PHOSPHIDE A FOLGO STATE OF STAT 1 25 lbs (567.5 g) can peccule, spay metiers, or feature is a violation of federal low. If these wests accorded to gree according to label metacturent, contact must save Pecturie or fundamental control Approxy or the Haardoos Wash repositations at the nearest EPN Regional Office for quickness, controllara BENEVALL conforcebeel weight governant. Then dispose of empty contactor in a safety labellid or by biointession, not failword by Sales and betal authorities, by betting if bettined, case of stronde. normal conditions or under conditions and reasonably foreseaside to or begand the counted of School or Mandederse, and depoye and Uses assume the first of any school may always (CIT) IRS AMID SELIES MARE NO WARRANTES OF MERCHANI-SELIT, OLD OF SINESS SOR A MARICALASP UNDERSOR WOR ANY OTHER EXPRESS OR In the event shall kinesistemen or Seller he kable for any modernick consequen-tal as special diseases, excluding from the sace at hauding of the peoduc. THE DEMILISHE REALTHY OF THE USES OR BUTCH, AND THE COLUNISM LUMBLITY OF MANURACTIONER AND SELLES FOR ANY AND ALL CAURS, LOSSES, NUMBES OR MANAGEGINER AND SELIER FOR ANY AND ALL CLARKS, LOSSES, RICKWESS OR DANAGES (PRELIDING, CLARKS, PLASO, NERKAN OF WARRAINTY, CONTRACT, MEGLINGE, TRUET STRUET UNBLITY OR OTHERWISH SESSUING FROM THE USE CHANGALAGE THE PRODUCT, SALLI, RETHE RETITION OF THE PREVIACE PRICE OF THE PRODUCT, OR, ALT THE ELECTION OF MANUFACTURES OR SELIER, THE RE-MOTIVE, had the enture Directions for Use and Conditions of Sale and Lancation of Wessery and Lashings before Supply on using the spooders. If the terms are not examplable, retran the product at sect, unspecied, and the purchase price will be referreded. factors and Select warrant that this product conforms to the chemical chart and Select offer this product, and Buyer and Liber accept it, subject foregoing conditions, of sale and limitations of warranty and of lability, written agreement styned by a dusy are ans for les, subject to the inherent risk referred to above, when a contency with devictions under counsal use conditions. This warmoutly in table instructions, or under subset to the use of this product contrary to label instructions, or under

 More person to tresh al.
 Il person is not breathing call an ambeliono, then give artificial respiration preferably mostly to mostly. If pecalifie. (all a potent control center, doctro, or 1-896-499-5743, inmediately for instituent advice or transport the patient to the reservit hospital. De not induce verniting uniess told to do so by the pobon control centra or doctor. Take off contaminated dottling. Times sitis immediately with plenty of water for 15-20 Do not administer anything by mouth. Do not drink water re dh

Call a poion certral centre, doctor, or 1-000-499-5743, Immediately for treatment affect. Remove contact lenses, if present, after the first 5 minutes, Hold one open and rinse slowly and goodly with water for 15—20 minutes. then continue rinsing eye.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CANTOR: Loss away from humans, demostic animals and gets. May be facil or human if resilienced, having one state contact. Wear robber gives when humfler this predict. To not hearder deat. West throughly with scape and woder that handling, heard contamenation of heaf or foodbath, head contact with adults.

r has to be expected t. Do not apply this

godinal measures to period delicative of special are now many may cost in.

[RY Vision Measures Committee, the may not BMS Endepend Special Hold

1990 Authorn Measures Committee, the major of the Endepend Special Hold

1990 Authorn Special Special Hold and its an interest Measures' parameter costs for your

commy and have one cast to you. We can also undergred they have imposed a

differ on positive costs have apply to deformine wholey they have imposed a

magainments to you are a to period confunction.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent

to Limited. Limited. Recast this entire liabel and follow all use directions and use percentions.

Liense, Gest Codificace, HOH-Chope Aufleds.

To confirm, lawells Also Pocces Governers.

In Bandching This product may be used in harm, pail contest, and other nonope asses with contral product general and man, pail contest, and other nonope asses with contral product general and manch and a black by mode or product
man and the most be symbol anomally (e.g., by givened hand or hand produc
papers. All hair most be symbol anomally (e.g., by givened hand or hand produc
makes youther. Bo not symbol anomally in product by use of a burntomakes machine. Do not symbol anomally man where food or less immy the
contaminated Confect and byte of these animates man where food or less immy the
contaminated Confect and byte the food animat have ground have not
seemed. Expections for globing. The preserve of contral anomals of earth purched no
work of contact. Happen in the tort by a serce of contral anomals of earth purched no

was, a sy such as deather a few which humans are expectably active.

And the pees down a stand action of the hands a seeme a not and

therefore you down a stand action of the hands are seen as do

therefore you down a stand action of the hands are the and

sizered active if the factored waves has been related up or the not

and they have active homes. Cardiffy parts a hele in he top of ac
ting, because mayor if the product through the hole and cardiffy e their with said or state. Do not collapse the numery again or allow locus sed their alla. After a temporal depth collection of the formous set off active according of the time methods described above. It so repeat their method after two techniques, absorbing to se of this product and seed another method

nom annual of this product into the enviorgement travel. Case the operany and or seed, but not allow bear all in some half, if must acrossly proxicis as the progress, a sound bestiment may be made, if mode acrossly precisis, me the progress, also also as of this product and seek another method for de Cardally masses the center plug from each conical mound. Dray

attending mates.

Seculit Electrica for Pocket Combargs formowing species guident gravites (illustratory
special Electrica for Pocket Combargs for country
special Compary 20) Dates out but the shaped der noumbs on extra sote of their
subsequent branch, Listeral Drawes downing the surface in the fact and of the
supergound through secular process the plan, With a boxy-based stoom
that are grapped with self. Combargs recover the plan, With a boxy-based stood
to an a humaning of the product at the con-

<u>:</u> --:-



Manufacturing Plant 110 Hopkins Drive Randolph, WI 53956-1316 920 / 326-5141 920 / 326-5135 www.hacco.com

Fed Ex:

Registration Office 110 Hopkins Drive Randolph, WI 53956-1316 920 / 326-5141 920 / 326-5135 www.hacco.com

8534 0146 0775

January 27th, 2006

Document Processing Desk (NOTIF) Office of Pesticide Programs (7504C) US EPA Crystal Mall, Rm. 266A 1801 South Bell Street Arlington, VA 22202-4501

NOTIFICATION

FEB 1 5 2006

RE:

Prozap® Zinc Phosphide Rodent Oat Bait

EPA Reg. No. 61282-51

Gentlemen/Ladies:

Pursuant to PR-Notices 98-10, in regard to the subject product, we are hereby notifying the Agency of an additional packaging size for the following product: Prozap[®] Zinc Phosphide Rodent Oat Bait (1.25lb). As this size is between the currently listed sizes of 1 lb. and 4 lbs. and no other changes in the labeling are required, we are utilizing the Notification Process to clarify sizes of our packaging.

Following is my statement as required by PR-Notice 98-10:

This notification is consistent with the provisions of PR-Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the Confidential Statement of Formula for this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with terms of PR-Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under Sections 12 and 14 of FIFRA.

Attached please find the completed application form marked for Notification, as well as a "before" and "after" label, with the additional product size clearly marked.

If you should have any questions regarding this matter, please contact me at 920-326-2477.

Sincerely,

Judith A. Thompson Registration Manager

Enclosure(s): 3

Quality Formulation of Rodenticides and Other Products