Å)	reverse before completing form. United States Environmental Protectio		DMB No. 2070-0060.         Approval expires 2-28-95           tration         OPP Identifier Number
	Office of Pesticide Programs (H75		dment
EPA		X Other	
	Washington, DC 20460 Application for Pestic		
	Application for Festic	Notification)	
	· · · · · · · · · · · · · · · · · · ·	Section I	• •
. Company/Product Number 61282-51		2. EPA Chemical Manager John Hebert	3. Proposed Classification
Company/Product (Name)		PM#	
Prozap <sup>®</sup> Zinc Phosphide Ro 5. Name and Address of Appl		6. Expedited Review. In accord	J dance with FIFRA Section 3(c)(3)(b)(i), my produc
HACCO, Inc.		is similar or identical in composition	on and labeling to:
110 Hopkins Drive Randolph, WI 53956		EPA Reg. No.	
		Product Name	
Check if this is a new a	address	Section II	
Amendment - Explain E	Below	Final printed labels in response	se to Agency letter dated
		· · · ·	NOTIFICATION
Resubmission in respor	nse to Agency letter dated	"Me Too" Application	MAY 212007
Notification - Explain be	elow	Other - explain below	
Material This Product V	Vill Be Packaged In:	Section III	
hild-Resistant Packaging	Unit Packaging	Water Soluble Packaging	2. Type of Container
☐ Yes*	1 Yes	🗌 Yes	Metal
No		🗌 No	Plastic
Certification must be submitted.		NE "Yes," No. Per	
	If "Yes," No. Per Unit Package Wt. Container	Package Wt. Container	Paper
			Other (Specify) C
. Location of Net Contents In		4. Size(s) of Retail Sontainer	5. Location of Label Directions
. Location of Net Contents In		4 oz., 8 oz., 12 oz., 1 lb., 4 lb.,	
Location of Net Contents In	formation		5. Location of Label Directions
Label Contair	formation	4 oz., 8 oz., 12 oz., 1 lb., 4 lb.,	5. Location of Label Directions
Label Contair	formation	4 oz., 8 oz., 12 oz., 1 lb., 4 lb., 5 lb., 10 lb., 12 lb., and 50 lb.	5. Location of Label Directions On Label On Label On Labeling accompanying product )
Label Contair	ner	4 oz., 8 oz., 12 oz., 1 lb., 4 lb., 5 lb., 10 lb., 12 lb., and 50 lb.	5. Location of Label Directions
Label Contair	Iformation ner Affrixed To Product Lithograph Paper Glued	4 oz., 8 oz., 12 oz., 1 lb., 4 lb., 5 lb., 10 lb., 12 lb., and 50 lb.	5. Location of Label Directions On Label On Label On Labeling accompanying product )
6. Manner In Which Label Is A	Iformation ner Affrixed To Product Lithograph Paper Glued	4 oz., 8 oz., 12 oz., 1 lb., 4 lb., 5 lb., 10 lb., 12 lb., and 50 lb. Other (	5. Location of Label Directions On Label On Labeling accompanying product
Label Contain     Manner In Which Label Is A     Contact Point (Complete I	formation ner Affixed To Product  Lithograph Paper Glued Stenciled	4 oz., 8 oz., 12 oz., 1 lb., 4 lb., 5 lb., 10 lb., 12 lb., and 50 lb. Other (	5. Location of Label Directions On Label On Label On Labeling accompanying product ) Conception of the second
Label Contain     Manner In Which Label Is A     Contact Point (Complete I	Iformation ner Affixed To Product Lithograph Paper Glued Stenciled items directly below for identification of in	4 oz., 8 oz., 12 oz., 1 lb., 4 lb., 5 lb., 10 lb., 12 lb., and 50 lb. Other (	5. Location of Label Directions On Label On Dabel On
Label Contain     Manner In Which Label Is A     Contact Point (Complete I     lame     ennifer J. Seifert     certify that the statements I ha	formation ner Affixed To Product  Paper Glued Stenciled items directly below for identification of in Certification ave made on this form and all attachments	4 oz., 8 oz., 12 oz., 1 lb., 4 lb., 5 lb., 10 lb., 12 lb., and 50 lb. Other (	5. Location of Label Directions On Label On
Label Contain     Manner In Which Label Is A     Contact Point (Complete I     Iame     ennifer J. Seifert     certify that the statements I ha     acknowledge that any knowing	formation ner Affixed To Product  Paper Glued Stenciled items directly below for identification of in Certification	4 oz., 8 oz., 12 oz., 1 lb., 4 lb., 5 lb., 10 lb., 12 lb., and 50 lb. Other (	5. Location of Label Directions On Label On
Label Contain     Label Contain     Manner In Which Label Is A     Contact Point (Complete I     lame     ennifer J. Seifert     certify that the statements I ha     acknowledge that any knowing     nder applicable law.     Signature	formation ner Affixed To Product  Paper Glued Stenciled items directly below for identification of in Certification ave made on this form and all attachments	4 oz., 8 oz., 12 oz., 1 lb., 4 lb., 5 lb., 10 lb., 12 lb., and 50 lb. Other (	5. Location of Label Directions On Label On
Label Contain     Label Contain     Manner In Which Label Is A     Contact Point (Complete I     Iame     ennifer J. Seifert     certify that the statements I ha     acknowledge that any knowing     nder applicable law.	formation ner Affixed To Product  Paper Glued Stenciled items directly below for identification of in Certification ave made on this form and all attachments	4 oz., 8 oz., 12 oz., 1 lb., 4 D. 5 lb., 10 lb., 12 lb., and 50 lb. Other (	5. Location of Label Directions On Label On



Manufacturing Plant 110 Hopkins Drive Randolph, WI 53956-1316 920 / 326-5141 920 / 326-5135 www.hacco.com

**Registration Office** 110 Hopkins Drive Randolph, WI 53956-1316 920 / 326-5141 920 / 326-5135 www.hacco.com

0000

00000

600000

00000

00000

12 February 2007

# NOTIFICATION

MAY 21 2007

Fed Ex: 8601 1998 6421

Document Processing Desk (NOTIF) Office of Pesticide Programs One Potomac Yard 2777 S. Crystal Drive Arlington, VA 22202-4501

RE: Prozap<sup>®</sup> Zinc Phosphide Rodent Oat Bait EPA Reg. No. 61282-51

Gentlemen/Ladies:

Pursuant to PR-Notice 98-10, in regard to the subject product, we are hereby notifying the Agency of an alternative Warranty statement for the following product: Prozap<sup>®</sup> Zinc Phosphide Rodent Oat Bait.

Following is my statement as required by PR-Notice 98-10:

This notification is consistent with the provisions of PR-Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the Confidential Statement of Formula for this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with terms of PR-Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under Sections 12 and 14 of FIFRA.

Attached please find the completed application form marked for Notification, as well as a "before" and "after" label, with the additional product size clearly marked.

If you should have any questions regarding this matter, please contact me at 920-326-2461.

Sincerely,

Jennifer J. Seife

Registration Manager

Enclosure(s): 3

AFTER

# Prozap<sup>®</sup> Zinc Phosphide **Rodent Oat Bait** Kills Moles, Gophers, Rats & Mice

#### **ACTIVE INGREDIENT:**

Zinc Phosphide	
EPA Reg. No. 61282-51	EPA Est, No. 61282-WI-1

# **KEEP OUT OF REACH OF CHILDREN CAUTION**

See side panels for additional precautionary statements and directions for use

FIRST AID

Have label with you when obtaining treatment advice. Any person applying zinc phosphide products and experiencing signs and symptoms such as nausea, abdominal pain, tightness in the chest, or weakness, should be seen by a physician immediately.

If swallowed:	<ul> <li>Call a poison control center, doctor or 1-800-498-5743 immediately for treatment advice or transport the patient to the nearest hospital.</li> <li>Do not drink water.</li> <li>Do not administer anything by mouth.</li> <li>Do not induce vomiting unless told to do so by the poison control center or doctor.</li> </ul>
If on skin or clothing:	<ul> <li>Take off contaminated clothing.</li> <li>Rinse skin immediately with plenty of water for 15-20 minutes.</li> </ul>
If inhaled:	<ul> <li>Move person to fresh air.</li> <li>If person is not breathing call an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible.</li> </ul>
If in eyes:	<ul> <li>Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li> <li>Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li> </ul>
	poison control center, doctor, or 1-800-498-5743, immediately tment advice.

#### PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Keep away from humans, domestic animals and pets. May be fatal or harmful if swallowed. Avoid eye or skin contact. Wear rubber gloves when handling this product. Do not breathe dust. Wash thoroughly with soap and water after handling. Avoid contamination of feed or foodstuffs. Avoid contact with acids

#### ENVIRONMENTAL HAZARDS

This product is toxic to birds and other wildlife. Do not allow bait to be exposed on soil surface. Do not apply where runoff is likely to occur. Do not apply this product directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Check for and dispose of excess or spoiled bait and carcasses daily until the bait is expended or removed.

Notice: It is a federal offense to use any pesticide in a manner that results in the death of a member of an endangered species. The use of this product may pose a hazard to Federally designated endangered/threatened species. Suggested measures to protect endangered species in your county may exist in an EPA "Interim Measures" pamphlet. You may call EPA's Endangered Species Hotline, 1-800-447-3813, to find out if an "Interim Measures" pamphlet exists for your county and have one sent to you. You can also consult your local county extension office or pesticide state lead agency to determine whether they have imposed any requirements in your area to protect endangered and threatened species.

### NET WEIGHT: 1 lb.

#### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Read This Label: Read this entire label and follow all use directions and use precautions

LAWNS, GOLF COURSES, OTHER NON-CROP AREAS TO CONTROL MOLES AND POCKET GOPHERS

Use Restrictions: This product may be used in lawns, golf courses, and other non-crop areas only to control pocket gophers and moles. All bait applications in these areas must be made directly into underground numels made by moles or pocket gophers. All bait must be applied manually (e.g., by gloved hand or hand probe delivery system) as directed below. Do not apply this product by use of a burrow-builder machine. Do not apply in gardens and areas where food or feed might be contaminated. Collect and bury all dead animals found above ground.

Specific Directions for Moles: The presence of moles may be indicated by a network of surface ridges in the turf, by a series of conical mounds of earth pushed up from deep burrows, or by damage to bulbs,

Surface Ridges: Prior to treatment determine which burrows are repeatedly active. To do this, either press down a small section of the tunnel or remove a one inch section of the tunnel's roof. Mark these sections and check them in 24 hours. The burrow is considered active if the flattened runway has been raised up or the roof has been renaired. Only treat active burrows. Carefully punch a hole in the top of active turinels, drop a teaspoon amount of this product through the hole and carefully close the hole with sod or stone. Do not collapse the runway again or allow loose soil to cover the bait. After a few days check to see if the burrows are still active according to one of the two methods described above. If so, repeat treatment. If mole activity persists after two treatments, abandon use of this product and seek another method of controlling moles.

Conical Mounds: Carefully remove the center plug from each conical mound. Drop a teaspoon amount of this product into the underground tunnel. Close the opening with a rock or sod. Do not allow loose dirt to cover bait. If mole activity persists after one treatment, a second treatment may be made. If mole activity persists after two treatments, abandon use of this product and seek another method for controlling moles.

Specific Directions for Pocket Gophers: Burrowing pocket gophers (Thomomys spp. and Geomys spp.) throw out low, fan shaped dirt mounds on either side of their underground tunnels. Lateral tunnels coming to the surface on the flat side of the fan are plugged with soil. Carefully remove the plug. With a long-handled spoon, insert a teaspoon amount of this product as far down as possible. Re-close opening with sod, soil, or a rock, being careful not to cover bait.

#### IN AND AROUND BUILDINGS TO CONTROL RATS AND MICE

Important: Do not expose children, pets, or other nontarget animals to rodenticides. To

help to prevent accidents:

- Store product not in use in a location out of reach of children and pets.
- Apply bait in locations out of reach of children, pets, domestic animals and nontarget wildlife, or in tamper-resistant bait stations. These stations must be resistant to destruction by dogs and by children under six years of age, and must be used in a manner that prevents such children from reaching into bait compartments and obtaining bait. If bait can be shaken from stations when they are lifted, units must be secured or otherwise immobilized. Even stronger bait stations are needed in areas open to hoofed livestock, raccoons, bears, or other potentially destructive animals, or in areas prone to vandalism,
- Dispose of product container, and unused, spoiled, and unconsumed bait as specified on this label.

Use Restrictions: This product may be used in and around homes, industrial, agricultural and commercial buildings, and similar manmade structures to Norway rats, roof rats or house mice. Do not place this product in areas where there is a possibility that it will contaminate food or surfaces that come in direct contact with food. Do not broadcast bait.

Selection of Treatment Areas: After removing as many sources of food for rodents as possible, determine dry, acid-free areas where rats and mice will most likely find and consume the bait. Generally, these areas are along walls, by gnawed openings, in or beside burrows, in corners and concealed places, between floors and walls, or in other locations where signs of rats or mice have been seen. Protect bait from rain or snow. Baiting;

Rats: Apply 1 to 2 teaspoons (4 to 8 grams) of this product per placement. Space placements at intervals of 15 to 30 feet along vertical surfaces in infested area. Maintain an uninterrupted supply of fresh bait until new signs of feeding by rats have ceased to appear

Mice: Apply 1 teaspoon (4 grams) of bait per placement, Space placements at intervals of 8- to 12-foot along vertical surfaces in infested areas. Maintain an uninterrupted supply of fresh bait until signs of new feeding by mice no longer appear.

Follow-up (Rats & Mice): Replace contaminated or spoiled bait immediately. Collect and property dispose of all dead animals and leftover bait. To discourage reinvasion, limit sources of rodent food, water and harborage as much as possible and close off likely routes of entry into structures. Do not retreat the same area with this product at intervals of less than 30 day from end of the previous treatment period.

# **STORAGE & DISPOSAL**

Do not contaminate water, food or feed by storage or disposal. STORAGE: Store only in original container, in a dry acid-free place inaccessible to children and pets.

PESTICIDE DISPOSAL: Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Completely empty container. Then dispose of empty container in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

DISCLAIMER: Seller makes no representation or warranty, either expressed or implied, for results due to misuse, improper handling or improper storage of this material. Nor does Seller assume any responsibility for injury to persons, crops, animals, soil or property arising out of misuse, improper handling or improper storage of this material.

> Manufactured By: HACCO, Inc. 110 Hopkins Drive Randolph, WI 53956

# AFTER LABEL

# NOTIFICATION

MAY 2 1 2007

# Prozap<sup>®</sup> Zinc Phosphide Rodent Oat Bait Kills Moles, Gophers, Rats & Mice

### **ACTIVE INGREDIENT:**

Zinc Phosphide	
INERT INGREDIENTS:	
Total	
EPA Reg No 61282-51	EPA Ect No. 61292 107 1

EPA Est. No. 61282-WI-1

# KEEP OUT OF REACH OF CHILDREN CAUTION

See side panels for additional precautionary statements and directions for use

FIRST AID

	FIRST AID
· Ha	ave label with you when obtaining treatment advice.
Any person a symptoms su	pplying zinc phosphide products and experiencing signs and the as nausea, abdominal pain, tightness in the chest, or buld be seen by a physician immediately.
If swallowed:	<ul> <li>Call a poison control center, doctor or 1-800-498-5743 immediately for treatment advice or transport the patient to the nearest hospital.</li> <li>Do not drink water.</li> <li>Do not administer anything by mouth.</li> <li>Do not induce vomiting unless told to do so by the poison control center or doctor.</li> </ul>
If on skin or clothing:	<ul> <li>Take off contaminated clothing.</li> <li>Rinse skin immediately with plenty of water for 15-20 minutes.</li> </ul>
If inhated:	<ul> <li>Move person to fresh air.</li> <li>If person is not breathing call an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible.</li> </ul>
If in eyes:	<ul> <li>Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li> <li>Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li> </ul>
	poison control center, doctor, or 1-800-498-5743, immediately tument advice.

# PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION: Keep away from humans, domestic animals and pets. May be fatal or harmful if swallowed. Avoid eye or skin contact. Wear nubber gloves when handling this product. Do not breathe dust. Wash thoroughly with soap and water after handling. Avoid contamination of feed or foodstuffs. Avoid contact with acids

#### ENVIRONMENTAL HAZARDS

This product is toxic to birds and other wildlife. Do not allow bait to be exposed on soil surface. Do not apply where runoff is likely to occur. Do not apply this product directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Check for and dispose of excess or spoiled bait and carcasses daily until the bait is expended or removed.

Notice: It is a federal offense to use any pesticide in a manner that results in the death of a member of an endangered species. The use of this product may pose a hazard to Federally designated endangered/threatened species. Suggested measures to protect endangered species in your county may exist in an EPA "Interim Measures" pamphlet. You may call EPA's Endangered Species Hotline, 1-800-447-3813, to find out if an "Interim Measures" pamphlet exists for your county and have one sent to you. You can also consult your local county extension office or pesticide state lead agency to determine whether they have imposed any requirements in your area to protect endangered and threatened species.

### NET WEIGHT: 1 lb.

#### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling,

Read This Label: Read this entire label and follow all use directions and use precautions.

LAWNS, GOLF COURSES, OTHER NON-CROP AREAS TO CONTROL MOLES AND POCKET GOPHERS

<u>Use Restrictions:</u> This product may be used in lawns, golf courses, and other non-crop areas only to control pocket gophers and moles. All bait applications in these areas must be made directly into underground humels made by moles or pocket gophers. All bait must be applied manually (e.g., by gloved hand or hand probe delivery system) as directed below. Do not apply this product by use of a burrow-builder machine. Do not apply in gardens and areas where food or feed might be contaminated. Collect and bury all dead animals found above ground.

<u>Specific Directions for Moles:</u> The presence of moles may be indicated by a network of surface ridges in the turf, by a series of conical mounds of earth pushed up from deep burrows, or by damage to bulbs.

Surface Ridges: Prior to treatment determine which burrows are repeatedly active. To do this, either press down a small section of the turnel a rock. Mark these sections and the tunnel's rock. Mark these sections and check them in 24 hours. The burrow is considered active if the flattened runway has been raised up or the roof has been repaired. Only treat active burrows. Carefully punch a hole in the top of active turniels, drop a teaspoon amount of this product through the hole and carefully close the hole with sod or stone. Do not collapse the runway again or allow loose soil to cover the bait. After a few days check to see if the burrows are still active according to one of the two methods described above. If so, repeat treatment. If mole activity persists after two treatments, abandon use of this product and seek another method of controlling moles.

Conical Mounds: Carefully remove the center plug from each conical mound. Drop a teaspoon amount of this product into the underground turnel. Close the opening with a rock or sod. Do not allow loose dirt to cover bait. If mole activity persists after one treatment, a second treatment may be made. If mole activity persists after two treatments, abandon use of this product and seek another method for controlling moles.

Specific Directions for Pocket Gophers: Burrowing pocket gophers (Thomomys spp. and Geomys spp.) throw out low, fan shaped dirt mounds on either side of their underground tunnels. Lateral tunnels coming to the surface on the flat side of the fan are plugged with soil. Carefully remove the plug. With a long-handled spoon, insert a teaspoon amount of this product as far down as possible. Re-close opening with sod, soil, or a rock, being careful not to cover bait.

### IN AND AROUND BUILDINGS

TO CONTROL RATS AND MICE

<u>Important</u>: Do not expose children, pets, or other nontarget animals to rodenticides. To help to prevent accidents:

1. Store product not in use in a location out of reach of children and pets.

- 2. Apply bait in locations out of reach of children, pets, domestic animals and nontarget wildlife, or in tamper-resistant bait stations. These stations must be resistant to destruction by dogs and by children under six years of age, and must be used in a manner that prevents such children from reaching into bait compartments and obtaining bait. If bait can be shaken from stations when they are lifted, units must be secured or otherwise immobilized. Even stronger bait stations are needed in areas open to hoofed livestock, raccoons, bears, or other potentially destructive animals, or in areas prone to vandalism.
- Dispose of product container, and unused, spoiled, and unconsumed bait as specified on this label.

Use Restrictions: This product may be used in and around homes, industrial, agricultural and commercial buildings, and similar manmade structures to Norway rats, roof rats or house mice. Do not place this product in areas where there is a possibility that it will contaminate food or surfaces that come in direct contact with food. Do not broadcast bait.

Selection of Treatment Areas: After removing as many sources of food for rodents as possible, determine dry, acid-free areas where rats and mice will most likely find and consume the bait. Generally, these areas are along walls, by ginwed openings, in or beside burrows, in corners and concealed places, between floors and walls, or in other locations where signs of rats or mice have been seen. Protect bait from rain or snow. Baiting:

Rats: Apply 1 to 2 teaspoons (4 to 8 grams) of this product per placement. Space placements at intervals of 15 to 30 feet along vertical surfaces in infested area. Maintain an uninterrupted supply of fresh bait until new signs of feeding by rats have ceased to appear.

Mice: Apply 1 teaspoon (4 grams) of bait per placement. Space placements at intervals of 8- to 12-foot along vertical surfaces in infested areas. Maintain an uninterrupted supply of fresh bait until signs of new feeding by mice no longer appear. Follow-up (Rate & Mice): Replace contaminated or spoiled bait immediately. Collect and properly dispose of all dead animals and leftover bait. To discourage reinvasion, limit sources of rodent food, water and harborage as much as possible and close off likely routes of entry into structures. Do not retreat the same area with this product at intervals of less than 30 day from end of the previous treatment period.

## **STORAGE & DISPOSAL**

Do not contaminate water, food or feed by storage or disposal. STORAGE: Store only in original container, in a dry acid-free place inaccessible to children and pets.

PESTICIDE DISPOSAL: Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Completely empty container. Then dispose of empty container in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

#### CONDITIONS OF SALE AND LIMITATION OF WARRANTY AND LIABILITY

NOTTICE: Read the ensire Directions for Use and Conditions of Sale and Limitation of Warranty and Liability before buying or using this product. If the terms are not acceptable, return the product at once, unopened, and the purchase price will be refunded.

Manufacturer and Seller warrant that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated in the Directions for Use, subject to the inherent risks referred to above, when used in accordance with directions under normal use conditions. This warranty does not extend to the use of this product contrary to label instructions, or under abnormal conditions or under conditions not reasonably foreseeable to or beyond the control of Seller or Manufacturer, and Buyer and User assume the risk of any such use. MANUFACTURER AND SELLER MAKE NO WARRANTIES OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE NOR ANY OTHER EXPRESS OR IMPLIED WARRANTY EXCEPT AS STATED ABOVE.

In no event shall Manufacturer or Seller be liable for any incidental, consequential or special damages resulting from the use or handling of this product. THE EXCLUSIVE REMEDY OF THE USER OR BUYER, AND THE EXCLUSIVE LIABILITY OF MANUFACTURER AND SELLER FOR ANY AND ALL CLAIMS, LOSSES, INJURIES OR DAMAGES (INCLUDING CLAIMS BASED ON BREACH OF WARRANTY, CONTRACT, NEGLIGENCE, TORT, STRICT LIABILITY OR OTHERWISE) RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, SHALL BE THE RETURN OF THE PURCHASE PRICE OF THE REDUCT OR, AT THE ELECTION OF MANUFACTURER OR SELLER, THE REPLACEMENT OF THE PRODUCT. Manufacturer and Seller offer this product, and Buyer and User accept it, subject to the foregoing conditions of sale and limitations of warranty and of liability, which may not be modified except by written agreement signed by a duly authorized representative of Manufacturer.

> Manufactured By: HACCO, Inc. 110 Hopkins Drive Randolph, W1 53956

**BEFORE LABEL** 

**Prozap<sup>®</sup>** Zinc Phosphide **Rodent Oat Bait** Kills Moles, Gophers, Rats & Mice

### ACTIVE INGREDIENT:

%	nide	Zinc Phosph
	GREDIENTS:	

### EPA Reg. No. 61282-51

EPA Est. No. 61282-WI-1

# **KEEP OUT OF REACH OF CHILDREN** CAUTION

See side panels for additional precautionary statements and directions for use

# FIRST AID

Have label with you when obtaining treatment advice. Any person applying zinc phosphide products and experiencing signs and symptoms such as nausea, abdominal pain, tightness in the chest, or weakness, should be seen by a physician immediately.

If swallowed:	<ul> <li>Call a poison control center, doctor or 1-800-498-5743 immediately for treatment advice or transport the patient to the nearest hospital.</li> <li>Do not drink water.</li> <li>Do not administer anything by mouth.</li> <li>Do not induce vomiting unless told to do so by the poison control center or doctor.</li> </ul>
If on skin or clothing:	<ul> <li>Take off contaminated clothing.</li> <li>Rinse skin immediately with plenty of water for 15-20 minutes.</li> </ul>
If inhaled:	<ul> <li>Move person to fresh air.</li> <li>If person is not breathing call an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible.</li> </ul>
If in eyes:	<ul> <li>Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li> <li>Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li> </ul>
	poison control center, doctor, or 1-800-498-5743, immediately atment advice.

#### PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Keep away from humans, domestic animals and pets. May be fatal or harmful if swallowed. Avoid eye or skin contact. Wear rubber gloves when handling this product. Do not breathe dust. Wash thoroughly with soap and water after handling. Avoid contamination of feed or foodstuffs. Avoid contact with acids. . ....

ENVIRONMENTAL HAZARDS surface. Do not apply where runoff is likely to occur. Do not apply this product directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Check for and dispose of excess or spoiled bait and carcasses daily until the bait is expended or removed.

Notice: It is a federal offense to use any perticide in the namer that results in the death of a member of an endangered spices. The use of this product may puse a hazard to Federally designated endergered/threatened species. Suggested measurer to protect endancered specie, in your county may exist in an EPA "Interim lifeatures" pamphlet. You may call EPA's cindangered Species Hotline, 1-800-447-5813, to ind out if an "Interim Measures" pamphlet exists for your county and have one sent to you. You can also consult your local county extension office or pesticide state lead agency to determine whether they have imposed any requirements in your area to protect endangered and threatened species.

#### NET WEIGHT: 1 lb.

### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Read This Label: Read this entire label and follow all use directions and use precautions.

LAWNS, GOLF COURSES, OTHER NON-CROP AREAS TO CONTROL MOLES AND POCKET GOPHERS

Use Restrictions: This product may be used in lawns, golf courses, and other non-crop areas only to control pocket gophers and moles. All bait applications in these areas must be made directly into underground tunnels made by moles or pocket gophers. All bait must be applied manually (e.g., by gloved hand or hand probe delivery system) as directed below. Do not apply this product by use of a burrow-builder machine. Do not apply in gardens and areas where food or feed might be contaminated. Collect and bury all dead animals found above ground.

Specific Directions for Moles: The presence of moles may be indicated by a network of surface ridges in the turf, by a series of conical mounds of earth pushed up from deep burrows, or by damage to bulbs.

Surface Ridges: Prior to treatment determine which burrows are repeatedly active. To do this, either press down a small section of the tunnel or remove a one inch section of the turnel's roof. Mark these sections and check them in 24 hours. The burrow is considered active if the flattened runway has been raised up or the roof has been repaired. Only treat active burrows. Carefully punch a hole in the top of active tunnels, drop a teaspoon amount of this product through the hole and carefully close the hole with sod or stone. Do not collapse the runway again or allow loose soil to cover the bait. After a few days check to see if the burrows are still active according to one of the two methods described above. If so, repeat treatment. If mole activity persists after two treatments, abandon use of this product and seek another method of controlling moles.

Conical Mounds: Carefully remove the center plug from each conical mound. Drop a teaspoon amount of this product into the underground tunnel. Close the opening with a rock or sod. Do not allow loose dirt to cover bait. If mole activity persists after one treatment, a second treatment may be made. If mole activity persists after two treatments, abandon use of this product and seek another method for controlling moles.

Specific Directions for Pocket Gophers: Burrowing pocket gophers (Thomomys spp. and Geomys spp.) throw out low, fan shaped dirt mounds on either side of their underground tunnels. Lateral tunnels coming to the surface on the flat side of the fan are plugged with soil. Carefully remove the plug. With a long-handled spoon, insert a teaspoon amount of this product as far down as possible. Re-close opening with sod, soil, or a rock, being careful not to cover bait.

# IN AND AROUND BUILDINGS

## TO CONTROL RATS AND MICE

Important: Do not expose children, pets, or other nontarget animals to rodenticides. To help to prevent accidents:

1. Store product not in use in a location out of reach of children and pets.

- 2 Apply bait in locations out of reach of children, pets, domestic animals and nontarget wildlife, or in tamper-resistant bait stations. These stations must be resistant to destruction by dogs and by children under six years of age, and must be used in a manner that prevents such children from reaching into bait compartments and obtaining bait. If bait can be shaken from stations when they are lifted, units must be secured or otherwise immobilized. Even stronger bait stations are needed in areas open to hoofed livestock, racooons, bears, or other potentially destructive animals, or in areas prone to vandalism.
- 3 Dispose of product container, and unused, spoiled, and unconsumed bait as specified on this label.

Use Restrictions: This product may be used in and around homes, industrial, agricultural and commercial buildings, and similar manmade structures to Norway rats, roof rats or house mice. Do not place this product in areas where there is a possibility that it will contaminate food or surfaces that come in direct contact with food. Do not broadcast bait

Selection of Treatment Areas: After removing as many sources of food for rodents as possible, determine dry, acid-free areas where rats and mice will most likely find and consume the bait. Generally, these areas are along walls, by gnawed openings, in or beside burrows, in corners and concealed places, between floors and walls, or in other locations where signs of rats or mice have been seen. Protect bait from rain or snow. **Baiting:** 

Rats: Apply 1 to 2 teaspoons (4 to 8 grams) of this product per placement. Space placements at intervals of 15 to 30 feet along vertical surfaces in infested area. Maintain an uninterrupted supply of fresh bait until new signs of feeding by rats have ceased to appear

Mice: Apply 1 teaspoon (4 grams) of bait per placement. Space placements at intervals of 8- to 12-foot along vertical surfaces in infested areas. Maintain an uninterrupted supply of fresh bait until signs of new feeding by mice no longer appear.

Follow-up (Rats & Mice): Replace contaminated or spoiled bait immediately. Collect and properly dispose of all dead animals and leftover bait. To discourage reinvasion, limit sources of rodent food, water and harborage as much as possible and close off likely routes of entry into structures. Do not retreat the same area with this product at intervals of less than 30 day from end of the previous treatment period.

# **STORAGE & DISPOSAL**

Do not contaminate water, food or feed by storage or disposal. STORAGE: Store only in original container, in a dry acid-free place inaccessible to children and pets.

PESTICIDE DISPOSAL: Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Completely empty container. Then dispose of empty container in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

### CONDITIONS OF SALE AND LIMITATION OF WARRANTY AND LIABILITY

NOTICE: Read the entire Directions for Use and Conditions of Sale and Limitation of Warranty and Liability before buying or using this product. If the terms are not acceptable, return the product at once, unopened, and the purchase price will be refunded.

Manufacturer and Seller warrant that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated in the Directions for Use, subject to the inherent risks referred to above, when used in accordance with directions under normal use conditions. This warranty does not extend to the use of this product contrary to label instructions, or under abnormal conditions or under conditions not reasonably foreseeable to or beyond the control of Seller or Manufacturer, and Buyer and User assume the risk of any such use. MANUFACTURER AND SELLER MAKE NO WARRANTIES OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE NOR ANY OTHER EXPRESS OR IMPLIED WARRANTY EXCEPT AS STATED ABOVE.

In no event shall Manufacturer or Seller be liable for any incidental, consequential or special damages resulting from the use or handling of this product. THE EXCLUSIVE REMEDY OF THE USER OR BUYER, AND THE EXCLUSIVE LIABILITY OF MANUFACTURER AND SELLER FOR ANY AND ALL CLAIMS, LOSSES, INJURIES OR DAMAGES (INCLUDING CLAIMS BASED ON BREACH OF WARRANTY, CONTRACT, NEGLIGENCE, TORT, STRICT LIABILITY OR OTHERWISE) RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, SHALL BE THE RETURN OF THE PURCHASE PRICE OF THE PRODUCT OR, AT THE ELECTION OF MANUFACTURER OR SELLER, THE REPLACEMENT OF THE PRODUCT. Manufacturer and Seller offer this product, and Buyer and User accept it, subject to the foregoing conditions of sale and limitations of warranty and of liability, which may not be modified except by written agreement signed by a duly authorized representative of Manufacturer.

> Manufactured By: HACCO, Inc. 110 Hopkins Drive Randolph, WI 53956

# **Prozap<sup>®</sup> Zinc Phosphide Rodent Oat Bait** Kills Moles, Gophers, Rats & Mice

ACTIVE INGREDIENT:	
Zinc Phosphide	
INERT INGREDIENTS:	
Total	

### EPA Reg. No. 61282-51

EPA Est. No. 61282-WI-1

# **KEEP OUT OF REACH OF CHILDREN** CAUTION

See side panels for additional precautionary statements and directions for use

#### FIRST AID Have label with you when obtaining treatment advice. Any person applying zinc phosphide products and experiencing signs and symptoms such as nausea, abdominal pain, tightness in the chest, or weakness should be seen by a physician immediately

If swallowed:	<ul> <li>Call a poison control center, doctor or 1-800-498-5743 immediately for treatment advice or transport the patient to the nearest hospital.</li> <li>Do not drink water.</li> <li>Do not administer anything by mouth.</li> <li>Do not induce vomiting unless told to do so by the poison control center or doctor.</li> </ul>
If on skin or clothing:	<ul> <li>Take off contaminated clothing.</li> <li>Rinse skin immediately with plenty of water for 15-20 minutes.</li> </ul>
If inhaled:	<ul> <li>Move person to fresh air.</li> <li>If person is not breathing call an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible.</li> </ul>
If in eyes:	<ul> <li>Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li> <li>Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li> </ul>
	poison control center, doctor, or 1-800-498-5743, immediately atment advice.

# PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION: Keep away from humans, domestic animals and pets. May be fatal or harmful if swallowed. Avoid eye or skin contact. Wear rubber gloves when handling this product. Do not breathe dust. Wash thoroughly with soap and water after handling. Avoid contamination of feed or foodstuffs. Avoid contact with acids.

ENVIRONMENTAL HAZARDS surface. Do not apply where runoff is likely to occur. Do not apply this product directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Check for and dispose of excess or spoiled bait and carcasses daily until the bait is expended or removed.

Notice: It is a federal offense to use any perticide in manner that results in the death of a member of an endaniered species. The use of this product may pose a hazard to Federally designated endrigered/threatened species. Suggested measures to protect endangered species in your coulity may exist in an EA "Interim Measures" pamphlet. You may call EPA's indangered Species Hotline, 1-800-447-5813, to find out if an "Interim Measures" pamphlet exists for your county and have one sent to you. You can also consult your local county extension office or pesticide state lead agency to determine whether they have imposed any requirements in your area to protect endangered and threatened species.

#### **NET WEIGHT:** 1 lb.



#### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Read This Label: Read this entire label and follow all use directions and use precautions.

LAWNS, GOLF COURSES, OTHER NON-CROP AREAS TO CONTROL MOLES AND POCKET GOPHERS

Use Restrictions: This product may be used in lawns, golf courses, and other non-crop areas only to control pocket gophers and moles. All bait applications in these areas must be made directly into underground tunnels made by moles or pocket gophers. All bait must be applied manually (e.g., by gloved hand or hand probe delivery system) as directed below. Do not apply this product by use of a burrow-builder machine. Do not apply in gardens and areas where food or feed might be contaminated. Collect and bury all dead animals found above ground.

Specific Directions for Moles: The presence of moles may be indicated by a network of surface ridges in the turf, by a series of conical mounds of earth pushed up from deep burrows, or by damage to bulbs.

Surface Ridges: Prior to treatment determine which burrows are repeatedly active. To do this, either press down a small section of the tunnel or remove a one inch section of the tunnel's roof. Mark these sections and check them in 24 hours. The burrow is considered active if the flattened runway has been raised up or the roof has been repaired. Only treat active burrows. Carefully punch a hole in the top of active tunnels, drop a teaspoon amount of this product through the hole and carefully close the hole with sod or stone. Do not collapse the runway again or allow loose soil to cover the bait. After a few days check to see if the burrows are still active according to one of the two methods described above. If so, repeat treatment, If mole activity persists after two treatments, abandon use of this product and seek another method of controlling moles.

Conical Mounds: Carefully remove the center plug from each conical mound. Drop a teaspoon amount of this product into the underground tunnel. Close the opening with a rock or sod. Do not allow loose dirt to cover bait. If mole activity persists after one treatment, a second treatment may be made. If mole activity persists after two treatments, abandon use of this product and seek another method for controlling moles.

Specific Directions for Pocket Gophers: Burrowing pocket gophers (Thomomys spp. and Geomys spp.) throw out low, fan shaped dirt mounds on either side of their underground tunnels. Lateral tunnels coming to the surface on the flat side of the fan are plugged with soil. Carefully remove the plug. With a long-handled spoon, insert a teaspoon amount of this product as far down as possible. Re-close opening with sod, soil, or a rock, being careful not to cover bait.

#### IN AND AROUND BUILDINGS TO CONTROL RATS AND MICE

Important: Do not expose children, pets, or other nontarget animals to rodenticides. To help to prevent accidents:

Store product not in use in a location out of reach of children and pets. 1.

- Apply bait in locations out of reach of children, pets, domestic animals and 2. nontarget wildlife, or in tamper-resistant bait stations. These stations must be resistant to destruction by dogs and by children under six years of age, and must be used in a manner that prevents such children from reaching into bait compartments and obtaining bait. If bait can be shaken from stations when they are lifted units must be secured or otherwise immobilized. Even stronger bait stations are needed in areas open to hoofed livestock, raccoons, bears, or other potentially destructive animals, or in areas prone to vandalism.
- 3. Dispose of product container, and unused, spoiled, and unconsumed bait as specified on this label.

Use Restrictions: This product may be used in and around homes, industrial, agricultural and commercial buildings, and similar manmade structures to Norway rats, roof rats or house mice. Do not place this product in areas where there is a possibility that it will contaminate food or surfaces that come in direct contact with food. Do not hmadcast hait

Selection of Treatment Areas: After removing as many sources of food for rodents as possible, determine dry, acid-free areas where rats and mice will most likely find and consume the bait. Generally, these areas are along walls, by gnawed openings, in or beside burrows, in corners and concealed places, between floors and walls, or in other locations where signs of rats or mice have been seen. Protect bait from rain or snow. **Baiting:** 

Rats: Apply 1 to 2 teaspoons (4 to 8 grams) of this product per placement. Space placements at intervals of 15 to 30 feet along vertical surfaces in infested area. Maintain an uninterrupted supply of fresh bait until new signs of feeding by rats have ceased to

Mice: Apply | teaspoon (4 grams) of bait per placement. Space placements at intervals of 8- to 12-foot along vertical surfaces in infested areas. Maintain an uninterrupted supply of fresh bait until signs of new feeding by mice no longer appear.

Follow-up (Rats & Mice): Replace contaminated or spoiled bait immediately. Collect and properly dispose of all dead animals and leftover bait. To discourage reinvasion, limit sources of rodent food, water and harborage as much as possible and close off likely routes of entry into structures. Do not retreat the same area with this product at intervals of less than 30 day from end of the previous treatment period.

# **STORAGE & DISPOSAL**

Do not contaminate water, food or feed by storage or disposal. STORAGE: Store only in original container, in a dry acid-free place inaccessible to children and pets.

PESTICIDE DISPOSAL: Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Completely empty container. Then dispose of empty container in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

DISCLAIMER: Because Manufacturer and Seller have no control over storage, handling and conditions of use, which are of critical importance, Manufacturer and Seller make no representation or warranty, either express or implied, for results due to misuse, improper handling, or storage of this material. Nor do Manufacturer or Seller assume any responsibility for injury to persons, crops, animals, soil or property arising out of misuse, improper handling or storage of this material.

> Manufactured By: HACCO, Inc. 110 Hopkins Drive Randolph, WI 53956

NOTIFICATION MAY 2 1 2007