



OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

WASHINGTON, D.C. 20460

June 21, 2024

SENT BY EMAIL

Susan Westra
swestra@neogen.com
HACCO, INC.

Subject: Labeling Notification per Pesticide Registration Notice (PRN) 98-10 - Addition of alternate brand names and minor label revisions
Product Name: Assault® Meal Bait Rodenticide
Admin Number: 61282-76
EPA Receipt Date: 03/06/2024
Action Case Number: 00502468

Dear Susan Westra:

The U.S. Environmental Protection Agency is in receipt of your application for notification under Pesticide Registration Notice 98-10 for the above referenced product. The EPA has conducted a review of this request for its applicability under PRN 98-10 and finds that the action requested falls within the scope of PRN 98-10.

The labeling submitted with this application has been stamped "Notification" and will be placed in our records.

The alternate brand names: Gnavex Meal Bait, Gnavex Rodenticide Bait have been added to the registration. Our records have been updated accordingly.

Should you wish to add/retain a reference to your company's website on your label, then please be aware that the website becomes labeling under the Federal Insecticide, Fungicide, and Rodenticide Act and is subject to review by the EPA. If the website is false or misleading, the product will be considered to be misbranded and sale or distribution of the product is unlawful under FIFRA section 12(a)(1)(E). 40 CFR § 156.10(a)(5) lists examples of statements the EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the EPA find or if it is brought to our attention that a website contains statements or claims substantially differing from statements or claims made in connection with obtaining a FIFRA section 3 registration, the website will be referred to the EPA's Office of Enforcement and Compliance Assurance.

If you have questions, please contact Scott Campbell via email at campbell.scott@epa.gov.

Sincerely,

A handwritten signature in cursive script that reads "Scott Campbell (for)".

Venus Eagle, PM01

IVB3, RD

Office of Pesticide Programs

NOTIFICATION

91282-76

The applicant has certified that no changes, other than those reported to the Agency have been made to the labeling. The Agency acknowledges this notification by letter dated:

06/21/2024

Assault® Meal Bait Rodenticide

**Effective Rodent Control
Kills Rats and Mice**

Norway Rats, Roof Rats, and House Mice usually consume a lethal dose in a single night's feeding, but it may take two or more days from time of bait consumption for them to die.

This product is effective against anticoagulant resistant Norway Rats, Roof Rats, and House Mice.

This product may only be used inside and within 100 feet of man-made structures or inside of transport vehicles (ships, trains, or aircraft).

ACTIVE INGREDIENT:

Bromethalin

(CAS No. 63333-35-7)0.01%

OTHER INGREDIENTS:99.99%

TOTAL:100.000%

EPA Reg. No. 61282-76

EPA Est. No. 61282-WI-01

KEEP OUT OF REACH OF CHILDREN

CAUTION

Net Contents:

4 pounds (1.81 kilograms)
10 pounds (4.54 kilograms)
20 pounds (9.07 kilograms)
30 pounds (13.61 kilograms)

Net Weight:

4 pounds (1.81 kilograms)
10 pounds (4.54 kilograms)
20 pounds (9.07 kilograms)
30 pounds (13.61 kilograms)

This Product May Not Be Sold in Packaging that Holds Less Than 4 Pounds of Bait.

Manufactured By:

HACCO, Inc.
110 Hopkins Drive
Randolph, WI 53956 U.S.A.

***Not permitted for use against the following species in California: Cotton rat, Eastern harvest mouse, Golden mouse, Polynesian rat, White-throated woodrat, Southern plains woodrat, Mexican woodrat, Meadow vole**

FIRST AID	
If Swallowed:	<ul style="list-style-type: none"> • Call a poison control center or doctor immediately for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by the poison control center or doctor. • Do not give anything by mouth to an unconscious person.
If on Skin or Clothing:	<ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a poison control center or doctor immediately for treatment advice.
If in Eyes:	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor immediately for treatment advice.
TREATMENT FOR PET POISONING If animal eats bait, call veterinarian or 1-800-498-5743 at once..	
NOTE TO PHYSICIAN OR VETERINARIAN Contains the nerve poison Bromethalin. This is not an anticoagulant type rodenticide. For humans or animals ingesting bait and/or showing poisoning signs (such as muscle tremors, loss of hind limb use, or seizures for animals), limit absorption by either emesis or gastric lavage. Sub lethal symptoms, if present, would be the result of cerebral edema and should be treated accordingly through administration of an osmotic diuretic and corticosteroid.	
Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For 24-hour emergency information on this product, call 1-800-498-5743 (US & Canada) or 1-651-523-0318 (all other areas).	

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed or absorbed through the skin. Causes moderate eye irritation. Keep away from children, domestic animals, and pets. Do not get in eyes, on skin, or on clothing. All handlers (including applicators) must wear long-sleeved shirt and barrier laminate gloves. Any person who retrieves carcasses or unused bait following application of this product must wear barrier laminate gloves.

User Safety Requirements

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry. Remove PPE immediately after handling this product. Wash the outside of barrier laminate gloves before removing. As soon as possible, wash hands thoroughly after applying the bait and before eating, drinking, chewing gum, using tobacco or using the toilet and change into clean clothing.

ENVIRONMENTAL HAZARDS

This product is extremely toxic to mammals and birds. Dogs and scavenging mammals and birds might be poisoned if they feed upon animals that have eaten this bait. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high-water mark. Runoff may also be hazardous to aquatic organisms in water adjacent to treated areas. Do not contaminate water when disposing of equipment wash water or rinsate.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ THIS LABEL: Read this entire label and follow all use directions and use precautions.

Use only for the sites, pests, and application methods described on this label.

IMPORTANT: Do not expose children, pets or other non-target animals to rodenticides. To help to prevent accidents:

1. Store product not in use in a location out of reach of children and pets.
2. Apply bait in locations out of reach of children, pets, domestic animals and non-target wildlife, or in tamper-resistant bait stations. These stations must be resistant to destruction by dogs and by children under six years of age, and must be used in a manner that prevents such children from reaching into bait compartments and obtaining bait. If bait can be shaken from stations when they are lifted, units must be secured or otherwise immobilized. Even stronger bait stations are needed in areas open to hooved livestock, raccoons, bears, or other potentially destructive animals, or in areas prone to vandalism.
3. Dispose of product container, and unused, spoiled, and unconsumed bait as specified on this label.

Bait stations are mandatory for outdoor, above-ground use. Tamper-resistant bait stations must be used if children, pets, non-target mammals, or birds may access the bait.

USE RESTRICTIONS:

In and Around Buildings and Structures

This product can only be used to control House mouse (*Mus musculus*), Norway rat (*Rattus norvegicus*), Roof rat (*Rattus rattus*), Cotton rats (*Sigmodon hispidus*)*, Eastern harvest mouse (*Reithrodontomys humuli*)*, Golden mouse (*Ochrotomys nuttalli*)*, Polynesian rat (*Rattus exulans*)*, White-throated woodrat (*Neotoma albigula*)*, Southern plains woodrat (*Neotoma micropus*)*, Mexican woodrat (*Neotoma mexicana*)*, and Meadow vole (*Microtus pennsylvanicus*)* in and within 100 feet of man-made structures constructed in a manner so as to be vulnerable to commensal rodent invasions and/or to harboring or attracting rodent infestations. Examples of such structures include homes and other permanent or temporary residences, food processing facilities, industrial and commercial buildings, trash receptacles, agricultural and public buildings, transport vehicles, (ships, trains, aircraft), docks and port or terminal buildings and related structures around and associated with these sites. Fence and perimeter baiting, beyond 100 feet from a structure as defined above, is prohibited. This product must not be applied directly to food or feed crops.

Inside Burrows

This product may only be applied to active burrows to control Norway rats and Roof rats within or beyond 100 feet of man-made structures constructed in a manner so as to be vulnerable to commensal rodent invasions and/or to harboring or attracting rodent infestations provided that infestations of these rodents have been confirmed. Efforts should be made to remove food trash, garbage, clutter, and debris.

Bait must be placed no less than 6 inches into active Norway/Roof rat burrows. Do not broadcast bait.

Do not place near or inside ventilation duct openings. Do not contaminate water, food, feedstuffs, food or feed handling equipment, or milk or meat handling equipment or surfaces that come into direct contact with food. When used in USDA inspected facilities, this product must be applied in tamper-resistant bait stations. Do not use this product in sewers.

Do not sell this product in individual containers holding less than 4 pounds of bait.

SELECTION OF TREATMENT AREAS: Determine areas where rats or house mice will most likely find and consume the bait. Generally, these areas are along walls, by gnawed openings, in or beside burrows, in corners and concealed places, between floors and walls, or in locations where rodents or their signs have been seen. Protect bait from rain or snow. Remove as much alternative food as possible.

APPLICATION DIRECTIONS

RATS*: Place 1 to 6 ounces of bait per placement. Space placements at intervals of 15 to 30 feet in infested areas. Maintain an uninterrupted supply of fresh bait for at least 10 days or until there no longer are signs of new feeding by rats.

MICE AND MEADOW VOLES*: Apply $\frac{1}{4}$ to $\frac{1}{2}$ ounces (1-2 level tablespoons) of bait at each placement location. Space placements at 8- to 12-foot intervals. Larger placements (up to 2 ounces) may be needed at points of very high house mouse activity. Maintain an uninterrupted supply of fresh bait for at least 15 days or until there are no longer signs of new feeding by mice or meadow voles*.

FOLLOW-UP: Replace contaminated or spoiled bait immediately. Using barrier laminate gloves collect and dispose of all dead, exposed animals and leftover bait properly. To discourage reinfestation, limit sources of rodent food, water and harborage as much as possible. If reinfestation does occur, repeat treatment. Where a continuous source of infestation is present, establish permanent bait stations and replenish as needed.

***Not permitted for use against the following species in California: Cotton rat, Eastern harvest mouse, Golden mouse, Polynesian rat, White-throated woodrat, Southern plains woodrat, Mexican woodrat, Meadow vole**

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Pesticide Storage: Store in original container in a cool, dry place inaccessible to children and pets. Keep containers closed and away from other chemicals.

Pesticide Disposal: Dispose of wastes resulting from the use of this product in trash or at an approved waste disposal facility.

Container Handling: *Nonrefillable container.* Do not reuse or refill this container.

Plastic Containers: Triple rinse (or equivalent) then offer for recycling or reconditioning; or puncture and dispose of in a sanitary landfill; or incineration.

Paper Containers: Dispose of empty container by placing in trash, at an approved waste disposal facility or by incineration.

DISCLAIMER

[**DISCLAIMER:**] To the extent permitted by applicable law, Seller makes no representation or warranty, either express or implied, for results due to misuse, improper handling, or improper storage of this material. Nor does Seller assume any responsibility for injury to persons, crops, animals, soil, or property arising out of misuse, improper handling, or improper storage of this material.

OR

LIMITED WARRANTY

To the extent permitted by applicable law, Neogen Corporation makes no warranty concerning uses which extend beyond the use of the product under normal conditions in accord with the statements made on this label. To the extent permitted by applicable law, Neogen Corporation shall not be liable for (1) any consequential, incidental, or special damages related in any way to this product or its uses, or (2) any damages related in any way to resistance to pesticides.

OR

CONDITIONS OF SALE AND LIMITATIONS OF WARRANTY AND LIABILITY

NOTICE: Read the entire Directions for Use and Conditions of Sale and Limitations of Warranty and Liability before buying or using this product. If the terms are not acceptable, return the product at once, unopened, and the purchase price will be refunded.

To the extent permitted by applicable law, Manufacturer and Seller warrant that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated in the Directions for Use, subject to the inherent risks referred to above, when used in accordance with directions under normal use conditions. To the extent permitted by applicable law, this

March 6, 2024

warranty does not extend to the use of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to or beyond the control of Seller or Manufacturer, and Buyer and User assume the risk of any such use. To the extent permitted by applicable law, MANUFACTURER AND SELLER MAKE NO WARRANTIES OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE NOR ANY OTHER EXPRESS OR IMPLIED WARRANTY EXCEPT AS STATED ABOVE. To the extent permitted by applicable law, in no event shall Manufacturer or Seller be liable for any incidental, consequential, or special damages resulting from the use or handling of this product. TO THE EXTENT PERMITTED BY APPLICABLE LAW, THE EXCLUSIVE REMEDY OF THE USER OR BUYER, AND THE EXCLUSIVE LIABILITY OF MANUFACTURER AND SELLER FOR ANY AND ALL CLAIMS, LOSSES, INJURIES, OR DAMAGES (INCLUDING CLAIMS BASED ON BREACH OF WARRANTY, CONTRACT, NEGLIGENCE, TORT, STRICT LIABILITY, OR OTHERWISE) RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, SHALL BE THE RETURN OF THE PURCHASE PRICE OF THE PRODUCT OR, AT THE ELECTION OF THE MANUFACTURER OR SELLER, THE REPLACEMENT OF THE PRODUCT.

Manufacturer and Seller offer this product, and Buyer and User accept it, subject to the foregoing Conditions of Sale and Limitations of Warranty and Liability, which may not be modified except by written agreement signed by a duly authorized representative of Manufacturer.

For non-emergency (e.g., current product information),
Call: **1-800-621-8829**

***Not permitted for use against the following species in California: Cotton rat, Eastern harvest mouse, Golden mouse, Polynesian rat, White-throated woodrat, Southern plains woodrat, Mexican woodrat, Meadow vole**

Additional Alternate Brand Names:

CyKill™ Meal Bait

CyKill™ Rodenticide Bait

Gnavex Meal Bait

Gnavex Rodenticide Bait

Optional Marketing Statements/Graphics:

Code (NI.RI.) NG.EE.

Assault® is a Registered Trademark of Neogen Corporation.

CyKill™ is a Trademark of Neogen Corporation.

HACCO, Inc. is a Wholly-owned Subsidiary of Neogen Corporation.

Contains Bromethalin

Bromethalin

Effective Control of Norway Rats, Roof Rats, Cotton Rats*, Polynesian Rats*, White-throated woodrat*, Southern plains woodrat*, Mexican woodrat*, House Mice, Eastern Harvest Mice*, Golden Mice*, and Meadow Voles*

Kills Norway Rats, Roof Rats, Cotton Rats*, Polynesian Rats*, White-throated woodrat*, Southern plains woodrat*, Mexican woodrat*, House Mice, Eastern Harvest Mice*, Golden Mice*, and Meadow Voles*

Assault® Meal Bait Rodenticide

Page 7 of 8

March 6, 2024

Helps Stop Damage Caused by Norway Rats, Roof Rats, Cotton Rats*, Polynesian Rats*, White-throated woodrat, Southern plains woodrat, Mexican woodrat, House Mice*, Eastern Harvest Mice*, Golden Mice*, and Meadow Voles*.

Helps Stop Damage Caused by Meadow Voles*.

Helps Stop Damage Caused by House Mice

Helps Stop Damage Caused by Eastern Harvest Mice*.

Helps Stop Damage Caused by Golden Mice*.

Helps Stop Damage Caused by Norway Rats.

Helps Stop Damage Caused by Roof Rats.

Helps Stop Damage Caused by Cotton Rats*.

Helps Stop Damage Caused by Polynesian Rats*.

Helps Stop Damage Caused by White-Throated Woodrats*.

Helps Stop Damage Caused by Southern Plains Woodrats*.

Helps Stop Damage Caused by Mexican Woodrats*.

Manufactured in the U.S.A. with global components.

Made in the U.S.A. with global components.

Contains Bittering Agent

~~<American Flag Graphic>~~



<Neogen Corporation logo>

<Neogen flask logo>

<Rat Graphic>



<Mouse Graphic>



<Image of bait>



[Image of bait may not be representative of label-consistent bait placement]

Company Logos:



OR



