



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, DC 20460

OFFICE OF CHEMICAL SAFETY
AND POLLUTION PREVENTION

September 19, 2018

Susan Westra
HACCO, Inc.
110 Hopkins Drive
Randolph, WI 53956

Subject: Label and CSF Amendment – Add CA restriction, ASPCRO target pests, optional marketing statements, and revise Basic CSF
Product Name: Assault Mouse/Rat Place Pack
EPA Registration Number: 61282-88
Application Date: 06/11/2018
Decision Number: 542912

Dear Ms. Westra:

The amended label and CSF referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, are acceptable. This approval does not affect any conditions that were previously imposed on this registration. You continue to be subject to existing conditions on your registration and any deadlines connected with them.

A stamped copy of your labeling is enclosed for your records. This labeling supersedes all previously accepted labeling. You must submit one copy of the final printed labeling before you release the product for shipment with the new labeling. In accordance with 40 CFR 152.130(c), you may distribute or sell this product under the previously approved labeling for 18 months from the date of this letter. After 18 months, you may only distribute or sell this product if it bears this new revised labeling or subsequently approved labeling. “To distribute or sell” is defined under FIFRA section 2(gg) and its implementing regulation at 40 CFR 152.3.

Please note that the record for this product currently contains the following CSF:

- Basic CSF dated 06/11/2018


Should you wish to add/retain a reference to the company’s website on your label, then please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product’s label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false

Page 2 of 2
EPA Reg. No. 61282-88
Decision No. 542912

or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance.

Your release for shipment of the product constitutes acceptance of these conditions. If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6. If you have any questions, please contact Paul Di Salvo by phone at 703-347-0322, or via email at disalvo.paul@epa.gov.

Sincerely,

A handwritten signature in black ink, appearing to read 'Venus Eagle', followed by a horizontal line extending to the right.

Venus Eagle, Product Manager 01
Invertebrate and Vertebrate Branch 3
Registration Division (7505P)
Office of Pesticide Programs

Enclosure

**Sublabel A – Agricultural and Industrial Use
Outer Container Label**

Assault® Mouse/Rat Place Pack®

Effective Control of House Mice, Eastern Harvest Mice*, Golden Mice*, Norway Rats, Roof Rats, Cotton Rats*, Polynesian Rats*, White-throated Woodrats, Southern Plains Woodrats*, Mexican Woodrats, Meadow Voles*.

Kills House Mice, Norway Rats and Roof Rats

Norway Rats, Roof Rats, and House Mice usually consume a lethal dose in a single night's feeding, but it may take two or more days from time of bait consumption for them to die. This product is effective against anticoagulant-resistant House Mice and Norway Rats and Roof Rats.

This product may only be used inside and within 100 feet of man-made structures or inside of transport vehicles (ships, trains, or aircraft).

ACTIVE INGREDIENT:

Bromethalin

(CAS No. 63333-35-7)..... 0.01%

OTHER INGREDIENTS:..... 99.99%

TOTAL: 100.000%

EPA Reg. No. 61282-88

EPA Est. No. 61282-WI-01

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

MAY BE HARMFUL IF EATEN BY CHILDREN OR PETS

Net Contents:

44 x 1.5 oz. (1.87 kg) through 500 x 1.5 oz. (21.26 kg)

Lot Number

Manufactured by:

HACCO, Inc.

110 Hopkins Drive

Randolph, WI 53956 U.S.A.

***Not permitted for use against the following species in California: Cotton rat, Eastern harvest mouse, Golden mouse, Polynesian rat, White-throated woodrat, Southern plains woodrat, Mexican woodrat, Meadow vole.**

ACCEPTED

61282-88

Under the Federal Insecticide, Fungicide
and Rodenticide Act as amended, for the
pesticide registered under

EPA Reg. No. 09/19/2018

FIRST AID	
If Swallowed:	<ul style="list-style-type: none"> • Call a poison control center or doctor immediately for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by the poison control center or doctor. • Do not give anything by mouth to an unconscious person.
If on Skin or on Clothing:	<ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a poison control center or doctor immediately for treatment advice.
TREATMENT FOR PET POISONING	
If animal eats bait, call veterinarian or 1-800-498-5743 at once.	
NOTE TO PHYSICIAN OR VETERINARIAN	
Contains the nerve poison Bromethalin. This is not an anticoagulant-type rodenticide. For humans or animals ingesting bait and/or showing poisoning signs (such as muscle tremors, loss of hind limb use, or seizures for animals), limit absorption by either emesis or gastric lavage. Sub-lethal symptoms, if present, would be the result of cerebral edema and should be treated accordingly through administration of an osmotic diuretic and corticosteroid.	
Have product container or label with you when calling a poison control center, doctor, or going in for treatment.	
For 24-hour emergency information on this product, call 1-800-498-5743 (US & Canada) or 1-651-523-0318 (all other areas).	

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed or absorbed through the skin. Keep away from children, domestic animals, and pets. Causes moderate eye irritation. Do not get in eyes on skin or on clothing. All handlers (including applicators) must wear long sleeved shirt and barrier laminate gloves. Any person who retrieves carcasses or unused bait following application of this product must wear barrier laminate gloves.

User Safety Requirements

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry. Remove PPE immediately after handling this product. Wash the outside of barrier laminate gloves before removing them. As soon as possible, wash hands thoroughly after applying the bait and before eating, drinking, chewing gum, using tobacco, or using the toilet and change into clean clothing.

ENVIRONMENTAL HAZARDS

This product is extremely toxic to mammals and birds. Dogs and scavenging mammals and birds might be poisoned if they feed upon animals that have eaten this bait. Do not apply directly to water, or to areas where surface water is present, or to intertidal areas below the mean high-water

mark. Run-off may also be hazardous to aquatic organisms in water adjacent to treated areas. Do not contaminate water when disposing of equipment wash water or rinsate.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ THIS LABEL: Read this entire label and follow all use directions, use restrictions, and precautions. Use only for the sites, pests, and application methods described on this label.

IMPORTANT: Do not expose children, pets, or other non-target animals to rodenticides. To help to prevent accidents:

1. Store product not in use in a location out of reach of children and pets.
2. Apply bait in locations out of reach of children, pets, domestic animals, and non-target wildlife, or in tamper-resistant bait stations. These stations must be resistant to destruction by dogs and by children under six years of age, and must be used in a manner that prevents such children from reaching into bait compartments and obtaining bait. If bait can be shaken from stations when they are lifted, units must be secured or otherwise immobilized. Even stronger bait stations are needed in areas open to hooved livestock, raccoons, bears, or other potentially destructive animals, or in areas prone to vandalism.
3. Dispose of product container, and unused, spoiled, and unconsumed bait as specified on this label.

Bait stations are mandatory for outdoor, above-ground use. Tamper-resistant bait stations must be used wherever children, pets, non-target mammals, or birds may have access to the bait placement location.

USE RESTRICTIONS

This product can only be used to control Norway rat (*Rattus norvegicus*), Roof rat (*Rattus rattus*), Cotton rat (*Sigmodon hispidus*)*, Polynesian rat* (*Rattus exulans*), White-throated woodrat (*Neotoma albigula*)*, Southern plains woodrat* (*Neotoma micropus*), Mexican woodrat (*Neotoma mexicana*)*, House mouse (*Mus musculus*), Eastern harvest mouse (*Reithrodontomys humulis*)*, Golden mouse (*Ochrotomys nuttalli*)*, and Meadow vole (*Microtus pennsylvanicus*)* in and within 100 feet of agricultural buildings and man-made agricultural structures constructed in a manner so as to be vulnerable to commensal rodent invasions and/or to harboring or attracting rodent infestations. Fence and perimeter baiting beyond 100 feet from a structure as defined above is prohibited. This product must not be applied directly to food or feed crops.

Do not use this product in sewers. Do not place bait near or inside of ventilation duct openings. Do not contaminate water, food, feed, food- or feed-handling equipment, milk- or meat-handling equipment, or surfaces that come into direct contact with food. Do not broadcast bait. Do not apply further than 100 feet from building.

Burrow baiting with Assault Mouse/Rat Place Pack is prohibited.

Do not sell this product in individual containers holding less than four (4) pounds of bait.

SELECTION OF TREATMENT AREAS Determine areas where rats, mice, or meadow voles* will most likely find and consume the bait. Generally, these areas are along walls, by gnawed openings, in corners and concealed places, between floors and walls, or in locations where signs of these rodents have been seen. Remove as much alternative food accessible to rodents as possible.

APPLICATION DIRECTIONS

The active ingredient in this product is different from anticoagulant rodenticides. Individual rats and mice cease feeding after consuming a toxic dose.

Rats*: Apply 1 to 4 Place Packs at each placement location. Space placements at intervals of 15 to 30 feet in infested areas. The bait in a single Place Pack could only be expected to control one to three rats.

Mice and Meadow Voles*: Apply 1 Place Pack at each placement location. Space placements at 8- to 12-foot intervals.

Follow-Up: Adjust the amount of bait applied to the level of feeding expected at each bait placement location. Highest bait consumption is expected to occur on the first day or two after treatment. After several days, inspect bait placements and replenish bait at sites where there is heavy feeding or where there is continued evidence of rat, mouse, or meadow vole* activity. Maintain baiting for at least one week or until there no longer are fresh signs of rat, mouse, or meadow vole* activity have ceased, or it becomes clear that the remaining rats, mice, or meadow voles* are not attracted to the bait.

Wearing barrier laminate gloves, collect and properly dispose of all dead rodents and leftover bait. To discourage reinfestation, limit sources of food, water, and harborage as much as possible. If reinfestation does occur, repeat treatment. Where a continuous source of infestation is present, establish permanent bait stations and replenish them as needed.

***Not permitted for use against the following species in California: Cotton rat, Eastern harvest mouse, Golden mouse, Polynesian rat, White-throated woodrat, Southern plains woodrat, Mexican woodrat, Meadow vole.**

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Pesticide Storage: Store in original container in a cool, dry place inaccessible to children and pets. Keep containers closed and away from other chemicals.

Pesticide Disposal: Dispose of wastes resulting from the use of this product in trash or at an approved waste disposal facility.

Container Handling:

Nonrefillable container. Do not reuse or refill this container.

Plastic Containers: Triple rinse (or equivalent) then offer for recycling or reconditioning; or puncture and dispose of container in a sanitary landfill; or by incineration.

Paper Containers: Dispose of empty container by placing in trash, at an approved waste disposal facility, or by incineration.

DISCLAIMER

[DISCLAIMER:] To the extent permitted by applicable law, Seller makes no representation or warranty, either express or implied, for results due to misuse, improper handling, or improper storage of this material. Nor does Seller assume any responsibility for injury to persons, crops, animals, soil, or property arising out of misuse, improper handling, or improper storage of this material.

OR

LIMITED WARRANTY

To the extent permitted by applicable law, Neogen Corporation makes no warranty concerning uses which extend beyond the use of the product under normal conditions in accordance with the statements made on this label. To the extent permitted by applicable law, Neogen Corporation shall not be liable for (1) any consequential, incidental, or special damages related in any way to this product or its uses, or (2) any damages related in any way to resistance to pesticides.

OR

CONDITIONS OF SALE AND LIMITATIONS OF WARRANTY AND LIABILITY

<p>NOTICE: Read the entire Directions for Use and Conditions of Sale and Limitations of Warranty and Liability before buying or using this product. If the terms are not acceptable, return the product at once, unopened, and the purchase price will be refunded.</p>
--

To the extent permitted by applicable law, Manufacturer and Seller warrant that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated in the Directions for Use, subject to the inherent risks referred to above, when used in accordance with directions under normal use conditions. To the extent permitted by applicable law, this warranty does not extend to the use of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to or beyond the control of Seller or Manufacturer, and Buyer and User assume the risk of any such use. To the extent permitted by applicable law, MANUFACTURER AND SELLER MAKE NO WARRANTIES OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE, NOR ANY OTHER EXPRESS OR IMPLIED WARRANTY, EXCEPT AS STATED ABOVE.

To the extent permitted by applicable law, in no event shall Manufacturer or Seller be liable for any incidental, consequential, or special damages resulting from the use or handling of this product. TO THE EXTENT PERMITTED BY APPLICABLE LAW, THE EXCLUSIVE REMEDY OF THE USER OR BUYER, AND THE EXCLUSIVE LIABILITY OF MANUFACTURER AND SELLER FOR ANY AND ALL CLAIMS, LOSSES, INJURIES, OR DAMAGES (INCLUDING CLAIMS BASED ON BREACH OF WARRANTY, CONTRACT, NEGLIGENCE, TORT, STRICT LIABILITY, OR OTHERWISE) RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, SHALL BE THE RETURN OF THE PURCHASE

PRICE OF THE PRODUCT OR, AT THE ELECTION OF THE MANUFACTURER OR SELLER, THE REPLACEMENT OF THE PRODUCT.

Manufacturer and Seller offer this product, and Buyer and User accept it, subject to the foregoing Conditions of Sale and Limitations of Warranty and Liability, which may not be modified except by written agreement signed by a duly authorized representative of Manufacturer.

For non-emergency (e.g., current product information),
Call: 1-800-621-8829

***Not permitted for use against the following species in California: Cotton rat, Eastern harvest mouse, Golden mouse, Polynesian rat, White-throated woodrat, Southern plains woodrat, Mexican woodrat, Meadow vole.**

Alternate Brand Name:

CyKill™ Place Pack® II

Optional Marketing Statements/Graphics:

Code (NI.RI.) NI.RI.

Assault® is a Registered Trademark of Neogen Corporation

Place Pack® is a Registered Trademark of Neogen Corporation

CyKill™ is a Trademark of Neogen Corporation

HACCO, Inc. is a wholly-owned subsidiary of Neogen Corporation

Contains Bromethalin

Ready to Use

Easy to Use

Effective Rodent Control

Effective Indoor and Outdoor Rodent Control of House Mice, Norway Rats, and Roof Rats

Kills Norway Rats, Roof Rats, Cotton Rats*, Polynesian Rats*, White-throated woodrat*, Southern plains woodrat*, Mexican woodrat*, House Mice, Eastern Harvest Mice*, Golden Mice*, and Meadow Voles*

No Need to Touch Bait when Applying

Kills Rats, Mice, and Meadow voles*

With Bittering Agent

Contains Bittering Agent

Kills anticoagulant resistant Norway Rats, Roof Rats, and House Mice

Helps Stop Damage Caused by Norway Rats, Roof Rats, Cotton Rats*, Polynesian Rats*, White-throated Woodrat*, Southern Plains Woodrat*, Mexican Woodrat*, House Mice, Eastern Harvest Mice*, Golden Mice*, and Meadow Voles*

Made in the U.S.A.

Manufactured in the U.S.A.

<American Flag graphic>



<Rat Graphic>



<Neogen Corporation logo>

<Neogen flask logo>



OR



Assault® Mouse/Rat Place Pack®

Sublabel A – Agricultural and Industrial Use Inner Place Pack Label

Effective Control of House Mice, Eastern Harvest Mice*, Golden Mice*, Norway Rats, Roof Rats, Cotton Rats*, Polynesian Rats*, White-throated Woodrats, Southern Plains Woodrats*, Mexican Woodrats, Meadow Voles*.

Kills House Mice, Norway Rats and Roof Rats

Norway Rats, Roof Rats, and House Mice usually consume a lethal dose in a single night's feeding, but it may take two or more days from time of bait consumption for them to die. This product is effective against anticoagulant-resistant House Mice and Norway Rats and Roof Rats.

This product may only be used inside and within 100 feet of man-made structures or inside of transport vehicles (ships, trains, or aircraft).

ACTIVE INGREDIENT:

Bromethalin

(CAS No. 63333-35-7)..... 0.01%

OTHER INGREDIENTS:..... 99.99%

TOTAL: 100.000%

EPA Reg. No. 61282-88

EPA Est. No. 61282-WI-01

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

MAY BE HARMFUL IF EATEN BY CHILDREN OR PETS

IT IS ILLEGAL TO SELL OR DISTRIBUTE THESE PLACE PACKS INDIVIDUALLY

Net Contents:

44 x 1.5 oz. (1.87 kg) through 500 x 1.5 oz. (21.26 kg)

Lot Number

Manufactured by:

HACCO, Inc.

110 Hopkins Drive

Randolph, WI 53956 U.S.A.

***Not permitted for use against the following species in California: Cotton rat, Eastern harvest mouse, Golden mouse, Polynesian rat, White-throated woodrat, Southern plains woodrat, Mexican woodrat, Meadow vole**

FIRST AID	
If Swallowed:	<ul style="list-style-type: none"> • Call a poison control center or doctor immediately for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by the poison control center or doctor. • Do not give anything by mouth to an unconscious person.
If on Skin or on Clothing:	<ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a poison control center or doctor immediately for treatment advice.
TREATMENT FOR PET POISONING	
If animal eats bait, call veterinarian or 1-800-498-5743 at once.	
NOTE TO PHYSICIAN OR VETERINARIAN	
Contains the nerve poison Bromethalin. This is not an anticoagulant-type rodenticide. For humans or animals ingesting bait and/or showing poisoning signs (such as muscle tremors, loss of hind limb use, or seizures for animals), limit absorption by either emesis or gastric lavage. Sub-lethal symptoms, if present, would be the result of cerebral edema and should be treated accordingly through administration of an osmotic diuretic and corticosteroid.	
Have product container or label with you when calling a poison control center, doctor, or going in for treatment.	
For 24-hour emergency information on this product, call 1-800-498-5743 (US & Canada) or 1-651-523-0318 (all other areas).	

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed or absorbed through the skin. Causes moderate eye irritation. Keep away from children, domestic animals, and pets. Do not get in eyes, on skin, or on clothing. All handlers (including applicators) must wear a long-sleeved shirt and barrier laminate gloves. Any person who retrieves carcasses or unused bait following application of this product must wear barrier laminate gloves.

User Safety Requirements

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry. Remove PPE immediately after handling this product. Wash the outside of barrier laminate gloves before removing them. As soon as possible, wash hands thoroughly after applying the bait and before eating, drinking, chewing gum, using tobacco, or using the toilet and change into clean clothing.

ENVIRONMENTAL HAZARDS

This product is extremely toxic to mammals and birds. Dogs and scavenging mammals and birds might be poisoned if they feed upon animals that have eaten this bait. Do not apply directly to water, or to areas where surface water is present, or to intertidal areas below the mean high-water

mark. Run-off may also be hazardous to aquatic organisms in water adjacent to treated areas. Do not contaminate water when disposing of equipment wash water or rinsate.

Stop!

Read Entire Label on the Outer Package Including Precautions, Use Directions, and Storage and Disposal Text prior to Using This Product

DISCLAIMER

[**DISCLAIMER:**] To the extent permitted by applicable law, Seller makes no representation or warranty, either express or implied, for results due to misuse, improper handling, or improper storage of this material. Nor does Seller assume any responsibility for injury to persons, crops, animals, soil, or property arising out of misuse, improper handling, or improper storage of this material.

OR

LIMITED WARRANTY

To the extent permitted by applicable law, Neogen Corporation makes no warranty concerning uses which extend beyond the use of the product under normal conditions in accordance with the statements made on this label. To the extent permitted by applicable law, Neogen Corporation shall not be liable for (1) any consequential, incidental, or special damages related in any way to this product or its uses, or (2) any damages related in any way to resistance to pesticides.

For non-emergency (e.g., current product information), Call: 1-800-621-8829

***Not permitted for use against the following species in California: Cotton rat, Eastern harvest mouse, Golden mouse, Polynesian rat, White-throated woodrat, Southern plains woodrat, Mexican woodrat, Meadow vole**

Alternate Brand Name:
CyKill™ Place Pack® II

Optional Marketing Statements/Graphics:

Code (NI.RI.) NI.RI.

Assault® is a Registered Trademark of Neogen Corporation

Place Pack® is a Registered Trademark of Neogen Corporation

CyKill™ is a Trademark of Neogen Corporation

HACCO, Inc. is a wholly-owned subsidiary of Neogen Corporation

Contains Bromethalin

Ready to Use

Easy to Use

Effective Indoor and Outdoor Rodent Control of House Mice, Norway Rats, and Roof Rats

No Need to Touch Bait when Applying

Assault® Mouse/Rat Place Pack®

Page 10 of 20

August 28, 2018

Kills Rats, Mice, and Meadow voles*

With Bittering Agent

Contains Bittering Agent

Kills anticoagulant resistant Norway Rats, Roof Rats, and House Mice

Effective Control of Norway Rats, Roof Rats, Cotton Rats*, Polynesian Rats*, White-throated woodrat*, Southern plains woodrat*, Mexican woodrat*, House Mice, Eastern Harvest Mice*, Golden Mice*, and Meadow Voles*

Kills Norway Rats, Roof Rats, Cotton Rats*, Polynesian Rats*, White-throated woodrat*, Southern plains woodrat*, Mexican woodrat*, House Mice, Eastern Harvest Mice*, Golden Mice*, and Meadow Voles*

Helps Stop Damage Caused by Norway Rats, Roof Rats, Cotton Rats*, Polynesian Rats*, House Mice, Eastern Harvest Mice*, Golden Mice*, and Meadow Voles*

Made in the U.S.A.

Manufactured in the U.S.A.

<American Flag graphic>



<Rat Graphic>



<Neogen Corporation logo> OR <Neogen flask logo>



Sublabel B – Professional (PCO) Use
Outer Container Label

Assault® Mouse/Rat Place Pack®

Effective Control of House Mice, Eastern Harvest Mice*, Golden Mice*, Norway Rats, Roof Rats, Cotton Rats*, Polynesian Rats*, White-throated Woodrats, Southern Plains Woodrats*, Mexican Woodrats, Meadow Voles*.

Kills House Mice, Norway Rats and Roof Rats

Norway Rats, Roof Rats, and House Mice usually consume a lethal dose in a single night's feeding, but it may take two or more days from time of bait consumption for them to die. This product is effective against anticoagulant-resistant House Mice and Norway Rats and Roof Rats.

This product may only be used inside and within 100 feet of man-made structures or inside of transport vehicles (ships, trains, or aircraft).

ACTIVE INGREDIENT:

Bromethalin

(CAS No. 63333-35-7)..... 0.01%

OTHER INGREDIENTS:..... 99.99%

TOTAL: 100.000%

EPA Reg. No. 61282-88

EPA Est. No. 61282-WI-01

KEEP OUT OF REACH OF CHILDREN
CAUTION

MAY BE HARMFUL IF EATEN BY CHILDREN OR PETS

Net Contents:

44 x 1.5 oz. (1.87 kg) through 500 x 1.5 oz. (21.26 kg)

Lot Number

Manufactured by:
HACCO, Inc.
110 Hopkins Drive
Randolph, WI 53956 U.S.A.

***Not permitted for use against the following species in California: Cotton rat, Eastern harvest mouse, Golden mouse, Polynesian rat, White-throated woodrat, Southern plains woodrat, Mexican woodrat, Meadow vole**

FIRST AID	
If Swallowed:	<ul style="list-style-type: none"> • Call a poison control center or doctor immediately for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by the poison control center or doctor. • Do not give anything by mouth to an unconscious person.
If on Skin or on Clothing:	<ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a poison control center or doctor immediately for treatment advice.
TREATMENT FOR PET POISONING	
If animal eats bait, call veterinarian or 1-800-498-5743 at once.	
NOTE TO PHYSICIAN OR VETERINARIAN	
Contains the nerve poison Bromethalin. This is not an anticoagulant-type rodenticide. For humans or animals ingesting bait and/or showing poisoning signs (such as muscle tremors, loss of hind limb use, or seizures for animals), limit absorption by either emesis or gastric lavage. Sub-lethal symptoms, if present, would be the result of cerebral edema and should be treated accordingly through administration of an osmotic diuretic and corticosteroid.	
Have product container or label with you when calling a poison control center, doctor, or going in for treatment.	
For 24-hour emergency information on this product, call 1-800-498-5743 (US & Canada) or 1-651-523-0318 (all other areas).	

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed or absorbed through the skin. Keep away from children, domestic animals, and pets. Causes moderate eye irritation. Do not get in eyes on skin or on clothing. All handlers (including applicators) must wear long sleeved shirt and gloves. Any person who retrieves carcasses or unused bait following application of this product must wear barrier laminate gloves.

User Safety Requirements

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry. Remove PPE immediately after handling this product. Wash the outside of barrier laminate gloves before removing them. As soon as possible, wash hands thoroughly after applying the bait and before eating, drinking, chewing gum, using tobacco, or using the toilet and change into clean clothing.

ENVIRONMENTAL HAZARDS

This product is extremely toxic to mammals and birds. Dogs and scavenging mammals and birds might be poisoned if they feed upon animals that have eaten this bait. Do not apply directly to water, or to areas where surface water is present, or to intertidal areas below the mean high-water

mark. Run-off may also be hazardous to aquatic organisms in water adjacent to treated areas. Do not contaminate water when disposing of equipment wash water or rinsate.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ THIS LABEL: Read this entire label and follow all use directions, use restrictions, and precautions. Use only for the sites, pests, and application methods described on this label.

IMPORTANT: Do not expose children, pets, or other non-target animals to rodenticides. To help to prevent accidents:

4. Store product not in use in a location out of reach of children and pets.
5. Apply bait in locations out of reach of children, pets, domestic animals, and non-target wildlife, or in tamper-resistant bait stations. These stations must be resistant to destruction by dogs and by children under six years of age, and must be used in a manner that prevents such children from reaching into bait compartments and obtaining bait. If bait can be shaken from stations when they are lifted, units must be secured or otherwise immobilized. Even stronger bait stations are needed in areas open to hooved livestock, raccoons, bears, or other potentially destructive animals, or in areas prone to vandalism.
6. Dispose of product container, and unused, spoiled, and unconsumed bait as specified on this label.

Bait stations are mandatory for outdoor, above-ground use. Tamper-resistant bait stations must be used wherever children, pets, non-target mammals, or birds may have access to the bait placement location.

USE RESTRICTIONS

This product can only be used to control Norway rat (*Rattus norvegicus*), Roof rat (*Rattus rattus*), Cotton rat (*Sigmodon hispidus*)*, Polynesian rat* (*Rattus exulans*), White-throated woodrat (*Neotoma albigula*)*, Southern plains woodrat* (*Neotoma micropus*), Mexican woodrat (*Neotoma mexicana*)*, House mouse (*Mus musculus*), Eastern harvest mouse (*Reithrodontomys humulis*)*, Golden mouse (*Ochrotomys nuttalli*)*, and Meadow vole (*Microtus pennsylvanicus*)* in and within 100 feet of man-made structures constructed in a manner so as to be vulnerable to commensal rodent invasions and/or to harboring or attracting rodent infestations. Examples of such structures include homes and other permanent or temporary residences, food processing facilities, industrial and commercial buildings, trash receptacles, agricultural and public buildings, transport vehicles (ships, trains, aircraft) docks and port of terminal buildings, and related structures around an associated with these sites. Fence and perimeter baiting beyond 100 feet from a structure as defined above is prohibited. This product must not be applied directly to food or feed crops.

Do not use this product in sewers. Do not place bait near or inside of ventilation duct openings. Do not contaminate water, food, feed, food- or feed-handling equipment, milk- or meat-handling equipment, or surfaces that come into direct contact with food. Do not broadcast bait. Do not apply further than 100 feet from building.

Burrow baiting with Assault Mouse/Rat Place Pack is prohibited.

Do not sell this product in individual containers holding less than four (4) pounds of bait.

SELECTION OF TREATMENT AREAS: Determine areas where rats, mice, or meadow voles* will most likely find and consume the bait. Generally, these areas are along walls, by gnawed openings, in corners and concealed places, between floors and walls, or in locations where signs of these rodents have been seen. Remove as much alternative food accessible to rodents as possible.

APPLICATION DIRECTIONS

The active ingredient in this product is different from anticoagulant rodenticides. Individual rats and mice cease feeding after consuming a toxic dose.

Rats*: Apply 1 to 4 Place Packs at each placement location. Space placements at intervals of 15 to 30 feet in infested areas. The bait in a single Place Pack could only be expected to control one to three rats.

Mice and Meadow Voles*: Apply 1 Place Pack at each placement location. Space placements at 8- to 12-foot intervals.

Follow-Up: Adjust the amount of bait applied to the level of feeding expected at each bait placement location. Highest bait consumption is expected to occur on the first day or two after treatment. After several days, inspect bait placements and replenish bait at sites where there is heavy feeding or where there is continued evidence of rat, mouse, or meadow vole* activity. Maintain baiting for at least one week or until there no longer are fresh signs of rat, mouse, or meadow vole* activity have ceased, or it becomes clear that the remaining rats, mice, or meadow voles* are not attracted to the bait.

Wearing barrier laminate gloves, collect and properly dispose of all dead rodents and leftover bait. To discourage reinfestation, limit sources of food, water, and harborage as much as possible. If reinfestation does occur, repeat treatment. Where a continuous source of infestation is present, establish permanent bait stations and replenish them as needed.

***Not permitted for use against the following species in California: Cotton rat, Eastern harvest mouse, Golden mouse, Polynesian rat, White-throated woodrat, Southern plains woodrat, Mexican woodrat, Meadow vole**

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Pesticide Storage: Store in original container in a cool, dry place inaccessible to children and pets. Keep containers closed and away from other chemicals.

Pesticide Disposal: Dispose of wastes resulting from the use of this product in trash or at an approved waste disposal facility.

Container Handling:

Nonrefillable container. Do not reuse or refill this container.

Plastic Containers: Triple rinse (or equivalent) then offer for recycling or reconditioning; or puncture and dispose of container in a sanitary landfill; or by incineration.

Paper Containers: Dispose of empty container by placing in trash, at an approved waste disposal facility, or by incineration. In most states burning is not allowed.

DISCLAIMER

[DISCLAIMER:] To the extent permitted by applicable law, Seller makes no representation or warranty, either express or implied, for results due to misuse, improper handling, or improper storage of this material. Nor does Seller assume any responsibility for injury to persons, crops, animals, soil, or property arising out of misuse, improper handling, or improper storage of this material.

OR

LIMITED WARRANTY

To the extent permitted by applicable law, Neogen Corporation makes no warranty concerning uses which extend beyond the use of the product under normal conditions in accordance with the statements made on this label. To the extent permitted by applicable law, Neogen Corporation shall not be liable for (1) any consequential, incidental, or special damages related in any way to this product or its uses, or (2) any damages related in any way to resistance to pesticides.

OR

CONDITIONS OF SALE AND LIMITATIONS OF WARRANTY AND LIABILITY

<p>NOTICE: Read the entire Directions for Use and Conditions of Sale and Limitations of Warranty and Liability before buying or using this product. If the terms are not acceptable, return the product at once, unopened, and the purchase price will be refunded.</p>
--

To the extent permitted by applicable law, Manufacturer and Seller warrant that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated in the Directions for Use, subject to the inherent risks referred to above, when used in accordance with directions under normal use conditions. To the extent permitted by applicable law, this warranty does not extend to the use of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to or beyond the control of Seller or Manufacturer, and Buyer and User assume the risk of any such use. To the extent permitted by applicable law, MANUFACTURER AND SELLER MAKE NO WARRANTIES OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE, NOR ANY OTHER EXPRESS OR IMPLIED WARRANTY, EXCEPT AS STATED ABOVE.

To the extent permitted by applicable law, in no event shall Manufacturer or Seller be liable for any incidental, consequential, or special damages resulting from the use or handling of this product. TO THE EXTENT PERMITTED BY APPLICABLE LAW, THE EXCLUSIVE REMEDY OF THE USER OR BUYER, AND THE EXCLUSIVE LIABILITY OF MANUFACTURER AND SELLER FOR ANY AND ALL CLAIMS, LOSSES, INJURIES, OR DAMAGES (INCLUDING CLAIMS BASED ON BREACH OF WARRANTY, CONTRACT, NEGLIGENCE, TORT, STRICT LIABILITY, OR OTHERWISE) RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, SHALL BE THE RETURN OF THE PURCHASE

PRICE OF THE PRODUCT OR, AT THE ELECTION OF THE MANUFACTURER OR SELLER, THE REPLACEMENT OF THE PRODUCT.

Manufacturer and Seller offer this product, and Buyer and User accept it, subject to the foregoing Conditions of Sale and Limitations of Warranty and Liability, which may not be modified except by written agreement signed by a duly authorized representative of Manufacturer.

For non-emergency (e.g., current product information),
Call: **1-800-621-8829**

***Not permitted for use against the following species in California: Cotton rat, Eastern harvest mouse, Golden mouse, Polynesian rat, White-throated woodrat, Southern plains woodrat, Mexican woodrat, Meadow vole**

Alternate Brand Name:

CyKill™ Place Pack® II

Optional Marketing Statements/Graphics:

Code (N.I.R.I.) N.I.R.I

HACCO, Inc. is a wholly-owned subsidiary of Neogen Corporation

Assault® is a Registered Trademark of Neogen Corporation

Place Pack® is a Registered Trademark of Neogen Corporation

CyKill™ is a Trademark of Neogen Corporation

Contains Bromethalin

Effective Control of Norway Rats, Roof Rats, Cotton Rats*, Polynesian Rats*, White-throated woodrat*, Southern plains woodrat*, Mexican woodrat*, House Mice, Eastern Harvest Mice*, Golden Mice*, and Meadow Voles*

Kills Norway Rats, Roof Rats, Cotton Rats*, Polynesian Rats*, White-throated woodrat*, Southern plains woodrat*, Mexican woodrat*, House Mice, Eastern Harvest Mice*, Golden Mice*, and Meadow Voles*

Ready to Use

Easy to Use

Effective Indoor and Outdoor Rodent Control of House Mice, Norway Rats, and Roof Rats

No Need to Touch Bait when Applying

Kills Rats, Mice, and Meadow voles*

With Bittering Agent

Contains Bittering Agent

Kills anticoagulant resistant Norway Rats, Roof Rats, and House Mice

Helps Stop Damage Caused by Norway Rats, Roof Rats, Cotton Rats*, Polynesian Rats*, House Mice, Eastern Harvest Mice*, Golden Mice*, and Meadow Voles*

Made in the U.S.A.

Manufactured in the U.S.A.

<American Flag graphic>



<Rat Graphic>



<Neogen Corporation logo> OR <Neogen flask logo>



**Sublabel B – PCO
Inner Place Pack Label**

Effective Control of House Mice, Eastern Harvest Mice*, Golden Mice*, Norway Rats, Roof Rats, Cotton Rats*, Polynesian Rats*, White-throated Woodrats, Southern Plains Woodrats*, Mexican Woodrats, Meadow Voles*.

Kills House Mice, Norway Rats and Roof Rats
Norway Rats, Roof Rats, and House Mice usually consume a lethal dose in a single night's feeding, but it may take two or more days from time of bait consumption for them to die. This product is effective against anticoagulant-resistant House Mice and Norway Rats and Roof Rats.

This product may only be used inside and within 100 feet of man-made structures or inside of transport vehicles (ships, trains, or aircraft).

ACTIVE INGREDIENT:

Bromethalin

(CAS No. 63333-35-7)..... 0.01%

OTHER INGREDIENTS:..... 99.99%

TOTAL: 100.000%

EPA Reg. No. 61282-88

EPA Est. No. 61282-WI-01

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

MAY BE HARMFUL IF EATEN BY CHILDREN OR PETS

IT IS ILLEGAL TO SELL OR DISTRIBUTE THESE PLACE PACKS INDIVIDUALLY

Net Contents:

44 x 1.5 oz. (1.87 kg) through 500 x 1.5 oz. (21.26 kg)

Lot Number

Manufactured by:
HACCO, Inc.
110 Hopkins Drive
Randolph, WI 53956 U.S.A.

***Not permitted for use against the following species in California: Cotton rat, Eastern harvest mouse, Golden mouse, Polynesian rat, White-throated woodrat, Southern plains woodrat, Mexican woodrat, Meadow vole.**

FIRST AID	
If Swallowed:	<ul style="list-style-type: none"> • Call a poison control center or doctor immediately for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by the poison control center or doctor. • Do not give anything by mouth to an unconscious person.
If on Skin or on Clothing:	<ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a poison control center or doctor immediately for treatment advice.
TREATMENT FOR PET POISONING	
If animal eats bait, call veterinarian or 1-800-498-5743 at once.	
NOTE TO PHYSICIAN OR VETERINARIAN	
Contains the nerve poison Bromethalin. This is not an anticoagulant-type rodenticide. For humans or animals ingesting bait and/or showing poisoning signs (such as muscle tremors, loss of hind limb use, or seizures for animals), limit absorption by either emesis or gastric lavage. Sub-lethal symptoms, if present, would be the result of cerebral edema and should be treated accordingly through administration of an osmotic diuretic and corticosteroid.	
Have product container or label with you when calling a poison control center, doctor, or going in for treatment.	
For 24-hour emergency information on this product, call 1-800-498-5743 (US & Canada) or 1-651-523-0318 (all other areas).	

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed or absorbed through the skin. Causes moderate eye irritation. Keep away from children, domestic animals, and pets. Do not get in eyes, on skin, or on clothing. All handlers (including applicators) must wear a long-sleeved shirt and barrier laminate gloves. Any person who retrieves carcasses or unused bait following application of this product must wear barrier laminate gloves.

User Safety Requirements

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry. Remove PPE immediately after handling this product. Wash the outside of barrier laminate gloves before removing them. As soon as possible, wash hands thoroughly after applying the bait and before eating, drinking, chewing gum, using tobacco, or using the toilet and change into clean clothing.

ENVIRONMENTAL HAZARDS

This product is extremely toxic to mammals and birds. Dogs and scavenging mammals and birds might be poisoned if they feed upon animals that have eaten this bait. Do not apply directly to water, or to areas where surface water is present, or to intertidal areas below the mean high-water

mark. Run-off may also be hazardous to aquatic organisms in water adjacent to treated areas. Do not contaminate water when disposing of equipment wash water or rinsate.

Stop!
**Read Entire Label on the Outer Package Including Precautions, Use
Directions, and Storage and Disposal Text prior to Using This Product**

DISCLAIMER

[DISCLAIMER:] To the extent permitted by applicable law, Seller makes no representation or warranty, either express or implied, for results due to misuse, improper handling, or improper storage of this material. Nor does Seller assume any responsibility for injury to persons, crops, animals, soil, or property arising out of misuse, improper handling, or improper storage of this material.

OR

LIMITED WARRANTY

To the extent permitted by applicable law, Neogen Corporation makes no warranty concerning uses which extend beyond the use of the product under normal conditions in accordance with the statements made on this label. To the extent permitted by applicable law, Neogen Corporation shall not be liable for (1) any consequential, incidental, or special damages related in any way to this product or its uses, or (2) any damages related in any way to resistance to pesticides.

For non-emergency (e.g., current product information), Call: 1-800-621-8829

***Not permitted for use against the following species in California: Cotton rat, Eastern harvest mouse, Golden mouse, Polynesian rat, Meadow vole**

Alternate Brand Name:

CyKill™ Place Pack® II

Optional Marketing Statements/Graphics:

Code (NI.RI.) NI.RI.

Assault® is a Registered Trademark of Neogen Corporation

Place Pack® is a Registered Trademark of Neogen Corporation

CyKill™ is a Trademark of Neogen Corporation

HACCO, Inc. is a wholly-owned subsidiary of Neogen Corporation

Contains Bromethalin

Ready to Use

Easy to Use

Assault® Mouse/Rat Place Pack®

Page 20 of 20

August 28, 2018

Effective Indoor and Outdoor Control of House Mice, Norway Rats, and Roof Rats

No Need to Touch Bait when Applying

Kills Rats, Mice, and Meadow voles*

With Bittering Agent

Contains Bittering Agent

Kills anticoagulant resistant Norway Rats, Roof Rats, and House Mice

Helps Stop Damage Caused by Norway Rats, Roof Rats, Cotton Rats*, Polynesian Rats*, House Mice, Eastern Harvest Mice*, Golden Mice*, and Meadow Voles*

Made in the U.S.A.

Manufactured in the U.S.A.

<American Flag graphic>



<Rat Graphic>



<Neogen Corporation logo> OR <Neogen flask logo>

