



## OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

WASHINGTON, D.C. 20460

February 24, 2026

Susan Westra  
Regulatory Specialist III  
HACCO, Inc.  
110 Hopkins Drive  
Randolph, WI 53956

Subject: Approval of Label Amendment; Only Indicated Changes Reviewed – Adding ABNs, optional marketing statements and graphics, updating company info and emergency numbers to reflect transfer; other minor format changes  
Product Name: Talon-G Rodenticide Bait Pack Mini Pellets with Bitrex  
EPA Registration Number: 61282-108  
Application Date: 8/11/2025  
Case Number: 666092

Dear Ms. Westra:

The amended label referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), as amended, is acceptable. However, EPA reviewed only the label changes highlighted, marked, or otherwise indicated on the submitted label. Any other changes to the previously approved label that were not clearly highlighted, marked, or otherwise indicated in your submission were not reviewed and may form the basis of regulatory and/or enforcement action if later discovered by the Agency. Further, submission of a label amendment application with unidentified changes may be considered a knowing submission of false information to the Agency. This approval does not affect any conditions that were previously imposed on this registration. You continue to be subject to existing conditions on your registration and any deadlines connected with them.

The label submitted with the application has been stamped “Accepted Only Indicated Revisions Reviewed” and is enclosed for your records.

The alternate brand names below have been added to the product record:

- SureKill® Brand Talon® G Rodenticide Bait Packs (Mini Pellets)
- SureKill® Brand Talon® G Rodenticide Mini Bait Packs
- SureKill® Brand Talon® G Mini Bait Packs
- SureKill® Brand Talon® Rodenticide Mini Bait Packs
- SureKill® Brand Talon® Mini Bait Packs

This labeling supersedes all previously accepted labeling. You must submit one copy of the final printed labeling before you release the product for shipment with the new labeling. In accordance with 40 C.F.R. § 152.130(c), you may distribute or sell this product under the previously approved labeling for 18 months from the date of this letter. After 18 months, you may only distribute or sell this product if it bears this new revised labeling or subsequently approved labeling. "To distribute or sell" is defined under FIFRA section 2(gg) and its implementing regulation at 40 C.F.R. § 152.3.

Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under FIFRA and is subject to review by the Agency. If the website contains any false or misleading statement, design, or graphic, the product may be misbranded and unlawful to sell or distribute under FIFRA Sections 2(q)(1)(A) and 12(a)(1)(E). 40 C.F.R. § 156.10(a)(5) lists examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on the product label, claims made as part of the product's sale or distribution may not substantially differ from those claims approved through the registration process under FIFRA Section 12(a)(1)(B). Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the product will be referred to the EPA's Office of Enforcement and Compliance Assurance.

Your release for shipment of the product constitutes acceptance of these conditions. If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6.


If you have any questions, please contact Jasmin Jackson at [jackson.jasmin@epa.gov](mailto:jackson.jasmin@epa.gov).

Sincerely,

A handwritten signature in black ink, appearing to read "Melissa Bridges", with a stylized flourish at the end.

Melissa Bridges, Product Manager 7  
Invertebrate-Vertebrate Branch III  
Registration Division (7505T)  
Office of Pesticide Programs

(Outer Carton Label)



**Havoc® Rodenticide Bait Pack Pellets with Bitrex®**

**Alternate Brand Name:**

SureKill® Brand Talon® G Rodenticide Bait Packs (Mini Pellets)

SureKill® Brand Talon® G Rodenticide Mini Bait Packs

SureKill® Brand Talon® G Mini Bait Packs

SureKill® Brand Talon® Rodenticide Mini Bait Packs

SureKill® Brand Talon® Mini Bait Packs

**INDIVIDUAL SALE PROHIBITED BY LAW (pail only)**

**For Control of Commensal Rats and House Mice  
Second-Generation Anticoagulant**

Kills Warfarin-Resistant Norway Rats and House Mice.

Norway rats and house mice may consume a lethal dose in one night's feeding with first dead rodents appearing four or five days after feeding begins.

Active Ingredient:

Brodifacoum

3-[3-(4'-bromo-[1,1'-biphenyl]-4-yl)-1,2,3,4-

tetrahydro-1-naphthalenyl]-4-hydroxy-2H-1-benzopyran-2-one .....0.005%

Other Ingredients: ..... 99.995%

Total: ..... 100.000%

**KEEP OUT OF REACH OF CHILDREN.**

**CAUTION**

**See additional precautionary statements and directions for use on label.**

**Distribution to and sales in "consumer" stores, including grocery stores, drug stores, hardware stores, and club stores, is prohibited.**

EPA Reg. No. ~~100-105661282-108~~

EPA Est. ~~XXXX 61282-WI-01~~

Product of xxxxx

Formulated in the USA

Product ID xxxxx

~~SCP1050 M(draft 100 ft b)~~

8 pounds 4 ounces (150 x 0.88 ounces/25 grams bait pack) 3/32" mini pellets [pail only]

Net Weight

16 pounds, 8 ounces (2 x 150 x 0.88 ounces/25 grams bait pack) 3/32” mini pellets [box only]  
Net Weight

---

**PRECAUTIONARY STATEMENTS**

---

**Hazards to Humans and Domestic Animals****CAUTION**

Harmful if swallowed or absorbed through the skin. Keep away from children, domestic animals, and pets. Do not get in eyes, on skin, or on clothing.

All handlers (including applicators) must wear long-sleeve shirt, long pants, shoes plus socks, and gloves. Any person who retrieves carcasses or unused bait following application of this product must wear waterproof gloves.

**User Safety Requirements**

Follow manufacturer’s instruction for cleaning/maintaining Personal Protective Equipment (PPE). If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry. Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash hands thoroughly after applying bait and before eating, drinking, chewing gum, using tobacco, or using the toilet and change into clean clothing.

**FIRST AID****HAVE LABEL WHEN OBTAINING TREATMENT ADVICE**

<b>If swallowed</b>	<ul style="list-style-type: none"><li>• Call a poison control center, <del>or</del> doctor, <del>or</del> <b>HOT LINE NUMBER</b> immediately for treatment advice.</li><li>• Have person sip a glass of water if able to swallow.</li><li>• Do not induce vomiting unless told to do so by the poison control center or doctor.</li></ul>
<b>If on skin or clothing</b>	<ul style="list-style-type: none"><li>• Take off contaminated clothing.</li><li>• Rinse skin immediately with plenty of water for 15-20 minutes.</li><li>• Call a poison control center, <del>or</del> doctor, <del>or</del> <b>1-800-888-8372</b> immediately for treatment advice.</li></ul>

**~~—————HOT LINE NUMBER~~**

~~—————For 24-Hour Medical Emergency Assistance (Human or Animal)~~  
~~—————Or Chemical Emergency Assistance (Spill, Leak, Fire or Accident)~~

~~—————Call~~  
~~**1-800-888-8372**~~

**NOTE TO PHYSICIAN**

If swallowed, this material may reduce the clotting ability of the blood and cause bleeding. If ingested, administer Vitamin K<sub>1</sub> intramuscularly or orally. Vitamin K<sub>1</sub> is antidotal at doses of 10-20 mg (**not** mg/kg). Repeat as necessary based on monitoring of prothrombin times.

### TREATMENT FOR PET POISONING

If animal eats bait, call veterinarian or **HOT LINE NUMBER** at once.

#### NOTE TO VETERINARIAN

**Anticoagulant Brodifacoum:** For animals ingesting bait and/or showing poisoning signs (bleeding or elevated prothrombin times), give Vitamin K<sub>1</sub> at doses of 2-5 mg/kg. If needed, check prothrombin times every 3 days until values return to normal (up to 30 days). In severe cases, blood transfusions may be needed.

**For 24-hour emergency information on this product, call 1-800-498-5743 (US & Canada) or 1-651-523-0318 (all other areas).**

#### Environmental Hazards

This product is extremely toxic to mammals and birds. Dogs, cats, and other predatory and scavenging mammals and birds might be poisoned if they feed upon animals that have eaten this bait. This pesticide is toxic to fish. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Runoff also may be hazardous to aquatic organisms in water adjacent to treated areas. Do not contaminate water when disposing of equipment wash water or rinsate.

#### ~~CONDITIONS OF SALE AND LIMITATION OF WARRANTY AND LIABILITY~~

~~**NOTICE:** Read the entire Directions for Use and Conditions of Sale and Limitation of Warranty and Liability before buying or using this product. If the terms are not acceptable, return the product at once, unopened, and the purchase price will be refunded.~~

~~The Directions for Use of this product must be followed carefully. It is impossible to eliminate all risks inherently associated with the use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as manner of use or application, weather or crop conditions, presence of other materials or other influencing factors in the use of the product, which are beyond the control of SYNGENTA CROP PROTECTION, LLC or Seller. To the extent permitted by applicable law, Buyer and User agree to hold SYNGENTA and Seller harmless for any claims relating to such factors.~~

~~SYNGENTA warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated in the Directions for Use, subject to the inherent risks referred to above, when used in accordance with directions under normal use conditions. To the extent permitted by applicable law: (1) this warranty does not extend to the use of this product contrary to label instructions or under conditions not reasonably foreseeable to or beyond the control of Seller or SYNGENTA, and (2) Buyer and User assume the risk of any such use. **TO THE EXTENT PERMITTED BY APPLICABLE LAW, SYNGENTA MAKES NO WARRANTIES OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE NOR ANY OTHER EXPRESS OR IMPLIED WARRANTY EXCEPT AS WARRANTED BY THIS LABEL.**~~

~~To the extent permitted by applicable law, in no event shall SYNGENTA be liable for any incidental, consequential or special damages resulting from the use or handling of this product. **TO THE EXTENT PERMITTED BY APPLICABLE LAW, THE EXCLUSIVE REMEDY OF THE USER OR BUYER, AND THE EXCLUSIVE LIABILITY OF SYNGENTA AND SELLER FOR ANY AND ALL CLAIMS, LOSSES, INJURIES OR DAMAGES**~~

~~(INCLUDING CLAIMS BASED ON BREACH OF WARRANTY, CONTRACT, NEGLIGENCE, TORT, STRICT LIABILITY OR OTHERWISE) RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, SHALL BE THE RETURN OF THE PURCHASE PRICE OF THE PRODUCT OR, AT THE ELECTION OF SYNGENTA OR SELLER, THE REPLACEMENT OF THE PRODUCT.~~

~~SYNGENTA and Seller offer this product, and Buyer and User accept it, subject to the foregoing conditions of sale and limitations of warranty and of liability, which may not be modified except by written agreement signed by a duly authorized representative of SYNGENTA.~~

## DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**READ THIS LABEL:** Read this entire label and follow all use directions and use precautions. Use only for the sites, pests, and application methods described on this label. *(It is illegal to sell these bait packs individually. (bait pack))*

**Important: Do not expose children, pets, or other nontarget animals to rodenticides. To reduce exposure:**

- Store product not in use in a location out of reach of children and pets.
- Apply bait in locations out of reach of children, pets, domestic animals and nontarget wildlife, or in tamper-resistant bait stations. All above-ground, outdoor applications must be in tamper-resistant bait stations. These stations must be resistant to destruction by dogs and by children under 6 years of age, and must be used in a manner that prevents such children from reaching into bait compartments and obtaining bait. If bait can be shaken from stations when they are lifted, units must be secured or otherwise immobilized. Even stronger bait stations are needed in areas open to hooved livestock, raccoons, bears, or other potentially destructive animals, or in areas prone to vandalism.
- Dispose of product container, and unused, spoiled, and unconsumed bait as specified on this label.

**Note:** Bait stations are mandatory for outdoor, above-ground use. Tamper-resistant bait stations must be used if children, pets, non-target mammals, or birds may access the bait.

## USE RESTRICTIONS

This product may only be used to control Norway rats, roof rats, and house mice *in and within* 100 feet of man-made structures constructed in a manner so as to be vulnerable to commensal rodent invasions and/or harboring or attracting rodent infestations. Examples of such structures include homes and other permanent or temporary residences, food-processing facilities, industrial and commercial buildings, trash receptacles, agricultural and public buildings, transport vehicles (ships, trains, aircraft), docks, and port of terminal buildings and related structures around and associated with these sites. Fence and perimeter baiting beyond 100 feet

from a structure as defined above is prohibited. This product must not be applied directly to food or feed crops. Do not broadcast bait.

Do not use in sewers. Do not place near or inside ventilation duct openings. Do not contaminate water, food, feedstuffs, food- or feed-handling equipment, or milk- or meat-handling equipment or surfaces that come into direct contact with food. When used in USDA-inspected facilities, this product must be applied in tamper-resistant bait stations. Do not broadcast bait. Do not use in sewers.

Burrow baiting with Talon G Rodenticide Bait Pack Mini Pellets is prohibited.

Do not sell this product in individual containers holding less than 16 pounds of bait.

## **SELECTION OF TREATMENT AREAS**

Determine areas where rats and/or mice will most likely find and consume the bait. Generally, these areas are along walls, by gnawed openings, in corners and concealed places, between floors and walls, or in locations where rodents or their signs have been observed. Remove as much food as possible.

---

## **APPLICATION DIRECTIONS**

---

### **Norway and Roof Rats**

Apply 4-16 bait packs (usually at intervals of 15-30 ft.) per placement. Maintain an uninterrupted supply of fresh bait for 10 days or until signs of rat activity cease.

### **House Mice**

Apply 1 bait pack per placement. Space placements at intervals of 8-12 ft. Two bait packs may be needed at points of very high mouse activity. Maintain an uninterrupted supply of fresh bait for 15 days or until signs of mouse activity cease.

### **Follow-Up**

Replace contaminated or spoiled bait immediately. Collect and dispose of all dead rodents and leftover bait properly. To prevent re-infestation, limit sources of rodent food, water, and harborage as much as possible. If re-infestation does occur, repeat treatment. Where a continuous source of infestation is present, maintain permanent bait stations and replenish with census or toxic bait as needed.

---

## **STORAGE AND DISPOSAL**

---

~~Do not contaminate water, food or feed by storage or disposal.~~

### ~~**Pesticide Storage**~~

~~Store only in original container in a cool, dry place inaccessible to children and pets. Keep containers closed and away from other chemicals.~~

### ~~**Pesticide Disposal**~~

~~Dispose of wastes resulting from the use of this product at an approved waste disposal facility or call your local solid waste agency for alternative disposal instructions. Never place unused~~

~~product down any indoor or outdoor drain.~~

~~**Container Handling** (*container, bait pack*)~~

~~Non-refillable container. Do not reuse or refill this container. When completely empty, offer for recycling if available, or dispose of empty container in a sanitary landfill, or by incineration, or by other procedures allowed by state and local authorities.~~

**STORAGE AND DISPOSAL**

Do not contaminate water, food or feed by storage or disposal.

**Pesticide Storage:** Store in original container in a cool, dry place inaccessible to children and pets. Keep containers closed and away from other chemicals.

**Pesticide Disposal:** Dispose of wastes resulting from the use of this product at an approved waste disposal facility or call your local solid waste agency for alternative disposal instructions. Never place unused product down any indoor or outdoor drain.

**Container Handling:** Nonrefillable container. Do not reuse or refill this container. When completely empty, offer for recycling if available or dispose of empty container in a sanitary landfill, or by incineration, or other procedures allowed by state and local authorities.

---

**DISCLAIMER**

---

[DISCLAIMER:] To the extent permitted by applicable law, Seller makes no representation or warranty, either express or implied, for results due to misuse, improper handling, or improper storage of this material. To the extent permitted by applicable law, Seller does not assume any responsibility for injury to persons, crops, animals, soil, or property arising out of misuse, improper handling, or improper storage of this material.

**OR**

---

**LIMITED WARRANTY**

---

To the extent permitted by applicable law, Neogen Corporation makes no warranty concerning uses which extend beyond the use of the product under normal conditions in accord with the statements made on this label. To the extent permitted by applicable law, Neogen Corporation shall not be liable for (1) any consequential, incidental, or special damages related in any way to this product or its uses, or (2) any damages related in any way to resistance to pesticides.

**OR**

---

**CONDITIONS OF SALE AND LIMITATIONS OF WARRANTY AND LIABILITY**

---

**NOTICE:** Read the entire Directions for Use and Conditions of Sale and Limitations of Warranty and Liability before buying or using this product. If the terms are not acceptable, return the product at once, unopened, and the purchase price will be refunded.

To the extent permitted by applicable law, Manufacturer and Seller warrant that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated in the Directions for Use, subject to the inherent risks referred to above, when used in accordance with directions under normal use conditions. To the extent permitted by applicable law, this warranty does not extend to the use of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to or beyond the control of Seller or Manufacturer, and Buyer and User assume the risk of any such use. To the extent permitted by applicable law, MANUFACTURER AND SELLER MAKE NO WARRANTIES OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE NOR ANY OTHER EXPRESS OR IMPLIED WARRANTY EXCEPT AS STATED ABOVE.

To the extent permitted by applicable law, in no event shall Manufacturer or Seller be liable for any incidental, consequential, or special damages resulting from the use or handling of this product. TO THE EXTENT PERMITTED BY APPLICABLE LAW, THE EXCLUSIVE REMEDY OF THE USER OR BUYER, AND THE EXCLUSIVE LIABILITY OF MANUFACTURER AND SELLER FOR ANY AND ALL CLAIMS, LOSSES, INJURIES, OR DAMAGES (INCLUDING CLAIMS BASED ON BREACH OF WARRANTY, CONTRACT, NEGLIGENCE, TORT, STRICT LIABILITY, OR OTHERWISE) RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, SHALL BE THE RETURN OF THE PURCHASE PRICE OF THE PRODUCT OR, AT THE ELECTION OF THE MANUFACTURER OR SELLER, THE REPLACEMENT OF THE PRODUCT.

Manufacturer and Seller offer this product, and Buyer and User accept it, subject to the foregoing Conditions of Sale and Limitations of Warranty and Liability, which may not be modified except by written agreement signed by a duly authorized representative of Manufacturer.

---

Havoc® and the Syngenta logo are trademarks of a Syngenta Group Company. Havoc® is a trademark of Syngenta Group Company.

Bitrex® is a trademark of Macfarlan Smith Ltd., Edinburgh, Scotland.

©2012 Syngenta

For non-emergency (e.g. current product information) call  
Syngenta Crop Protection at 1-800-334-9481.  
For non-emergency (e.g., current product information),  
Call: **1-800-621-8829**

Manufactured for by:  
Syngenta Crop Protection, LLC  
P.O. Box 18300  
Greensboro, North Carolina 27419-8300  
HACCO, Inc.  
110 Hopkins Drive  
Randolph, WI 53956

SCP 1056 MAS 1012

Talon G 1050 M (draft 100 ft b)

**Optional Marketing Statements:**

Contains Brodifacoum

Brodifacoum

For use In and Around Agricultural Buildings

For use In and Around Agricultural Buildings and Structures

For indoor and outdoor rat and house mouse control

Can be used indoors or outdoors

Kills Rats and Mice

Kills Norway Rats, Roof Rats, and House Mice

Kills House Mice

Made with grains

Palatable formulation

Helps Provide [effective] control

Helps Control rats and house mice

Helps provide effective control of rats and house mice

Helps Stop Damage Caused by Rats [Norway Rats, Roof Rats,] and House Mice

Contains Bittering Agent

Rat graphics:



Made in the U.S.A. with global components.

Manufactured in the US.A. with global components.

Brand Logos:

**SureKill<sup>®</sup>**  
Brand

Talon<sup>®</sup>G

Talon<sup>®</sup>

SureKill is a registered trademark of Neogen Corporation.

Talon is a registered trademark of Syngenta Group Company.

Company Logo:



HACCO, Inc. is a wholly owned subsidiary of Neogen Corporation.

~~Talon G 1050 (draft 100 ft b)~~

(Master label)

(25 gm bait pack)

**TALON® G Rodenticide Bait Pack Pellets with Bitrex®**

**Alternate Brand Name:**

SureKill® Brand Talon® G Rodenticide Bait Packs (Mini Pellets)

SureKill® Brand Talon® G Rodenticide Mini Bait Packs

SureKill® Brand Talon® G Mini Bait Packs

SureKill® Brand Talon® Rodenticide Mini Bait Packs

SureKill® Brand Talon® Mini Bait Packs

**INDIVIDUAL SALE PROHIBITED BY LAW**

**For Control of Commensal Rats and House Mice  
Second-Generation Anticoagulant**

Kills Warfarin-Resistant Norway Rats and House Mice.

Norway rats and house mice may consume a lethal dose in one night's feeding with first dead rodents appearing four or five days after feeding begins.

Active Ingredient:

Brodifacoum

3-[3-(4'-bromo-[1,1'-biphenyl]-4-yl)-1,2,3,4-

tetrahydro-1-naphthalenyl]-4-hydroxy-2H-1-benzopyran-2-one ..... 0.005%

Other Ingredients: ..... 99.995%

Total: ..... 100.000%

**KEEP OUT OF REACH OF CHILDREN.**

**CAUTION**

**See additional precautionary statements, storage and disposal, and complete directions for use on outer carton label.**

**Distribution to and sales in "consumer" stores, including grocery stores, drug stores, hardware stores, and club stores, is prohibited.**

EPA Reg. No. ~~100-105661282-108~~

EPA Est. ~~XXXX61282-WI-01~~

Product of xxxxx

Product ID xxxx

~~SCP 1050 M (draft 100 ft b)~~

0.88 ounces (25 grams) 3/32" mini pellets

Net Weight

## PRECAUTIONARY STATEMENTS

### Hazards to Humans and Domestic Animals

#### CAUTION

Harmful if swallowed or absorbed through the skin. Keep away from children, domestic animals, and pets. Do not get in eyes, on skin, or on clothing.

All handlers (including applicators) must wear long-sleeve shirt, long pants, shoes plus socks, and gloves. Any person who retrieves carcasses or unused bait following application of this product must wear waterproof gloves.

#### User Safety Requirements

Follow manufacturer's instruction for cleaning/maintaining Personal Protective Equipment (PPE). If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry. Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash hands thoroughly after applying bait and before eating, drinking, chewing gum, using tobacco, or using the toilet and change into clean clothing.

<b>FIRST AID</b> <b>HAVE LABEL WHEN OBTAINING TREATMENT ADVICE</b>	
<b>If swallowed</b>	<ul style="list-style-type: none"><li>• Call a poison control center, <u>or</u> doctor, <del>or</del> <b>HOT LINE NUMBER</b> immediately for treatment advice.</li><li>• Have person sip a glass of water if able to swallow.</li><li>• Do not induce vomiting unless told to do so by the poison control center or doctor.</li></ul>
<b>If on skin or clothing</b>	<ul style="list-style-type: none"><li>• Take off contaminated clothing.</li><li>• Rinse skin immediately with plenty of water for 15-20 minutes.</li><li>• Call a poison control center, <u>or</u> doctor, <del>or</del> <b>1-800-888-8372</b> immediately for treatment advice.</li></ul>
<p><del>————</del> <b>HOT LINE NUMBER</b> <del>————</del> <b>For 24-Hour Medical Emergency Assistance (Human or Animal)</b> <del>————</del> <b>Or Chemical Emergency Assistance (Spill, Leak, Fire or Accident)</b> <del>————</del> <b>Call</b> <b>1-800-888-8372</b></p>	
<b>NOTE TO PHYSICIAN</b>	
If swallowed, this material may reduce the clotting ability of the blood and cause bleeding. If ingested, administer Vitamin K <sub>1</sub> intramuscularly or orally. Vitamin K <sub>1</sub> is antidotal at doses of 10-20 mg ( <b>not</b> mg/kg). Repeat as necessary based on monitoring of prothrombin times.	

### TREATMENT FOR PET POISONING

If animal eats bait, call veterinarian or **HOT LINE NUMBER** at once.

#### NOTE TO VETERINARIAN

**Anticoagulant Brodifacoum:** For animals ingesting bait and/or showing poisoning signs (bleeding or elevated prothrombin times), give Vitamin K<sub>1</sub> at doses of 2-5 mg/kg. If needed, check prothrombin times every 3 days until values return to normal (up to 30 days). In severe cases, blood transfusions may be needed.

**For 24-hour emergency information on this product, call 1-800-498-5743 (US & Canada) or 1-651-523-0318 (all other areas).**

#### Environmental Hazards

This product is extremely toxic to mammals and birds. Dogs, cats, and other predatory and scavenging mammals and birds might be poisoned if they feed upon animals that have eaten this bait. This pesticide is toxic to fish. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Runoff also may be hazardous to aquatic organisms in water adjacent to treated areas. Do not contaminate water when disposing of equipment wash water or rinsate.

**NOTICE** Read the entire Directions for Use and Conditions of Sale and Limitation of Warranty and Liability on the outer package before buying or using this product. If the terms are not acceptable return the product at once unopened and the Purace price will be refunded.

#### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**READ THIS LABEL:** Read this entire label and follow all use directions and use precautions. Use only for the sites, pests, and application methods described on this label. *(It is illegal to sell these bait packs individually. (bait pack))*

#### STORAGE AND DISPOSAL

Refer to label on the out package for complete pesticide storage, pesticide disposal, and container handling directions.

Talon<sup>®</sup> is a registered trademark of Syngenta Group Company.

Manufactured ~~for~~by:

~~Syngenta Crop Protection, LLC~~

~~P.O. Box 18300~~

~~Greensboro, North Carolina 27419-8300~~

~~HACCO, Inc.~~

~~110 Hopkins Drive~~

~~Randolph, WI 53956~~

Optional Marketing Statements:

Contains Brodifacoum

Brodifacoum

For use In and Around Agricultural Buildings

For use In and Around Agricultural Buildings and Structures

For indoor and outdoor rat and house mouse control

Can be used indoors or outdoors

Kills Rats and Mice

Kills Norway Rats, Roof Rats, and House Mice

Kills House Mice

Made with grains

Palatable formulation

Helps Provide [effective] control

Helps Control rats and house mice

Helps provide effective control of rats and house mice

Helps Stop Damage Caused by Rats [Norway Rats, Roof Rats,] and House Mice

Contains Bittering Agent

Rat graphics:



Made in the U.S.A. with global components.

Manufactured in the U.S.A. with global components.

Brand Logos:

**SureKill<sup>®</sup>**<sub>Brand</sub>

**Talon<sup>®</sup>G**

**Talon<sup>®</sup>**

SureKill is a registered trademark of Neogen Corporation.

Talon is a registered trademark of Syngenta Group Company.

Company Logo:



HACCO, Inc. is a wholly owned subsidiary of Neogen Corporation.