

## OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

WASHINGTON, D.C. 20460

December 02, 2025

## **SENT BY EMAIL**

Susan Westra swestra@neogen.com HACCO, INC.

Subject: Labeling Notification per Pesticide Registration Notice (PRN) 98-10 - Addition of Alternate

Brand Names and minor label revisions

Product Name: TALON-G RODENTICIDE PELLETS WITH BITREX

Admin Number: 61282-109 EPA Receipt Date: 09/11/2025 Action Case Number: 00667347

## Dear Susan Westra:

The U.S. Environmental Protection Agency is in receipt of your application for notification under Pesticide Registration Notice 98-10 for the above referenced product. The EPA has conducted a review of this request for its applicability under PRN 98-10 and finds that the action requested falls within the scope of PRN 98-10.

The labeling submitted with this application has been stamped "Notification" and will be placed in our records.

The alternate brand names: Havoc Rodenticide Pellets, Talon-G Rodenticide Pellets have been added to the registration. Our records have been updated accordingly.

Should you wish to add/retain a reference to your company's website on your label, then please be aware that the website becomes labeling under the Federal Insecticide, Fungicide, and Rodenticide Act and is subject to review by the EPA. If the website is false or misleading, the product will be considered to be misbranded and sale or distribution of the product is unlawful under FIFRA section 12(a)(1)(E). 40 CFR § 156.10(a)(5) lists examples of statements the EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the EPA find or if it is brought to our attention that a website contains statements or claims substantially differing from statements or claims made in connection with obtaining a FIFRA section 3 registration, the website will be referred to the EPA's Office of Enforcement and Compliance Assurance.

If you have questions, please contact Scott Campbell via email at campbell.scott@epa.gov. Sincerely,

Scall Campbell (for)
Melissa Bridges, PM07

IVB3, RD

Office of Pesticide Programs

Page 1 of 9 September 11, 2025

(Master label)

## TALON®-G Rodenticide Pellets with Bitrex®

Alternate Brand Name(s): HAVOC® Rodenticide Pellets Talon®-G Rodenticide Pellets

## For Use In and Around Agricultural Buildings Only

### NOTIFICATION

61282-109

The applicant has certified that no changes, other than those reported to the Agency have been made to the labeling. The Agency acknowledges this notification by letter dated:

12/02/2025

## INDIVIDUAL SALE PROHIBITED BY LAW (1 pound jug/bag)

For Control of Commensal Rats and House Mice Second-Generation Anticoagulant

Kills Warfarin-Resistant Norway Rats and House Mice.

Norway rats and house mice may consume a lethal dose in one night's feeding with first dead rodents appearing four or five days after feeding begins.

Active Ingredient:

Brodifacoum

3-[3-(4'-bromo-[1,1'-biphenyl]-4-yl)-1,2,3,4-

Total: 100.000%

### KEEP OUT OF REACH OF CHILDREN.

# **CAUTION**

See additional precautionary statements and directions for use on label.

[See inside [side,] [back,] panel [booklet] [leaflet] for [First Aid and] additional Precautionary Statements] [See attached label for Complete Directions for Use]

Distribution to and sales in "consumer" stores, including grocery stores, drug stores, hardware stores, and club stores, is prohibited.

EPA Reg. No. 100 1052 61282-109
EPA Est. XXXX 61282-WI-01
Product of xxxxx
Formulated in the USA
Product ID xxxxx

SCP 1052-M(7-3-12) 3/16" pellets

1 pound (1 pound jug/bag)

8 x 1 pound (outer container for 1 lb jug/bag)

x 1 pound (>8 lb outer container for 1 lb jug/bag)

Page 2 of 9 September 11, 2025 8 pounds pounds (>8 lb) Net Weight

## PRECAUTIONARY STATEMENTS

#### **Hazards to Humans and Domestic Animals**

#### **CAUTION**

Harmful if swallowed or absorbed through the skin. Keep away from children, domestic animals and pets. Do not get in eyes, on skin, or on clothing.

All handlers (including applicators) must wear long-sleeve shirt, long pants, shoes plus socks, and gloves. Any person who retrieves carcasses or unused bait following application of this product must wear waterproof gloves.

## **User Safety Requirements**

Follow manufacturer's instruction for cleaning/maintaining Personal Protective Equipment (PPE). If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry. Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash hands thoroughly after applying bait and before eating, drinking, chewing gum, using tobacco, or using the toilet and change into clean clothing.

FIRST AID	
HAVE LABEL WHEN OBTAINING TREATMENT ADVICE	
If swallowed	• Call a poison control center, doctor, or <u>1-800-498-5743 HOT LINE</u>
	NUMBER immediately for treatment advice.
	<ul> <li>Have person sip a glass of water if able to swallow.</li> </ul>
	Do not induce vomiting unless told to do so by the poison control center or doctor.
If on skin or	Take off contaminated clothing.
clothing	• Rinse skin immediately with plenty of water for 15-20 minutes.
	• Call a poison control center, doctor, or <del>1-800-888-8372</del> 1-800-498-
	<u>5743</u> immediately for treatment advice.
HOT LINE NUMBER	
For 24-Hour Medical Emergency Assistance (Human or Animal)	
<u>1-800-498-5743</u>	
Or Chemical Emergency Assistance (Spill, Leak, Fire or Accident)	
Call	
1-800- <del>888-8372</del> -424-9300	

Page 3 of 9

September 11, 2025

## NOTE TO PHYSICIAN

If swallowed, this material may reduce the clotting ability of the blood and cause bleeding. If ingested, administer Vitamin  $K_1$  intramuscularly or orally. Vitamin  $K_1$  is antidotal at doses of 10-20 mg (<u>not</u> mg/kg). Repeat as necessary based on monitoring of prothrombin times.

## TREATMENT FOR PET POISONING

If animal eats bait, call veterinarian or HOT LINE NUMBER at once.

## NOTE TO VETERINARIAN

**Anticoagulant Brodifacoum:** For animals ingesting bait and/or showing poisoning signs (bleeding or elevated prothrombin times), give Vitamin  $K_1$  at doses of 2-5 mg/kg. If needed, check prothrombin times every 3 days until values return to normal (up to 30 days). In severe cases, blood transfusions may be needed.

## **Environmental Hazards**

This product is extremely toxic to mammals and birds. Dogs, cats, and other predatory and scavenging mammals and birds might be poisoned if they feed upon animals that have eaten this bait. This pesticide is toxic to fish. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Runoff also may be hazardous to aquatic organisms in water adjacent to treated areas. Do not contaminate water when disposing of equipment wash water or rinsate.

## CONDITIONS OF SALE AND LIMITATION OF WARRANTY AND LIABILITY

**NOTICE:** Read the entire Directions for Use and Conditions of Sale and Limitation of Warranty and Liability before buying or using this product. If the terms are not acceptable, return the product at once, unopened, and the purchase price will be refunded.

The Directions for Use of this product must be followed carefully. It is impossible to eliminate all risks inherently associated with the use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as manner of use or application, weather or crop conditions, presence of other materials or other influencing factors in the use of the product, which are beyond the control of SYNGENTA CROP PROTECTION, LLC or Seller. To the extent permitted by applicable law, Buyer and User agree to hold SYNGENTA and Seller harmless for any claims relating to such factors.

SYNGENTA warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated in the Directions for Use, when used in accordance with directions under normal use conditions. To the extent permitted by applicable law: (1) this warranty does not extend to the use of this product contrary to label instructions, or under conditions not reasonably foreseeable to or beyond the control of Seller or SYNGENTA, and (2) Buyer and User assume the risk of any such use. TO THE EXTENT PERMITTED BY APPLICABLE LAW, SYNGENTA MAKES NO WARRANTIES OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE NOR ANY OTHER EXPRESS OR IMPLIED WARRANTY EXCEPT AS WARRANTED BY THIS LABEL.

Page 4 of 9

September 11, 2025

To the extent permitted by applicable law, in no event shall SYNGENTA be liable for any incidental, consequential or special damages resulting from the use or handling of this product. TO THE EXTENT PERMITTED BY APPLICABLE LAW, THE EXCLUSIVE REMEDY OF THE USER OR BUYER, AND THE EXCLUSIVE LIABILITY OF SYNGENTA AND SELLER FOR ANY AND ALL CLAIMS, LOSSES, INJURIES OR DAMAGES (INCLUDING CLAIMS BASED ON BREACH OF WARRANTY, CONTRACT, NEGLIGENCE, TORT, STRICT LIABILITY OR OTHERWISE) RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, SHALL BE THE RETURN OF THE PURCHASE PRICE OF THE PRODUCT OR, AT THE ELECTION OF SYNGENTA OR SELLER, THE REPLACEMENT OF THE PRODUCT.

SYNGENTA and Seller offer this product, and Buyer and User accept it, subject to the foregoing Conditions of Sale and Limitations of Warranty and Liability, which may not be modified except by written agreement signed by a duly authorized representative of SYNGENTA.

## **DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**READ THIS LABEL:** Read this entire label and follow all use directions and use precautions. Use only for the sites, pests, and application methods described on this label.

Important: Do not expose children, pets, or other nontarget animals to rodenticides. To reduce exposure:

- Store product not in use in a location out of reach of children or pets.
- Apply bait in locations out of reach of children, pets, domestic animals, and non-target wildlife, or in tamper-resistant bait stations. All above-ground, outdoor applications must be in tamper-resistant bait stations. These stations must be resistant to destruction by dogs and by children under 6 years of age, and must be used in a manner that prevents such children from reaching into bait compartments and obtaining bait. If bait can be shaken from stations when they are lifted, units must be secured or otherwise immobilized. Even stronger bait stations are needed in areas open to hoofed livestock, raccoons, bears, or other potentially destructive animals, or in areas prone to vandalism.
- Dispose of product container, and unused, spoiled, and unconsumed bait as specified on this label.

**Note:** Bait stations are mandatory for outdoor, above-ground use. Tamper-resistant bait stations must be used if children, pets, non-target mammals, or birds may access the bait.

#### **USE RESTRICTIONS**

This product may only be used to control Norway rats, roof rats and house mice *in and within* 100 feet of agricultural buildings and man-made agricultural structures constructed in a manner

Page 5 of 9

September 11, 2025

so as to be vulnerable to commensal rodent invasions and/or harboring or attracting rodent infestations. Fence and perimeter baiting beyond 100 feet from an agricultural structure as defined above is prohibited. This product must not be applied directly to food or feed crops. Do not broadcast bait.

Do not use in homes or other human residences. Do not place near or inside ventilation duct openings. Do not contaminate water, food, feedstuffs, food- or feed-handling equipment, milk-or meat-handling equipment, or surfaces that come into direct contact with food. When used in USDA-inspected facilities, this product must be applied in tamper-resistant bait stations. Do not use in sewers.

This product may also be applied to active rodent burrows to control Norway rats and roof rats *within* 100 feet of buildings and man-made structures, provided that infestations of these rodents have been confirmed.

Efforts should be made to remove food trash, garbage, clutter, and debris.

Bait must be placed not less than 6 inches into active Norway/roof rat burrows.

Do not broadcast bait.

Do not sell this product in individual containers holding less than 8 pounds of bait.

## SELECTION OF TREATMENT AREAS

Determine areas where rats and/or mice will most likely find and consume the bait. Generally, these areas are along walls, by gnawed openings, in or beside burrows, in corners and concealed places, between floors and walls, or in locations where rodents or their signs have been observed. Remove as much food as possible.

#### APPLICATION DIRECTIONS

## **Norway and Roof Rats**

Apply 4–16 oz. of bait (usually at intervals of 15–30 ft.) per placement. Bait must be placed not less than 6 inches into active Norway/roof rat burrows. Maintain an uninterrupted supply of fresh bait for 10 days or until signs of rat activity cease.

## **House Mice**

Apply  $\frac{1}{4}$ – $\frac{1}{2}$  oz. of bait per placement. Space placements at intervals of 8–12 ft. Larger placements (up to 2 oz.) may be needed at points of very high mouse activity. Maintain an uninterrupted supply of fresh bait for 15 days or until signs of mouse activity cease.

## Follow-Up

Replace contaminated or spoiled bait immediately. Collect and dispose of all dead rodents and leftover bait properly. To prevent reinfestation, limit sources of rodent food, water, and

Page 6 of 9

September 11, 2025

harborage as much as possible. Where a continuous source of infestation is present, maintain permanent bait stations and replenish with census or toxic bait as needed.

## STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

## **Pesticide Storage**

Store only in original container in a cool, dry place inaccessible to children and pets. Keep containers closed and away from other chemicals.

## **Pesticide Disposal**

Dispose of wastes resulting from the use of this product at an approved waste disposal facility or call your local solid waste agency for alternative disposal instructions. Never place unused product down any indoor or outdoor drain.

## **Container Handling**

Non-refillable container. Do not reuse or refill this container. When completely empty, offer for recycling if available or dispose of empty container in a sanitary landfill, or by incineration, or by other procedures allowed by state and local authorities.

## **DISCLAIMER**

[DISCLAIMER:] To the extent permitted by applicable law, Seller makes no representation or warranty, either express or implied, for results due to misuse, improper handling, or improper storage of this material. To the extent permitted by applicable law, Seller does not assume any responsibility for injury to persons, crops, animals, soil, or property arising out of misuse, improper handling, or improper storage of this material.

## <u>OR</u>

## **LIMITED WARRANTY**

To the extent permitted by applicable law, Neogen Corporation makes no warranty concerning uses which extend beyond the use of the product under normal conditions in accord with the statements made on this label. To the extent permitted by applicable law, Neogen Corporation shall not be liable for (1) any consequential, incidental, or special damages related in any way to this product or its uses, or (2) any damages related in any way to resistance to pesticides.

OR

**CONDITIONS OF SALE AND LIMITATIONS OF WARRANTY AND LIABILITY** 

Page 7 of 9

September 11, 2025

**NOTICE:** Read the entire Directions for Use and Conditions of Sale and Limitations of Warranty and Liability before buying or using this product. If the terms are not acceptable, return the product at once, unopened, and the purchase price will be refunded.

To the extent permitted by applicable law, Manufacturer and Seller warrant that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated in the Directions for Use, subject to the inherent risks referred to above, when used in accordance with directions under normal use conditions. To the extent permitted by applicable law, this warranty does not extend to the use of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to or beyond the control of Seller or Manufacturer, and Buyer and User assume the risk of any such use. To the extent permitted by applicable law, MANUFACTURER AND SELLER MAKE NO WARRANTIES OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE NOR ANY OTHER EXPRESS OR IMPLIED WARRANTY EXCEPT AS STATED ABOVE. To the extent permitted by applicable law, in no event shall Manufacturer or Seller be liable for any incidental, consequential, or special damages resulting from the use or handling of this product. TO THE EXTENT PERMITTED BY APPLICABLE LAW, THE EXCLUSIVE REMEDY OF THE USER OR BUYER, AND THE EXCLUSIVE LIABILITY OF MANUFACTURER AND SELLER FOR ANY AND ALL CLAIMS, LOSSES, INJURIES, OR DAMAGES (INCLUDING CLAIMS BASED ON BREACH OF WARRANTY, CONTRACT, NEGLIGENCE, TORT, STRICT LIABILITY, OR OTHERWISE) RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, SHALL BE THE RETURN OF THE PURCHASE PRICE OF THE PRODUCT OR, AT THE ELECTION OF THE MANUFACTURER OR SELLER, THE REPLACEMENT OF THE PRODUCT.

Talon® <u>and Havoc®</u> and the Syngenta logo are registered trademarks of a Syngenta Group Company.

Bitrex® is a registered trademark of Macfarlan Smith Ltd., Edinburgh, Scotland.

©2012 Syngenta

For non-emergency (e.g. current product information) call Syngenta Crop Protection at 1-800-334-9481.

For non-emergency (e.g., current product information),

Call: 1-800-621-8829

Manufactured byfor:
Syngenta Crop Protection, LLC
P.O. Box 18300
Greensboro, North Carolina 27419-8300
HACCO, Inc.
110 Hopkins Drive

Page 8 of 9

September 11, 2025

Randolph, WI 53956 U.S.A.

SCP 1052-M(7-3-12)

TAL PEL 1052-M(7-3-12) pl 7/18/12

## **Optional Marketing Statements:**

Contains Brodifacoum

Brodifacoum

For use In and Around Agricultural Buildings

For use In and Around Agricultural Buildings and Structures

For indoor and outdoor rat and house mouse control

Can be used indoors or outdoors

Kills Rats and Mice

Kills Norway Rats, Roof Rats, and House Mice

Kills House Mice

Made with grains

Palatable formulation

Helps Provide [effective] control

Helps Control rats and house mice

Helps provide effective control of rats and house mice

Helps Stop Damage Caused by Rats [Norway Rats, Roof Rats,] and House Mice

**Contains Bittering Agent** 

# **Brand logos:**



Havoc<sup>®</sup> and Talon<sup>®</sup> are registered trademarks of Syngenta Group Company.

## Rat graphics:



Page 9 of 9 September 11, 2025

Made in the U.S.A. with global components.

Manufactured in the US.A. with global components.

# Company Logo:



HACCO, Inc. is a wholly owned subsidiary of Neogen Corporation.