



OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

WASHINGTON, D.C. 20460

December 02, 2025

SENT BY EMAIL

Susan Westra
swestra@neogen.com
HACCO, INC.

Subject: Labeling Notification per Pesticide Registration Notice (PRN) 98-10 - Addition of Alternate Brand Names
Product Name: WEATHER BLOK AG BAIT WITH BITREX
Admin Number: 61282-112
EPA Receipt Date: 11/03/2025
Action Case Number: 00673304

Dear Susan Westra:

The U.S. Environmental Protection Agency is in receipt of your application for notification under Pesticide Registration Notice 98-10 for the above referenced product. The EPA has conducted a review of this request for its applicability under PRN 98-10 and finds that the action requested falls within the scope of PRN 98-10.

The labeling submitted with this application has been stamped "Notification" and will be placed in our records.

The alternate brand names: Havoc-XT Blok Kills Rats and Mice, Havoc-XT Blok have been added to the registration. Our records have been updated accordingly.

Should you wish to add/retain a reference to your company's website on your label, then please be aware that the website becomes labeling under the Federal Insecticide, Fungicide, and Rodenticide Act and is subject to review by the EPA. If the website is false or misleading, the product will be considered to be misbranded and sale or distribution of the product is unlawful under FIFRA section 12(a)(1)(E). 40 CFR § 156.10(a)(5) lists examples of statements the EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the EPA find or if it is brought to our attention that a website contains statements or claims substantially differing from statements or claims made in connection with obtaining a FIFRA section 3 registration, the website will be referred to the EPA's Office of Enforcement and Compliance Assurance.

If you have questions, please contact Scott Campbell via email at campbell.scott@epa.gov.

Sincerely,

A handwritten signature in black ink that reads "Scott Campbell (for)". The script is cursive and elegant, with the word "for" in parentheses.

Melissa Bridges, PM07
IVB3, RD
Office of Pesticide Programs

(Master Label)
(pail, outer container for pouch, inner pouch)

WeatherBlok® AG Bait With Bitrex®
Alternate Brand names:

- Havoc® XT Blok
- Havoc® XT Blok Kills Rats and Mice
- Havoc® Weatherblok® XT
- Talon Weatherblok XT
- Havoc®-XT Blok Kills Rats and Mice
- Havoc®-XT Blok

NOTIFICATION

61282-112
The applicant has certified that no changes, other than those reported to the Agency have been made to the labeling. The Agency acknowledges this notification by letter dated:
12/02/2025

For Use In and Around Agricultural Buildings Only

INDIVIDUAL SALE PROHIBITED BY LAW (inner 4 lb pouch)

Norway rats and house mice may consume a lethal dose in one night's feeding with first dead rodents appearing four or five days after feeding begins.

Active Ingredient:	
Brodifacoum	
3-[3-(4'-bromo-[1,1'-biphenyl]-4-yl)-1,2,3,4-tetrahydro-1-naphthalenyl]-4-hydroxy-2H-1-benzopyran-2-one	
	0.005%
Other Ingredients ^[1] :	99.995%
Total:	100.000%
[¹ contains Bitrex® brand denatonium benzoate]	

KEEP OUT OF REACH OF CHILDREN

CAUTION
[See additional precautionary statements and directions for use on label.] [See inside [side,] [back,] panel [booklet] [leaflet] for [First Aid and] additional Precautionary Statements] [See attached label for Complete Directions for Use]

Distribution to and sales in “consumer” stores, including grocery stores, drug stores, hardware stores, and club stores, is prohibited.

EPA Reg. No. 61282-112
EPA Est. No. 61282-WI-01

Product of XXXX
Formulated in the USA
Product ID XXXX

- 4 pounds (in 20 gram (0.7 ounce)[bars][blocks]) (printed inner pouch)
- 8 pounds (2x4 pounds in 20 gram (0.7 ounce)[bars] [blocks]) (outer container for pouches)
- 16 pounds (4x4 pounds in 20 gram (0.7 ounce)[bars] [blocks]) (outer container for pouches)
- 8 pounds (in 20 gram (0.7 ounce)[bars] [blocks])
- _____ pounds (in 20 gram (0.7 ounce)[bars] [blocks]) (>8 lb)

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION

Harmful if swallowed or absorbed through the skin. Keep away from children, domestic animals and pets. Do not get in eyes, on skin, or on clothing. All handlers (including applicators) must wear long-sleeve shirt, long pants, shoes plus socks, and gloves. Any person who retrieves carcasses or unused bait following application of this product must wear waterproof gloves.

User Safety Requirements

Follow manufacturer's instruction for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry. Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash hands thoroughly after applying bait and before eating, drinking, chewing gum, using tobacco, or using the toilet and change into clean clothing.

FIRST AID HAVE LABEL WHEN OBTAINING TREATMENT ADVICE	
If swallowed	<ul style="list-style-type: none"> • Call a poison control center, doctor, or HOT LINE NUMBER immediately for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by the poison control center or doctor.
If on skin or clothing	<ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a poison control center, doctor, or 1-800-498-5743 immediately for treatment advice.
<p align="center">HOT LINE NUMBER For 24-Hour Medical Emergency Assistance (Human or Animal) 1-800-498-5743 Or Chemical Emergency Assistance (Spill, Leak, Fire or Accident) Call 1-800-424-9300</p>	
<p align="center">NOTE TO PHYSICIAN</p> <p>If swallowed, this material may reduce the clotting ability of the blood and cause bleeding. If ingested, administer Vitamin K₁ intramuscularly or orally. Vitamin K₁ is antidotal at doses of 10-20 mg (not mg/kg). Repeat as necessary based on monitoring of prothrombin times.</p>	
<p align="center">TREATMENT FOR PET POISONING</p> <p>If animal eats bait, call veterinarian or HOT LINE NUMBER at once.</p> <p align="center">NOTE TO VETERINARIAN</p> <p>Anticoagulant Brodifacoum: For animals ingesting bait and/or showing poisoning signs (bleeding or elevated prothrombin times), give Vitamin K₁ at doses of 2-5 mg/kg. If needed, check prothrombin times every 3 days until values return to normal (up to 30 days). In severe cases, blood transfusions may be needed.</p>	

Environmental Hazards

This product is extremely toxic to mammals and birds. Dogs, cats, and other predatory and scavenging mammals and birds might be poisoned if they feed upon animals that have eaten

this bait. This pesticide is toxic to fish. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Runoff also may be hazardous to aquatic organisms in water adjacent to treated areas. Do not contaminate water when disposing of equipment wash water or rinsate.

DISCLAIMER

[DISCLAIMER:] To the extent permitted by applicable law, Seller makes no representation or warranty, either express or implied, for results due to misuse, improper handling, or improper storage of this material. To the extent permitted by applicable law, Seller does not assume any responsibility for injury to persons, crops, animals, soil, or property arising out of misuse, improper handling, or improper storage of this material.

OR

LIMITED WARRANTY

To the extent permitted by applicable law, Neogen Corporation makes no warranty concerning uses which extend beyond the use of the product under normal conditions in accord with the statements made on this label. To the extent permitted by applicable law, Neogen Corporation shall not be liable for (1) any consequential, incidental, or special damages related in any way to this product or its uses, or (2) any damages related in any way to resistance to pesticides.

OR

CONDITIONS OF SALE AND LIMITATIONS OF WARRANTY AND LIABILITY

<p>NOTICE: Read the entire Directions for Use and Conditions of Sale and Limitations of Warranty and Liability before buying or using this product. If the terms are not acceptable, return the product at once, unopened, and the purchase price will be refunded.</p>
--

To the extent permitted by applicable law, Manufacturer and Seller warrant that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated in the Directions for Use, subject to the inherent risks referred to above, when used in accordance with directions under normal use conditions. To the extent permitted by applicable law, this warranty does not extend to the use of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to or beyond the control of Seller or Manufacturer, and Buyer and User assume the risk of any such use. To the extent permitted by applicable law, MANUFACTURER AND SELLER MAKE NO WARRANTIES OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE NOR ANY OTHER EXPRESS OR IMPLIED WARRANTY EXCEPT AS STATED ABOVE.

To the extent permitted by applicable law, in no event shall Manufacturer or Seller be liable for any incidental, consequential, or special damages resulting from the use or handling of this product. TO THE EXTENT PERMITTED BY APPLICABLE LAW, THE EXCLUSIVE REMEDY OF THE USER OR BUYER, AND THE EXCLUSIVE LIABILITY OF MANUFACTURER AND SELLER FOR ANY AND ALL CLAIMS, LOSSES, INJURIES, OR DAMAGES (INCLUDING CLAIMS BASED ON BREACH OF WARRANTY, CONTRACT, NEGLIGENCE, TORT, STRICT LIABILITY, OR OTHERWISE) RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, SHALL BE THE RETURN OF THE PURCHASE

PRICE OF THE PRODUCT OR, AT THE ELECTION OF THE MANUFACTURER OR SELLER, THE REPLACEMENT OF THE PRODUCT.

Manufacturer and Seller offer this product, and Buyer and User accept it, subject to the foregoing Conditions of Sale and Limitations of Warranty and Liability, which may not be modified except by written agreement signed by a duly authorized representative of Manufacturer.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ THIS LABEL: Read this entire label and follow all use directions and use precautions. Use only for the sites, pests, and application methods described on this label.

Important: Do not expose children, pets, or nontarget animals to rodenticides. To reduce exposure:

- Store product not in use in a location out of reach of children and pets.
- Apply bait in locations out of reach of children, pets, domestic animals and nontarget wildlife, or in tamper-resistant bait stations. All above-ground, outdoor applications must be in tamper-resistant bait stations. These stations must be resistant to destruction by dogs and by children under 6 years of age, and must be used in a manner that prevents such children from reaching into bait compartments and obtaining bait. If bait can be shaken from stations when they are lifted, units must be secured or otherwise immobilized. Even stronger bait stations are needed in areas open to hooved livestock, raccoons, bears, or other potentially destructive animals, or in areas prone to vandalism.
- Dispose of product container, and unused, spoiled, and unconsumed bait as specified on this label.

Note: Bait stations are mandatory for outdoor, above-ground use. Tamper-resistant bait stations must be used if children, pets, non-target mammals, or birds may access the bait.

USE RESTRICTIONS

This product may only be used to control Norway rats, roof rats, and house mice *in and within* 100 feet of agricultural buildings and man-made agricultural structures constructed in a manner so as to be vulnerable to commensal rodent invasions and/or harboring or attracting rodent infestations. Fence and perimeter baiting beyond 100 feet from an agricultural structure as defined above is prohibited. This product must not be applied directly to food or feed crops. Do not broadcast bait.

Do not use in homes or other human residences. Do not place near or inside ventilation duct openings. Do not contaminate water, food, feedstuffs, food- or feed-handling equipment, milk- or meat-handling equipment, or surfaces that come into direct contact with food. When used in USDA-inspected facilities, this product must be applied in tamper-resistant bait stations. Do not use in sewers.

Burrow baiting with WeatherBlok AG Bait with Bitrex is prohibited.

Do not sell this product in individual containers holding less than 8 pounds of bait.

SELECTION OF TREATMENT AREAS

Determine areas where rats and/or mice will most likely find and consume the bait. Generally, these areas are along walls, by gnawed openings, in corners and concealed places, between floors and walls, or in locations where rodents or their signs have been observed. Remove as much food as possible.

APPLICATION DIRECTIONS

Norway and Roof Rats

Apply 4 - 22 (20 g (0.7 oz)) blocks of WeatherBlok Bait with Bitrex (usually at intervals of 15-30 ft.) per placement. Maintain an uninterrupted supply of fresh bait for 10 days or until signs of rat activity cease.

House Mice

Apply 1 bait block per placement. Space placements at intervals of 8-12 ft. Two blocks may be needed at points of very high mouse activity. Maintain an uninterrupted supply of fresh bait for 15 days or until signs of mouse activity cease.

Follow-Up

Replace contaminated or spoiled bait immediately. Collect and dispose of all dead animals and (when baiting operations are to be ceased) unconsumed bait according to the **Disposal** paragraph. To prevent re-infestation, limit food, water and harborage as much as possible. If re-infestation does occur, repeat treatment. Where a continuous source of infestation is present, establish or maintain bait stations and replenish with census or toxic bait as needed.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Pesticide Storage

Store only in original container in a cool, dry place inaccessible to children and pets. Keep containers closed and away from other chemicals.

Pesticide Disposal

Dispose of wastes resulting from the use of this product at an approved waste disposal facility or call your local solid waste agency for alternative disposal instructions. Never dispose of unused product down any indoor or outdoor drain.

Container Handling *(pail; pouch; and outer container)*

Non-refillable container. Do not reuse or refill this container. When completely empty, offer for recycling if available, or dispose of empty container in a sanitary landfill, or by incineration, or by other procedures allowed by state and local authorities.

[Optional Marketing Claims]

Made With Talon® Rodenticide

Second Generation Anticoagulant

Kills warfarin-resistant Norway Rats and House Mice.

Contains Brodifacoum

Brodifacoum

For use In and Around Agricultural Buildings

For use In and Around Agricultural Buildings and Structures

For indoor and outdoor rat and house mouse control

Can be used indoors or outdoors

Kills Rats and Mice

Kills Norway Rats, Roof Rats, and House Mice

Kills House Mice

Made with grains

Palatable formulation

Helps Provide [effective] control

Helps Control rats and house mice

Helps provide effective control of rats and house mice

Helps Stop Damage Caused by Rats [Norway Rats, Roof Rats,] and House Mice

Contains Bittering Agent

Rat graphics:



Image of Bloks:



[Image may not be representative of a label-consistent bait placement.]

Made in the U.S.A. with global components.

Manufactured in the US.A. with global components.

Company Logo:



HACCO, Inc. is a wholly owned subsidiary of Neogen Corporation.

Brand Logo:



WeatherBlok®, Talon®, and Havoc®
are Trademarks of a Syngenta Group Company.

[Bitrex® is a trademark of Macfarlan Smith Ltd., Edinburgh, Scotland.]

For non-emergency (e.g., current product information) call

Call: **1-800-621-8829**

Manufactured by:
HACCO, Inc.
110 Hopkins Drive
Randolph, WI 53956 U.S.A.