

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

WASHINGTON, D.C. 20460

April 18, 2013

Albert E. Wadsworth Coastal Carolina Supply P.O. Box 1259 Morehead City, NC 28557 OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

Subject:

CoastChlor

EPA Reg.#: 61355-20001

Notification Date: February 2, 2013

Receipt Date: March 7, 2013

Dear Mr. Wadsworth:

This acknowledges the receipt of your proposed Amendment per PR Notice 2007-4.

Proposed Amendment:

Revise Storage and Disposal Statement in compliance with PR Notice 2007-4 for Coastchlor (EPA Reg#61355-20001). The proposed label dated 2/13 (pin punch 3/07/13).

General Comment:

Based on the review of the material submitted, the revised updated label dated 2/13 (pin punch 03/07/13) is acceptable.

Please submit one copy of your final printed labeling before distributing or selling the product bearing the revised labeling.

This amendment and a copy of this letter have been inserted in your file for future reference.

If you have any questions on this letter, please contact David Liem by email at liem.david@epa.gov call at 703-305-1284.

Sincerely

Monisha Harris

Product Manager (32)

Regulatory Management Branch II Antimicrobials Division (7510P)

Att: Accepted stamped label

COASTCHLOR

TOTAL:100.0% ACTIVE INGREDIENT: SODIUM HYPOCHLORITE 12.5% OTHER INGREDIENTS.....

NOTE: This product degrades with age, use within one month of receipt. Use a chlorine test kit and increase dosage as necessary, to obtain required level of available Chlorine.

HAZARDS TO HUMANS AND DOMESTIC ANIMALS PRECAUTIONARY STATEMENTS

or goggles and rubber gloves when handling this product. Wash after DANGER: Corrosive, may cause severe skin and eye irritation or chemical burns to broken skin. Causes eye damage. Wear safety glasses handling and before eating, drinking, chewing gum, using tobacco, or using toilet. Remove and wash contaminated clothing before reuse. Avoid breathing vapors. Vacate poorly ventilated areas as soon as possible. Do not return until strong odors have dissipated.

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish and aquatic streams, ponds, estuaries, oceans or public waters unless this product is specifically identified and addressed in a National Pollutant Discharge notified in writing prior to discharge. Do not discharge effluent containing organisms. Do not discharge effluent containing this product into lakes, Elimination System (NPDES) permit and the permitting authority has been product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

Mix only with water according to label directions. Mixing this product with PHYSICAL OR CHEMICAL HAZARDS: STRONG OXIDIZING AGENT: chemicals (e.g. ammonia, acids, detergents, etc.) or organic matter (e.g., urine, feces, etc.) may release chlorine gas and other hazardous gases irritating to eyes, lungs, and mucous membranes.

STORAGE AND DISPOSAL. Do not contaminate water, food or

feed by storage or disposal.

Pesticide Storage: Keep this product in a tightly closed container when not in use. Store in a cool dry area, away from heat open flame to avoid deterioration. In case of spill isolate container (if possible) and flood sanitary sewer, then dispose of the empty container in trash if not area with large amounts of water to dissolve all material before discarding held for return to supplier.

Federal Law. If these wastes cannot be disposed of by use according to the label instructions, contact your State Pesticide or Environmental disposal of excess pesticide, spray mixture, or rinsate is a violation of Control Agency, or the Hazardous Waste Representative at the EPA Pesticide Disposal: Pesticide wastes are acutely hazardous. Improper Regional Office for guidance.

equipment or rinsate collection system. Repeat this rinsing procedure two Cleaning before final disposal is the responsibility of the person disposing nore times. EMPTY CONTAINERS: With all plugs and caps intact, hold the container about 10% full with water. Agitate vigorously or recirculate filler. To clean the container before final disposal, empty the remaining contents from this container into application equipment or mix tank. Fill of the container. Cleaning before refilling is the responsibility of the rewater with pump for 2 minutes. Pour or pump rinsate into application REFILLABLE CONTAINERS Refill this container with sodium hypochlorite only. Do not reuse this container for any other purpose. or pick-up and retum to supplier for deposit refund

KEEP OUT OF REACH OF CHILDREN DANGER

FIRST AID

If in eyes:

Remove contact lenses, if present, after the first 5 minutes, then continue Hold eye open and rinse slowly and gently with water for 15-20 minutes. rinsing eyes. Call a poison control center or doctor for treatment advice.

If on skin or clothing:

Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes.

Call a poison control center or doctor immediately for treatment advice. Call a poison control center or doctor for treatment advice. Have person sip a glass of water if able to swallow f swallowed:

Do not induce vomiting unless told to do so by the poison control center or a

Have the product container or label with you when calling a poison control Do not give anything by mouth to an unconscious person. center or doctor, or going for treatment.

Move person to fresh air. If Inhaled:

emergency medical information. Have product container or label with you when calling a Poison Control Center or Doctor, or going for treatment. If person is not breathing, call 911 or an ambulance, then give artificial Hotline Number: In case of emergency contact 1-800-222-1222 for Call a poison control center or doctor for further treatment advice. respiration, preferably by mouth-to-mouth, if possible.

Note to Physician: Probable mucosal damage may contraindicate the use of gastric lavage

DISTRIBUTED BY:

5121 Highway 70 West COASTAL CAROLINA SUPPLY INC.

Morehead City, NC 28557

1-800-849-8464

EPA Est. No.61355 -NC-1_ EPA Reg. No. 61355-20001

₹ 5

SC-5

NC-4

NC-3

GAL **NET CONTENTS:** LOT NO.

Label Number: coastchlor3

Rev Date 2/13

FOR INSTITUTIONAL AND INDUSTRIAL USE

DIRECTIONS FOR USE:

It is a violation of federal law to use this product in a manner inconsistent

SWIMMING POOL WATER DISINFECTION

pool water pH to between 7.2 and 7.6. Adjust and maintain the alkalinity of the pool to between 50 and 100 ppm. Re-entry into treated swimming pools is For a new pool or spring start-up, superchlorinate with 52 to 104 ft. oz. of this prohibited above levels of 4 ppm of chlorine due to risk of bodily harm.

To maintain the pool, add manually or by a feeder device 11 fl. oz. of this product per 10,000 gallons of water to yield 5 to 10 ppm available chlorine by weight. Check the level of available chlorine with a test kit. Adjust and maintain

of 1.0 to 1.5 ppm available chlorine. Test the pH, available chlorine residual and alkalinity of the water frequently with appropriate test kits. Frequency of water treatment will depend upon temperature and number of swimmers. re-entry into treated swimming pools is prohibited above levels of 4ppm of chlorine due to between 0.6 and 1.0 ppm. by weight. Stabilized pools must maintain a residual product per 10,000 gallons of water to yield an available chlorine residual risk of bodily harm.

by weight. Check the level of available chlorine with a test-ktt-20 not re-enter Every 7 days, or as necessary, superchlorinate the pool with 52 to 104 fl. oz. of this product per 10,000 gallons of water to yield 5 to 10 ppm available chlorine pool until the chlorine residual is between 1.0 and 3.0 ppm.

the pool, chlorine must be allowed to dissipate from treated pool swater before At the end of the swimming pool season or when water is to be drained from discharge. Do not chlorinate the pool within 24 hours prior to discharge.

ASPHALT OR WOOD ROOFS AND SIDINGS

To control fungus and mildew, first remove physical soil by brushing and hosing with dean water, and apply a 5,000 ppm available chickine solution? Wx 531. oz. of this product per gallon of water and brush or sprey confror siding. After 30 minutes, rinse by hosing with dean water. COMMERCIAL LAUNDRY SANITIZERS. Wet fabrics or options track be spun dry prior to sanitization. Thoroughly mix 2 ft. oz. of this product to 10 gallons of water to yield 200 ppm available chlorine. Promptly after mixing the sanitizer, add the schulon into the prewash prior to washing fabrics/dothes in the regular wash cycle With a glood detengent. Test the level of available chlorine, if solution has been allowed to stand. Add more of this product if the available chlorine level has dropped below 200 ppm.

pesticido, fegistered under 5-2000 ider the Federal Insecticide, Fungicida, and I APR 1 8 2013 HYPOCHLORITE SOLUTIONS PG III(Contains