

61409-2

9-20-2001

1/3

# Hi-Chlor

## Sink Sanitizer


### Active Ingredients:

Sodium Dichloro-s-Triazinetrione Dihydrate ..... 25.0%

Inert Ingredients: ..... 75.0%

Total: ..... 100.0%

Provides 13.9% available chlorine.



**KEEP OUT OF REACH OF CHILDREN  
DANGER**

See side panel for PRECAUTIONARY and DIRECTIONS FOR USE Statements.

Hi-Chlor Sink Sanitizer has been cleared under the Federal Food, Drug and Cosmetic Act for use on food contact surfaces (178.1010(b)(2))

### PRECAUTIONARY STATEMENTS

#### HAZARDS TO HUMANS AND DOMESTIC ANIMALS

**DANGER: HIGHLY CORROSIVE.** Causes irreversible eye damage. Causes burns to skin. Irritating to nose and throat. May be fatal if swallowed. Will burn with evolution of chlorine and equally toxic gases.

Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling. Avoid breathing dust or fumes. Wash thoroughly with soap and water after handling. Remove and wash contaminated clothing before reuse.

#### FIRST AID

**IF SWALLOWED:** Call a poison control center or doctor for treatment advice. Have a person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison

**IF IN EYES:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

**IF ON SKIN OR CLOTHING:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

**IF INHALED:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for treatment advice.

**Note to Physician:** Probable mucosal damage may contraindicate the use gastric lavage.

#### PHYSICAL OR CHEMICAL HAZARDS:

**Strong Oxidizing Agent:** Will burn with the evolution of chlorine and equally toxic gases. Contact with water slowly liberates irritating and hazardous chlorine-containing gases. Decomposes at 460 °F to 480 °F with liberation of harmful gases.

Mix only with water. Use clean dry utensils. Do not add this product to any dispensing device containing remnants of any other product. Such use may cause a violent reaction leading to fire or explosion. Contamination with moisture, organic matter, or other chemicals may start a chemical reaction with generation of heat, liberation of hazardous gases, and possible generation of fire and explosion.

**IN CASE OF FIRE:** If possible, isolate container in open air or well ventilated area. Flood with large volume of water.

**IN CASE OF CONTAMINATION OR DECOMPOSITION:** Do not reseal container.

Hi-Chlor Sink Sanitizer can be used in dairies, hospitals, breweries, food processing plants and restaurants. It is particularly effective on surfaces which contact food. It is recommended for use on hard (non-porous) surfaces or on dishes, glasses, food processing equipment or utensils including dairy and brewery equipment or utensils that need a strong sanitizer treatment with little or no cleaning action. This material is very effective on table tops, tanks, vats, floors, walls, dishes, glasses, metallic utensils, seats, counters, trash receptacles and equipment.

### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Clean object to be sanitized with a suitable hard surface cleaner and rinse well with potable water. It may be necessary to remove gross filth and heavy soil from surface by pre-scrape, pre-flush and where necessary, a pre-soak treatment.

Dissolve 1 oz. of Hi-Chlor Sink Sanitizer per 10 gallons of water to give a solution containing 100 ppm available chlorine. Apply the sanitizing solution to the surface thoroughly. Let stand at least one minute. Drain and air dry.

The same solution may be used in the feed tanks of immersion or spray type machines providing at least one minute contact time to sanitize dishes, glasses, food processing equipment and utensils.

The sanitizing solution should be used promptly after mixing. It should be prepared daily or more often if it becomes dilute or soiled. If the solution is allowed to stand and/or continued use shows the level of chlorine has not been maintained, add more Hi-Chlor Sink Sanitizer to maintain a use solution of 100 ppm available chlorine.

For mechanical operations, the prepared and spent use solution may not be reused for sanitizing but may be used for other purposes such as cleaning.

### MIXING INSTRUCTIONS

#### Sink Sanitizing:

1. Fill a clean sink compartment with 10 gallons of lukewarm water, 75 °F - 95 °F (24 °C - 35 °C).
2. Add one packet of sink sanitizer (1 ounce) into water.
3. Check concentration. (100 ppm)

#### 5 Gallon Dispenser:

Fill dispenser with fresh sanitizer solution drawn from sink compartment, or

1. Fill a 5 gallon dispenser with lukewarm water.
2. Then add half packet (1/2 ounce) of sink sanitizer contents to dispenser.
3. Check concentration. (100 ppm)

#### Spray Bottles:

Fill spray bottle with fresh sanitizer solution drawn from sink compartment or from 5 gallon dispenser.

#### Pail (Wipe Clothes):

1. Fill pail with 2 1/2 gallons (9.46 Liters) of lukewarm water.
2. Add half packet of sink sanitizer.

### WISCONSIN STATE BOARD OF HEALTH DIRECTIONS FOR EATING ESTABLISHMENTS

1. Scrape and pre-wash utensils and glasses whenever possible.
  2. Wash with a good detergent or compatible cleaner.
  3. Rinse with clean water.
  4. Sanitize in a use-solution of 1 oz. CHLORSAN Detergent Sanitizer per 2.5 gallons of water (or equivalent dilution). Immerse all utensils for at least two minutes or for contact time specified by governing sanitary code.
5. Place sanitized utensils on a rack or drain board to air dry.

**STORAGE & DISPOSAL**

Do not contaminate water, food or feed by storage or disposal.

**STORAGE:**

Store in a dry place. Do not allow water to come in contact with packages. Keep packages off wet floors.

**PESTICIDE DISPOSAL:**

Wastes of this pesticide may cause irreversible eye damage and burns to skin and may be dangerous. Dispose of equipment wash water and sanitizer wastes in a manner to avoid contamination of water resources. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional office for guidance.

**CONTAINER DISPOSAL:**

Do not reuse packet. Wrap packet and put in trash.

Net Contents:  
1.0 oz. packet

EPA Reg. No. 61409-2  
EPA Est.: 61409-TX-01, 5389-NC-1, 5389-TX-1,  
58046-TX-1, 58046-TX-2

SSDC, Inc.  
2001 Belmeade Drive  
Carrollton, TX 75006

