61483-9

1/26/2005

Dage 1 8 3

# RESTRICTED USE PESTICIDE

DUE TO CHRONIC TOXICITY IN ANIMAL STUDIES FOR RETAIL SALE TO AND USE ONLY BY CERTIFIED APPLICATORS OR BY PERSONS UNDER THEIR DIRECT SUPERVISION, AND ONLY FOR THOSE USES COVERED BY THE CERTIFIED APPLICATOR'S CERTIFICATION.

# **CREOSOTE OIL**

ACTIVE INGREDIENT:	
Coal Tar Creosote (AWPA P1/P13)	98,5%
[CAS # 8001-58-9]	
OTHER INGREDIENTS:	
TOTAL	

#### KEEP OUT OF REACH OF CHILDREN

WARNING  FIRST AID	
	<ul> <li>Do not induce vomiting unless told to do so by a poison control center or doctor.</li> </ul>
	Do not give any liquid to the person.
	Do not give anything by mouth to an unconscious person.
If inhaled:	Move person to fresh air.
	• If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible.
- <u>-</u>	• Call a poison control center or doctor for further treatment advice.
If in eyes:	Hold eye open and rinse slowly and gently with water for 15-20 minutes.
	• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
	Call a poison control center or doctor for treatment advice.
If on skin or clothing:	Take off contaminated clothing.
Ç.	Rinse skin immediately with plenty of water for 15-20 minutes.
	Call a poison control center or doctor for treatment advice.
	HOT LINE NUMBER
	ner or label with you when calling a poison control center or doctor, or ou may also contact 1-800-424-9300 for emergency medical treatment
	NOTE TO PHYSICIAN
Ctains -ut-alaum distil	lote a semitime man grace assistion anguments

Contains petroleum distillate - vomiting may cause aspiration pneumonia.

See side panel for additional precautionary statements.

EPA Reg. No. 61483-9 EPA Est. No.

NET CONTENTS \_\_ GALLONS

KMG-Bernuth, Inc.

10611 Harwin, Suite 402 . Houston, Texas 77036

# PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS WARNING

#### SEE MATERIAL SAFETY DATA SHEET FOR PRODUCT.

May be fatal if swallowed, inhaled or absorbed through skin. Causes skin and eye irritation which is accentuated by sunlight. May cause severe burns. Do not get in eyes, on skin or on clothing. Do not breathe vapors or spray mist. Use with adequate ventilation. Do not take internally. Wash thoroughly after skin contact, before eating, drinking, use of tobacco products, or using restrooms.

CANCER HAZARD: Prolonged and repeated skin exposure over many years in the absence of recommended hygiene practices may lead to changes in skin pigmentation, benign skin growth and in some cases, result in skin cancer. In addition, prolonged and repeated breathing of product vapor at levels above the recommended exposure level may present a lung cancer risk. (See below for additional statements of specific applications).

NOTE TO USER: As used on this label, the term "respirators" means properly fitting, well-maintained, NIOSH approved respirator with an organic vapor (OV) cartridge or canister with any R, P, or HE prefilter. Examples of acceptable materials for protective clothing (e.g., gloves, overalls, jackets, and boots) required during application and handling of crossote are polyvinyl acetate (PVA), polyvinyl chloride (PVC), neoprene, butyl rubber, or nitrile.

## ADDITIONAL PRECAUTIONARY STATEMENTS FOR PRESSURE TREATMENT OF WOOD

Individuals must wear gloves impervious to the wood treatment formulations in all situations where dermal contact with crossote is expected (e.g., handling freshly treated wood and manually opening cylinder doors).

Individuals who manually open cylinder doors must wear gloves and a respirator.

Individuals who enter pressure treatment cylinders and other related equipment that is contaminated with wood treatment formulation (e.g., cylinders that are in operation or are not free of the treatment formulation) must wear protective clothing (including overalls, jacket, gloves, and boots) impervious to the wood treatment formulation and a respirator.

Applicators must not eat, drink, or use tobacco products during those parts of the application process that may expose them to the wood treatment formulation (manually opening/closing cylinder doors, moving trams out of cylinders, mixing chemicals, and handling freshly treated wood).

Protective clothing must be changed when it shows signs of contamination. Applicators must leave protective clothing and work shoes or boots at the plant. Worn-out protective clothing and equipment must be disposed of in any general landfill, in the trash or in any other manner approved for pesticides.

Wash thoroughly after skin contact and before eating, drinking, use of tobacco products, or using restrooms.

Avoid inhaling vapors. If inhalation of vapors cannot be avoided, applicators must wear a properly fitting, well-maintained half-mask cartridge or canister respirator which is NIOSH-approved. See "NOTE TO USER" in the PRECAUTIONARY STATEMENTS section of this label.

#### ENVIRONMENTAL HAZARDS

MARINE POLLUTANT. This product is toxic to fish and wildlife. Do not apply directly to any body of water or wetlands. Do not contaminate water by cleaning equipment or disposal of wastes. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System

(NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance, contact your State Water Board or Regional Office of the EPA.

#### PHYSICAL AND CHEMICAL HAZARDS

Do not use or store near heat or open flame. Close container after each use.

#### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

#### PEST PROTECTION:

For protection from the following: Fungi, termites, carpenter ants & bees, beetles, borers, marine borers.

## STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

#### **PESTICIDE STORAGE:**

Keep closures tight and upright to prevent leakage. Keep container closed when not in use. Do not store above 140° F. In case of spillage, absorb with sand, earth, etc. and dispose in accordance with applicable Federal, State and local regulations. Contaminated materials must be handled and managed as a RCRA Hazardous Waste and treated before disposal in an approved landfill. This waste is identified by the EPA as a U051 hazardous waste and must meet the treatment standards specified in 40 CFR 268 Subpart D. A RCRA Hazardous Waste Storage pennit is required for storage of wastes beyond 90 days.

#### PESTICIDE DISPOSAL:

Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed according to label instructions, contact your State Pesticide or Environmental Control Agency or Hazardous Waste representative at the nearest EPA Regional Office for guidance.

#### CONTAINER DISPOSAL:

Bulk Tanks: Triple rinse (or equivalent) and wash with appropriate cleaners before reusing.

# TREATED WOOD DISPOSAL:

Wood which has been treated with this product should be discarded by burial or ordinary trash collection. Do not burn treated wood in an outdoor fire or in stoves or fireplaces because toxic chemicals may be produced as part of the smoke and ashes.

WARRANTY: We warrant this material to comply with our published specifications and to be of good merchantable quality and such as will regularly pass in the trade for goods within the description, and further warrant such goods to be fit for the normal purposes for which goods are used. We assume no responsibility that the goods concerned in this contract are fit for any particular purpose for which they are being bought outside of the general purposes of goods of the description.

FOR CHEMICAL EMERGENCY: Spill, leak, fire, exposure, or accident call CHEMTREC 1-800-424-9300

#### MARINE POLLUTANT

RO