10-05-2010



61483-7

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

> OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

OCT - 5 2010

Mr. Hubert R. O'Neal KMG- Bernuth, Inc. 9555 W. Sam Houston Pkwy S. Suite 600 Houston, Texas 77099-2168

Subject: Label Notification(s) for Pesticide Registration Notice 2007-4

Dear Dr. O'Neal:

The Agency is in receipt of your Application(s) for Pesticide Notification under Pesticide Registration Notice (PRN) 2007-4 dated August 31, 2010 for the following product(s):

#### Permethrin Insecticide Spray

Reg. No. 61483-71

The Registration Division (RD) has conducted a review of this request for applicability under PR Notice 2007-4 and finds that the label change(s) requested falls within the scope of PRN 2007-4. The label has been datestamped "Notification" and will be placed in our records.

If you have any questions, please contact Linda A. DeLuise at 703-305-5428.

Sincerely,

Richard J. Gebken Product Manager Insecticide Branch Registration Division (7504P)

	·	-						
Please read instructions on reverse befo	re completing form		Fom	Approved OM	No. 2070-0060.	Approval expires 2-28-98		
· <, Unite	d States			Regist	ration	OPP Identifier	Number	٦
EPA Environmental Protection Agency				Amend	ment			
Washington, DC 20460			X	Other				
<b>VI</b> 20/migor	Application for	r Pesticide -						-
. Company/Product Num				ct Manage	<u>.</u>	3. Proposed (	Classification	
			hard Ge	•	-			
			PM#			X None	Restricted	
Catron IV 5. Name and Address of A	Applicant (Include 7	Zin Codels Erne	1( dited Per		danco with E	IERA Section 3(c)/3)/h		
KMG-Bernuth	•••						900.	
9555 W Sam	Houston Pkwy S. S	te 600 EPA F	eg. No.		NOTIFI	tion and labeling to: CATION		
	as 7709-2168			ame OCT - 5 2010				
	his is a new addres	s Produ	Product Name ULI _ 5					-
	Sect	ion - II						
Amendme	nt - Explain Below.			- ·	ted labels in r	•		7
			r	י ד		arch 10, 2006		
Resubmission in response to Agency letter			L		Application			
	n - Explain below.			Other - E	xplain below.			
Explanation: Use additiona								
Submission of label to			-					
"This notification is co	-					<b>U</b>		
40 CFR 152.46, and no formula of this product	-			-				
false statement to EPA.						•	•	
Notice 98-10 and 40 CI								
enforcement action and	•	•				j ~j•		l
	Sec	tion - III						
1. Material This Product V	Vill Be Packaged In	:						
Child-Resistant Packaging	Unit Packaging		Wa	Water Soluble Packaging		2. Type of container		
Yes	Yes		-	Yes		Metal Plastic		
Certification must	If "Yes" Unit	No. per		No 'es"	No. per	Glass		
be submitted Packaging Wt. container		-	Package Wt container		Paper			
						Other (specif	۷ <u></u>	
3. Location of Net Contents Infon Label	mation Container	4. Size(	s) Retail C	ontainer	5. Location	n of Label Directions		
Manner in Which Label is Affix		k		Lithograph	<b>B</b>	Stenciled		
				Paper glue	d	Other		
		tion - IV						
. Contact Point (Complete items	directly below for identi	fication of individual	to be con	tacted, if neo	essare, to pr			
Name T Dr. Hubert R. O'Neal			Regulatory Consultant			Telephone No. (Include Aເອລອງde) (713) 819-3932 ຼະຄຸ		
Certification				<del></del>		6. Date Application	the second s	
I certify that the statements I h						(Stampe	ed) u 0000	000
and complete. I acknowledge t by fine or imprisonment or both		or misleading statem	ent may t	e punishable			00000	6
by the or imprisonment or both	under applicable iaw.						0 U U U U U U U U U U U U U U U U U U U	
2. Signature			3. Title				້ວ້ວ ວັ ຈ	с c
Dy Aubert R. O'Neal			Regulatory Consultant				с с	
							600000 6	
4. Typed Name	<u> </u>	5. Dat	e .					
Dr. Hubert R.	O'Neal		- igust 31	, 2010			6466	
						1		

.

•

KMG

c.

August 31, 2010

Document Processing Desk (NOTIF) Office of Pesticides Programs (7504P) U. S. Environmental Protection Agency **ATTN: RICHARD GEBKEN PM 10** Ariel Rios Building 1200 Pennsylvania Avenue, N. W. Washington, D.C. 20460-0001

Re: PR 2007-4 Compliance Catron IV EPA Registration No. 61483-71

Dear Mr Gebken:

Enclosed are the following documents in accordance with notification of change of label language to bring the product label into compliance with PR2007-4 and correct registrant's address :

- . EPA Form 8570-1 (Rev 3-94),
- . Copy of the label marked to show the changes

"This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA."

If you have any questions, please contact me 713-819-3932 or hroneal@suddenlink.net.

60000 6 6000

<sup>00</sup> د

Sincerely

On Haulert R. O'hal

Hubert R. O'Neal, PhD

KMG-Bernuth, Inc. 9555 W. Sam Houston Pkwy S., Suite 600, Houston, TX 77099-2168

### **MASTER LABEL**

# **CATRON<sup>®</sup> IV**

## (Alternate Brand Name for Permethrin Insecticide Spray)

#### **INDICATIONS**

NOTIFICATION

• AN AQUEOUS, STABLE MICRO EMULSION

OCT - 5 2010

- CONTROLS PESTS FOR UP TO FOUR WEEKS
- FOR USE IN HOMES AND OTHER BUILDINGS
- FOR USE ON BEDDING, FURNITURE AND OTHER INANIMATE OBJECTS INFESTED WITH LICE
- KILLS LICE AND THEIR EGGS
- FOR USE IN ANIMAL QUARTERS AND MILK ROOMS
- FOR USE ON LIVESTOCK
- CONTROLS INSECT PESTS ON BEEF CATTLE, DAIRY CATTLE, SHEEP, GOATS, HOGS AND HORSES.
- FOR USE ON WOUNDS TO KILL AND REPEL FLIES AND FLY MAGGOTS
- CONTROLS EAR TICKS ON LIVESTOCK
- KILLS AND REPELS FACE FLIES ON LIVESTOCK
- FOR USE ON DOGS AND ON PREMISES TO CONTROL FLEAS AND TICKS
- CONTROLS FLEAS AND TICKS ON DOGS FOR 14 DAYS
- CONTROLS RESIDENTIAL, INDUSTRIAL AND GARDEN INSECTS

Active Ingredient		
Permethrin (CAS No. 52645-53-1)		0.50%
Other Ingredients		<u>99.50%</u>
Tot	ลโ	100.00%

EPA Reg. No. 61483-71

EPA Est. No. 6658-MO-1

## Keep Out of Reach of Children CAUTION

See back panel for additional precautionary statements

Net Contents: 10 Ounces

Manufactured For: KMG-Bernuth, Inc. 9555 W. Sam Houston Pkwy. S., Ste 600 Houston, TX 77099-2168 U.S.A. (800) 322-8177

8-31-2010

,	FIRST AID
If swallowed	Call a poison control center or doctor immediately for treatment advice.
	• Do not induce vomiting unless told to do so by a poison control center or doctor.
	• Do not give any liquid to the person.
	• Do not give anything by mouth to an unconscious person
If on skin or	Take off contaminated clothing.
clothing	• Rinse skin immediately with plenty of water for 15-20 minutes.
	• Call a poison control center or doctor for treatment advice.
If in eyes	• Hold eye open and rinse slowly and gently with water for 15-20 minutes.
	• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
	Call a poison control center or doctor for treatment advice.
If inhaled	Move person to fresh air.
	• If person is not breathing, call 911 or an ambulance, then give artificial respiration,
	preferably by mouth-to-mouth, if possible.
	Call a poison control center or doctor for further treatment advice.
	HOT LINE NUMBER
Have the produ	uct container or label with you when calling a poison control center or doctor, or going for
treatment. You	u may also contact 1-800-322-8177 for emergency medical treatment information.

### HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

Harmful if swallowed, absorbed through the skin, or inhaled. Causes moderate eye irritation. Avoid breathing vapor or spray mist. Avoid contact with skin, eyes, or clothing. Wash thoroughly with soap and water after handling and before smoking or eating. Remove contaminated clothing and wash before reuse. Sensitivities may occur after using ANY pesticide product for pets. If signs of sensitivity occur, bathe your pet with mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately.

Avoid contamination of feed and foodstuffs. Remove pets and birds and cover fish aquariums before space spraying or surface application. This product is not for use on humans. Vacate room after treatment and ventilate before reoccupying. Do not allow children or pets to contact treated areas until surfaces are dry.

### ENVIRONMENTAL HAZARDS This product is toxic to fish. Do not apply directly to water.

### PHYSICAL OR CHEMICAL HAZARDS

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

### READ ENTIRE LABEL BEFORE EACH USE USE ONLY ON DOGS

#### **DIRECTIONS FOR USE**

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

#### SHAKE WELL BEFORE USING

Remove protective cap, hold container upright and spray from a distance of 12 to 15 inches except where stated otherwise. Remove birds and cover fish aquariums before spraying.

#### **DIRECTIONS FOR USE IN HOMES AND OTHER BUILDINGS**

Not For Use in USDA Meat and Poultry Plants

Do not use in food areas of food handling establishments, restaurants, or other areas where food is commercially prepared or processed. Do not use in serving areas while food is exposed or facility is in operation. Serving areas are areas where prepared foods are served, such as dining rooms but excluding areas where foods may be prepared or held.

In the home, all food processing surfaces and utensils should be covered during treatment or thoroughly washed before use. Exposed food should be covered or removed.

Nonfood/feed areas of food/feed handling establishments are areas such as garbage rooms, lavatories, floor drains (to sewers), entries and vestibules, offices, locker rooms, machine rooms, boiler rooms, garages, mop closets and storage (after canning or bottling).

Houseflies, Fruit Flies, Mosquitoes, Gnats, Wasps, Hornets, Bees, Black Flies, Skipper Flies, Blow Flies and Small Flying Moths: Close all doors and windows and spray room at the rate of 2 to 3 seconds per 1000 cubic feet. Direct spray to all parts of the room, especially windows and other light sources which attract these insects. Keep nozzle in constant motion. Repeat treatment as necessary.

Cockroaches, Waterbugs, Palmetto Bugs, Silverfish, Firebrats, Crickets, Scorpions, Spiders, Millipedes, Centipedes, Sowbugs and Pillbugs: Spray into hiding places such as cracks and crevices, behind sinks, cabinets, along baseboards and floors, around drains and plumbing, hitting insects with spray whenever possible. Repeat treatment as necessary.

Ants: Spray trails, nests and points of entry. Spray on ants where possible. Repeat treatment as necessary.

**Indian Meal Moths, Angoumois Grain Moths:** Close doors and windows, direct spray into all parts of room especially around stored food product containers, pallets and darkened areas. Spray 7 to 10 seconds for each 1000 cubic feet of space. Keep area closed for 15 minutes following treatment. Repeat application as necessary.

**Exposed stages of Confused Flour Beetles, Saw-Toothed Grain Beetles, Red Flour Beetles, Rice Weevils, Granary Weevils, Grain Mites:** Spray into cracks and crevices, around cartons or containers or other areas where these insects tend to congregate. Spray 30 seconds for each 100 square feet of surface. Keep area closed for 45 minutes to 1 hour after treatment. Repeat application as necessary. Infested stored food products in the home should be disposed of.

8-31-2010

3

**Carpet Beetles:** Spray directly on beetles, floors baseboards, shelves and carpets. Repeat treatment as necessary.

**Bedbugs:** Spray mattresses, particularly around tufts and seams. Take beds apart and spray into all joints. Treat baseboards, molding and floors. Repeat treatment as necessary.

To control Clothes Moths and Carpet Beetles on wood and other proteinaceous fibers: Remove infested articles from storage, brush thoroughly, and air for several hours in sunlight if possible. Apply spray liberally to empty chests, closets, bureaus and other storages directing the spray into cracks, joints and crevices. After airing, infested articles may be treated by spraying lightly, keeping nozzle at least three feet from fabric to avoid staining.

To kill lice and louse Eggs: Spray in an inconspicuous area to test for possible staining or discoloration. Inspect again after drying, then proceed to spray entire area to be treated. Hold container upright with nozzle away from you. Depress valve and spray from a distance of 8 to 10 inches. Spray each square foot for three seconds. Spray only garments and parts of bedding, including mattresses and furniture that cannot be either laundered or dry cleaned. Allow all sprayed articles to dry thoroughly before use.

### **DIRECTIONS FOR USE IN ANIMAL QUARTERS AND MILK ROOMS**

For rapid control of House Flies, Mosquitoes, Gnats, Wasps, Hornets, Bees and Small Flying Moths: Close windows and doors and spray at the rate of 2 seconds per 1000 cubic feet of space. For best results, keep area closed for 10 minutes after spraying. Do not remain in treated area and ventilate after treatment is completed.

For control of Bedbugs and Mites in poultry houses, spray crevices of roost poles, cracks in walls, and cracks in nests where the bedbugs and mites hide.

To control **Poultry Lice**, spray roosts, walls and nests or cages thoroughly. This should be followed by spraying over the birds with a fine mist.

To protect beef cattle, dairy cattle, goats, sheep, hogs and horses from attacks of Stable Flies, Horse Flies, Deer Flies, Face Flies, House Flies, Horn Flies, Mosquitoes, and Gnats: Spray about 3 seconds on each side being careful to spray back, withers, and forelegs thoroughly. To protect from Face Flies, spray the face and head, but do not spray into eyes. Repeat treatment when flies are troublesome.

To protect wounds from flies: For castration, de-horning, branding, wire and shear cut wounds, spray directly onto the wound and on surrounding area. Treat navels of newborn animals. Apply to drainage area below wound to prevent fly infestations. Repeat at five to seven day intervals until wounds are healed. Bacterial infections of wounds should be prevented or treated with supplemental disinfectants or appropriate antibiotic therapy.

To kill and control Screwworms, Fleece Worms (wool maggots) and other Blow Fly maggots in and around superficial wounds: Spray wounds thoroughly allowing spray to penetrate into pockets made by maggots. Apply over discharge around wound to prevent re-infestation. Treat at five to seven day intervals until wound is healed.

**To control Blood Sucking Lice:** Apply to the infest areas of the animal using a stiff brush to get the spray to the base of the hair. Repeat every 3 weeks if required.

### FOR SWINE: Do not ship animals for slaughter within 5 days of last treatment.

### **DIRECTIONS FOR USE ON GARDEN PLANTS** (Residential Sites Only)

For use on roses, dahlias, asters and other ornamentals to kill Japanese Beetles hit by spray, as well as, Whiteflies, Aphids, exposed Thrips, Spiders, Red Mites and Leafminers.

May be used on plants, as well as a multi-purpose spray in small gardens and for spot treatments of incipient insect infestations to prevent spreading in large garden areas.

May also be used on other plants such as African violets, asters, azaleas, begonias, camellias, carnations, chrysanthemums, dahlias, delphiniums, dogwood, English ivy, euonymus, fuschia, geraniums, crassula, grape vine, Kentia palm, laurel marigolds, rhododendrons, roses rubber plants snapdragons, stocks, wandering Jews and zinnias.

Effective when used as directed against Whiteflies, Aphids, Spiders and Red Mites, exposed Thrips, Lace Bugs, Japanese Beetles, Pavement Ants, Clover Mites and Army Worms. When spraying plants, do not operate closer than 18 inches. Use sweeping motion. Spray in one-second bursts. Be cautious about wetting tender foliage, young plants and new growth. Do not spray plants when temperature exceeds 90°F. Contact insects directly whenever possible. Repeat treatment as infestations occur.

### **DIRECTIONS FOR USE ON DOGS AND THEIR PREMISES**

Fleas and Ticks (Adults and Larvae): Remove and thoroughly clean or destroy pet bedding. Spray sleeping quarters, bed, entire floor and floor coverings with special attention cracks and crevices around baseboards, and window and door frames. Infested upholstered furniture may also be treated with this product. A test application should be made to upholstery or drapery fabrics in an inconspicuous place before use.

To control **Fleas**, **Ticks and Lice** on Dogs: Starting at the tail, stroke against the lay of the hair, spraying the parted hair in short bursts, directly behind the hand to insure penetrating the coat. Dampen the fur up to the head. Do not spray directly in/on eyes, mouth or genitalia of pets. Do not repeat treatment for 7 days. Do not use on puppies under 12 weeks. **DO NOT USE ON CATS OR KITTENS.** Consult a veterinarian before using this product on debilitated, aged, medicated, pregnant or nursing animals.

### STORAGE AND DISPOSAL

Storage: Store in a cool, dry area. Do not transport or store below 32°F. Pesticide Disposal: Do not puncture or incinerate. Call your local solid waste agency for disposal instructions.

Container Disposal: Nonrefillable container. Do not reuse or refill this container. Do Not Puncture or Incinerate. Place in trash or offer for recycling, if available.

### WARRANTY AND LIMITATION OF DAMAGES

Seller warrants that this material conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with directions under normal conditions of use and Buyer assumes the risk of any use contrary to such directions. Seller makes no other express or implied warranty, including any other express or implied warranty of Fitness or of Merchantability, and no agent of Seller is authorized to do so except in writing and with specific reference to this warranty. In no event shall Seller's liability for any breach of warranty exceed the purchase price of the material as to which a claim is made.

EPA NOTIF 8-31-2010