

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

OCT - 5 2010

Hubert R. O'Neal, PhD KMG-Bernuth, Inc. 9555 W. Sam Houston Pkwy S., Suite 600 Houston, TX 77099-2168

Dear Dr.O'Neal:

Subject: Application for Pesticide Notification (PRN 98-10)
Revise per PR Notice 2007-4 and correct address
1% Permectrin Pour-On Insecticide
EPA Reg. No. 61483-85
Your submission dated September 6, 2010

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 dated September 6, 2010 for the above product. The Registration Division (RD) has conducted a review of this request for its applicability under PRN 98-10 and finds the action requested falls within the scope of PRN 98-10. The label submitted with the application has been stamped "Notification" and will be placed in our records.

Please be reminded that 40 CFR Part 156.140(a)(4) requires that a batch code, lot number, or other code identifying the batch of the pesticide distributed and sold be placed on <u>nonrefillable</u> containers. The code may appear either on the label (and can be added by non-notification/PR Notice 98-10) or durably marked on the container itself.

If you have any questions regarding this letter, please contact Dana Pilitt, PhD of my staff at (703) 305-7071 or via e-mail at pilitt.dana@epa.gov.

Sincerely,

Richard Gebken Product Manager 10

Insecticide Branch

Registration Division (7505P)

& Cull

rease reau instruc	cuons on reverse belo	re completing	10rm	***************************************		rom /	Approved OMB	NO. 20/U-UL	Approvat	expires 2-20-98
°, United States							Registra	ation	OPI	P Identifier Number
EPA Environmental Protection Agency				,		Amendi	nent			
Washington, DC 20460					X	Other				
		Applic	cation for	Pestic	ide - Sec	tio	11	<u> </u>		
1. Compani	y/Product Num	nber			2. EPA Pro	oduc	t Managei		3.	Proposed Classification
	61483-85				Richard	Get	ken			. —
4. Compan	y/Product (Nar	•	S I	-1-	PM#			X	None Restricted	
5 Name ar	1% Permethr				6 Evpodited	10	our In access	langa with E	IEDA CA	netion 3/c)/3\/h\/i\
J. INAINE AL	KMG-Bernuth	• •	t (IIIGIGGE Z	ip code)	6. Expedited Review. In accordance with FIFRA Section 3(c)(3)(b)(i), my product is similar or identical in composition and labeling to:					
	9555 W Sam	-	Pkwv S. S	te 600	EPA Reg. No.					
	Houston, Tex		•		L. / / / / / / / / / / / / / / / / / / /					
	Check if	this is a r	new addres	s	Product Na	ame				
			Cool	: II						
	T A			ion - II		_	per			.
	Amendme	ent - Explain	telow.			L		ed labels in r	-	
	Resultoris	sion in resn	onse to Agend	v letter	ı	_	Agency let	ter dated Ma unnlication	iicii IU, i	2000
	dated	III 100p	to rigorit	. ,	ļ		1 mc 100 /	g-privation)		
		n - Explain					Other - Ex	plain below.		
	n: Use additiona									
	sion of label to				_				_	.• .
	fication is co		-						_	
			-				_			al statement of
	-									illfully make any
false state	ment to EPA	. I furth	ier unders	tand tha	at if this no	otifi	cation is 1	ot consi	stent v	with the terms of PR
Notice 98-	-10 and 40 Cl	FR 152.4	46, this pr	oduct m	ay be in vi	iola	tion of FI	FRA and	l I ma	y be subject to
	ent action and									,,
		*		tion - II						
1 Material	This Product \	Will Be P								
Child-Resistan		Unit Pac				Wate	er Soluble Pa	ckaging	2. T	ype of container
	Yes		Yes				Yes	• •		Metal
	No		No				No			Plastic
	tion must	If "Yes" (Unit	No. per		If "Y	es"	No. per		Glass
be submi	itted	Packagin	ng Wt.	container	•	Paci	age Wt	container	ļ	Paper
						<u> </u>		1- :		Other (specify
3. Location of I	Net Contents Infor		Container		4. Size(s) Ret	tail Co	ontainer	5. Location	n of Labe	el Directions
6. Manner in V	Which Label is Affin					1	Lithograph	1		Stenciled
•							Paper glued			Other
			Sec	tion - l'	V				•	
I. Contact Poi	int (Complete item	s directly be	elow for identil	fication of i	ndividual to be	cont	acted, if nece	ssare, to pr	ocess th	is application.)
Name					Title				Tele	phone No. (Include Aras Gode)
	Dr. Hubert R.				Regulatory Consultant				(713) 819-3932 👓 ີ	
Certification								6. C	6. Date Application Regeived ා	
=	t the statements I I						-	1		(Stamped)
•	te. I acknowledge	•		or misleadir	ig statement m	nay b	e punishable			, j
wy iine or im	prisonment or both	n under app	wcadie IZW.							5 y y y y y y
2. Signature					3. Title			\dashv	9 J J J 2	
									23.3	
Da Toubert A. D'real				Regulatory Consultant			1	Э		
	, wat	11.0								2,000,0
4. Typed N					5. Date				9999	
Dr. Hubert R. O'Neal				September 6, 2010				1	ງັ້າ ນຸກຸກ	





September 6, 2010

Document Processing Desk (NOTIF)
Office of Pesticides Programs (7504P)
U. S. Environmental Protection Agency
ATTN: RICHARD GEBKEN PM 10
Ariel Rios Building
1200 Pennsylvania Avenue, N. W.
Washington, D.C. 20460-0001

Re: PR 2007-4 Compliance

1% Permethrin Pour-On Insecticide EPA Registration No. 61483-85

Dear Mr Gebken:

Enclosed are the following documents in accordance with notification of change of label language to bring the product label into compliance with PR2007-4 and correct registrant's address:

- . EPA Form 8570-1 (Rev 3-94),
- . Copy of the label marked to show the changes

"This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA."

If you have any questions, please contact me 713-819-3932 or hroneal@suddenlink.net.

Sincerely

Hubert R. O'Neal, PhD

Du Whole R. O'real

1% PERMECTRINTM POUR-ON INSECTICIDE

Ready-To-Use Pour-On & Spray Insecticide Treats up to 25 Cows per Gallon

NOTIFICATION

Kills Flies, Lice and Ticks on Beef and Lactating Dairy Cattle, and Keds on Sheep

OCT - 5 2010

4.00000	
ACTIVE	INGREDIENT

Permethrin (CAS # 52645-53-1)	1.0%
OTHER INGREDIENTS*	.99.0%
Total 1	00.0%

*Contains petroleum distillate

EPA Reg. No. 61483-85

EPA Est. No. 61483-KS-01

Keep Out of Reach of Children

OC1 - 2 5010

CAUTION

ИОТІРІСАТІОИ

See back panel for additional precautionary statements

		FIRST AID	
If in eyes	•	Hold eye open and rinse slowly and gently with water for 15-20 minutes.	
• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing			
	•	Call a poison control center or doctor for treatment advice.	
If swallowed • Call a poison control center or doctor immediately for treatment ad		Call a poison control center or doctor immediately for treatment advice.	
• Do not induce vomiting unless told to do so by a poison control center or doctor.			
	•	Do not give any liquid to the person.	
	•	Do not give anything by mouth to an unconscious person	
		HOT LINE NUMBER	

Have the product container or label with you when calling a poison control center or doctor, or going for

treatment. You may also contact 1-800-322-8177 for emergency medical treatment information.

NOTE TO PHYSICIAN

Contains petroleum distillate – vomiting may cause aspiration pneumonia.

Net Contents: 1.0 U.S. Gallon

(3.785 Liters)

9999 Manufactured by: KMG-Bernuth, Inc.

Houston, TX.77099-2168 800-322-8177

⁹3333 **9-6-2010**

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION: Avoid contact with eyes.

ENVIRONMENTAL HAZARDS: This pesticide is extremely toxic to fish. Use with care when applying to areas adjacent to any body of water. Do not add directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

PHYSICAL OR CHEMICAL HAZARDS: Do not use or store near heat or open flame.

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

APPLICATION INSTRUCTIONS

APPLICATION INSTRUCTIONS					
APPLY TO	TARGET PESTS	APPLICATION INSTRUCTIONS			
Beef Cattle,	Horn Flies, Face Flies	DOSAGE: Apply ½ fl. oz. per 100 lbs. body weight of animal, up			
Lactating and	and Lice. Aids in the	to a maximum of 5 fl. oz. for any one animal.			
Non-Lactating	insecticidal control of	POUR-ON: Pour along back line and down face.			
Dairy Cattle and	Horse Flies, Stable	READY-TO-USE SPRAY: Use undiluted in a mist sprayer to			
Calves	Flies, Mosquitoes,	apply correct dose. Apply directly to neck, face, back, legs and			
	Black Flies and Ticks	ears.			
		BACK RUBBER USE: Mix one pt. per gal. of #2 diesel or			
		mineral oil. Keep rubbing device charged. For Back Rubber			
		applications, results are improved by daily forced use.			
Sheep	Sheep Keds, Lice, Horn	DOSAGE: Apply ¼ fl. oz. per 50 lbs. body weight of animal, up			
	Flies and Face Flies.	to a maximum of 3 fl. oz. for any one animal.			
	Aids in the insecticidal	POUR-ON: For Keds, pour along back line over neck, shoulders			
	control of Horse Flies,	and rump. Pour along back line and down face for lice, flies and			
	Stable Flies,	ticks.			
	Mosquitoes, Black	READY-TO-USE SPRAY: Use undiluted in a mist sprayer to			
	Flies and Ticks	apply correct dose. Apply directly to neck, face, back, legs and			
		ears.			
		BACK RUBBER USE: Mix one pt. per gal. of #2 diesel or			
		mineral oil. Keep rubbing device charged. For Back Rubber			
		applications, results are improved by daily forced use.			
Premises –	House Flies, Stable	READY-TO-USE SPOT SPRAY OR PREMISE SPRAY:			
In and around	Flies, Face Flies,	Use undiluted in a mist sprayer. Apply directly to surface to leave			
Horse, Beef,	Gnats, Mosquitoes,	a residual insecticidal coating, paying particular attention to areas			
Dairy, Swine,	Black Flies, Fleas, and	where insects crawl or alight. One gallon will treat approximately			
Sheep and	Little House Flies.	7,300 square feet.			
Poultry	Aids in the control of	, reference 2			
premises,	cockroaches, ants,) \$2000 0 0 0			
Animal Hospital	spiders and crickets.	3 2 3 3 9			
Pens and		, , , , , , , , , , , , , , , , , , ,			
Kennels and		1112			
"outside" Meat		2 223.30			
Processing		3 3 3			
Premises		,			

6066

NOTE: For Pour-On and Ready- Use Spray applications, repeat treatme. as needed, but do not exceed 5 fl. oz. during any 14 day interval. For optimum insecticidal effectiveness against lice, a second treatment at 14 day intervals is recommended.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal

Pesticide Storage: Keep container sealed when not in use. Do not store near food or feed

Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Container Disposal: Nonrefillable container. Do not reuse or refill this container. Triple rinse container (or equivalent) promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container 4 full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Offer for recycling, if available.

WARRANTY AND LIMITATION OF DAMAGES

Seller warrants that this material conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with directions under normal conditions of use and buyer assumes the risk of any use contrary to such directions. Seller makes no other express or implied warranty, including any other express or implied warranty of Fitness or of Merchantability, and no agent of Seller is authorized to do so except in writing and with specific reference to this warranty. In no event shall Seller's liability for any breach of warranty exceed the purchase price of material as to which a claim is made.

EPA NOTIF 9-6-2010