

# UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

Dr. Hubert R. O'Neal Regulatory Consultant KMG-Bernuth, Inc. 9555 W. Sam Houston Pkwy S. Ste 600 Houston, TX 77099-2168 NOTIFICATION OCT 1 9 2010

Subject:

Application for Pesticide Notification

EPA Registration Number: 61483-88 Date of Submission: September 12, 2010

# Dear Registrant:

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration (PRN) 98-10 dated September 12, 2010, for the abovementioned product. The Registration Division (RD) has conducted a review of this request for its applicability under PRN 98-10 and finds that the actions requested fall within the scope of PRN 98-10. The label submitted with the application has been stamped "Notification" and will be placed in our records.

If you have any questions regarding this letter, please contact Clayton Myers at (703) 347-8874, or via email at myers.clayton@epa.gov.

Sincerely,

ر کی د

Richard Gebken Product Manager Insecticide Branch

Registration Division (7505P)

Enclosures:

Copy of Label Stamped "Notification"

Form Approved OMB No read instructions on reverse before J060. Approval expires 2-28-98 Registration OPP Identifier Number **United States EPA** Environmental Protection Agency **Amendment** Washington, DC 20460 Other **Application for Pesticide - Section 1** 1. Company/Product Number 2. EPA Product Manager 3. Proposed Classification 61483-88 Richard Gebken 4. Company/Product (Name) PM# X None Restricted Annihilator WP 5. Name and Address of Applicant (Include Zip Code) 6. Expedited Review. In accordance with FIFRA Section 3(c)(3)(b)(i). KMG-Bernuth, Inc. my product is similar or identical in composition and labeling to: 9555 W Sam Houston Pkwv S. Ste 600 EPA Reg. No. Houston, Texas 7709-2168 Check if this is a new address Product Name Section - II Amendment - Explain Below. Final printed labels in response to Agency letter dated March 10, 2006 Resubmission in response to Agency letter "Me Too" Application Notification - Explain below. Other - Explain below. Explanation: Use additional page(s) if necessary. (For section I and section II.) Submission of label to comply with PR2007-4 and to correct Registrants name, adddress and telephone no. . "This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA." Section - III Material This Product Will Be Packaged In: Child-Resistant Packaging Unit Packaging Water Soluble Packaging 2. Type of container Metal Yes Yes Yes No No Plastic Certification must ff "Yes" Unit No. per If "Yes" No. per Glass be submitted Packaging Wt. Package Wt container Paper container Other (specify 4. Size(s) Retail Container 3. Location of Net Contents Information 5. Location of Label Directions Label Container 6. Manner in Which Label is Affixed to Product Lithograph Stenciled Paper glued Other Section - IV 1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessare, to process this application.) Title Telephone No. (Include Area Code) Dr. Hubert R. O'Neal Regulatory Consultant (713) 819-3932 Certification 6. Date Application Received I certify that the statements I have made on this form and all attachments thereto are true, accurate (Stamped) and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.

Regulatory Consultant

September 12, 2010

5. Date

2. Signature

4. Typed Name

De Huber R. O'Real

Dr. Hubert R. O'Neal

. . . .



September 12, 2010

Document Processing Desk (NOTIF)
Office of Pesticides Programs (7504P)
U. S. Environmental Protection Agency
ATTN: RICHARD GEBKEN PM 10
Ariel Rios Building
1200 Pennsylvania Avenue, N. W.
Washington, D.C. 20460-0001

Re: PR 2007-4 Compliance

Annihilator WP

EPA Registration No. 61483-88

Dear Mr Gebken:

Enclosed are the following documents in accordance with notification of change of label language to bring the product label into compliance with PR2007-4 and to correct registrant's name, address and telephone number:

332 > Clark

- . EPA Form 8570-1 (Rev 3-94),
- . Copy of the label marked to show the changes

"This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA."

If you have any questions, please contact me 713-819-3932 or hroneal@suddenlink.net.

Sincerely

Hubert R. O'Neal, PhD

De Howled R. O'new

Page 1 of 10 Annihilator WP 9-10-2010

# **ANNIHILATOR WP**

## Wettable Powder Premise Insecticide

- For Use by Individuals/Firms Licensed or Registered by the State to Apply Pesticide Products
- For Industrial Control of Major Nuisance Pests
- Controls numerous pests in and around unoccupied poultry houses, horse stalls, cattle barns, and swine and other livestock buildings
- For use in Non-Food/Non-Feed areas of Food/Feed Processing Plants.

NOTIFICATION

OCT 1 9 2010

**ACTIVE INGREDIENT:** 

Deltamethrin: (s)-cyano-3-phenoxybenzyl-(1R,3R)-3-(2,2-dibromovinyl)-2,2-dimethyl-

 cyclopropanecarboxyate
 5.00%

 OTHER INGREDIENTS:
 95.00%

 100.00%

EPA Reg. No. 61483-88

EPA Est. No. 61483-KS-01

#### KEEP OUT OF REACH OF CHILDREN

# CAUTION


## See Back Panel For Additional Precautions

FIRST AID					
If in eyes	Hold eye open and rinse slowly and gently with water for 15-20 minutes.				
	• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.				
	Call a poison control center or doctor for treatment advice.				
	HOT LINE NUMBER				

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-322-8177 for emergency medical treatment information.

**NET CONTENTS: 1 lb.** 

MANUFACTURED BY: KMG-Bernuth, Inc. Houston, Texas 77099-2168 (800)-322-8177



Page 2 of 10 Annihilator WP 9-10-2010

# PRECAUATIONARY STATEMENTS

### HAZARDS TO HUMANS AND DOMESTIC ANIMALS

#### **CAUTION**

Causes moderate eye irritation. Contact with product may cause transient tingling and reddening of the skin. Avoid contact with eyes, skin or clothing. Wash thoroughly with soap and water after handling.

Handling Procedures: Wear protective clothing when using or handling this product to help avoid exposure to eyes and skin. As a minimum, eye protection and chemically resistant gloves, a long-sleeved shirt and long-legged pants or coveralls are recommended. To avoid breathing spray mist during application in confined areas, wear a dust/mask filtering respirator (MSHA/NIOSH approval number prefix TC-21C), or a NIOSH approved respirator with any N, K, P, or HE filter.

Adults, children and pets should not contact treated surfaces until spray has dried. Do not treat pets with this product. Before spraying, remove pets, cover aquaria and turn off air pump. Do not apply where electrical short circuits could occur. Do not use indoors as a space spray or in fogging equipment. It is recommended that eye protection be worn when making applications overhead.

#### ENVIRONMENTAL HAZARDS

This product is extremely toxic to fish and other aquatic organisms. Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Use with care when applying in areas adjacent to any body of water. Do not contaminate water when disposing of equipment wash waters. Remove pets and cover aquariums and terrariums before spraying.

#### PHYSICAL & CHEMICAL HAZARDS

Do not use water based sprays of Annihilator WP in conduits, motor housings, junction boxes, or other electrical equipment because of possible shock hazard.

#### **DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

General Information: Annihilator WP is a wettable powder insecticide containing 5.0% by weight active ingredient which will provide effective knockdown and long residual control up to 90 days of stable flies and up to 28 days of house flies in and around non-residential buildings and on various modes of transport.

Annihilator WP does not damage paints, plastics, fabrics or other surfaces where water alone causes no damage. To insure against possible damage to delicate material, test a small inconspicuous area before treatment.

Page 3 of 10 Annihilator WP 9-10-2010

#### **INDOORS**

Annihilator WP is intended to be mixed with water and applied indoors as crack and crevice, spot and broadcast treatments with pressurized sprayers or other equipment suitable for applying insecticides to localized areas. To minimize airborne particles, spray pressure should not exceed 30 psi at the nozzle tip.

Handling Procedures: Wear protective clothing when using or handling this product to help avoid exposure to eyes and skin. As a minimum, eye protection and chemically resistant gloves, a long-sleeved shirt and long-legged pants or coveralls are recommended. To avoid breathing spray mist during application in confined areas, wear a mask or respirator of a type recommended by NIOSH for filtering spray mists.

Adults, children and pets should not contact treated surfaces until spray has dried. Do not treat pets with this product. Before spraying, remove pets, cover aquaria and turn off air pump. Do not apply where electrical short circuits could occur. Do not use indoors as a space spray or in fogging equipment. It is recommended that eye protection be worn when making applications overhead.

Treatment Sites: When used in accordance with label directions, Annihilator WP may be applied in and around non-residential buildings and structures. This product can be applied to walls, floors, ceilings, in and around cabinets, between, behind and beneath equipment and appliances around floor drains, window and door frames, and around plumbing, sinks and other possible pest harborage sites. Permitted areas of use include, but are not limited to, the non-food/non-feed areas of buses, railcars, trucks, food manufacturing processing and servicing establishments, unoccupied poultry houses, horse stalls, cattle barns, warehouses, laboratories, industrial buildings and installations.

Treatments may be applied at 21-day intervals or as necessary to maintain adequate control.

Mixing Instructions: Annihilator WP is intended to be mixed with water and applied with hand pressurized or power operated sprayers as a coarse spray. When diluting, add water to the spray tank and the appropriate amount of Annihilator WP. Thoroughly agitate the sprayer before using to insure proper suspension of the wettable powder. Re-invert sprayer before use if spraying is interrupted. If spray screens are used, they should be 50 mesh or larger. Dilute Annihilator WP insecticide only with water.

**Dosage Chart:** This product is intended for dilution prior to applications as directed in the following table. Use the scoop provided for measuring from the jar. Each level scoopful contains 0.8 oz Annihilator WP.

Tank Mixing: Unless prohibited by a product's label, users at their own discretion can tank-mix pesticides such as insect growth regulators currently labeled for similar use patterns. It is always recommended that a small jar compatibility test using proper proportions of chemicals and water be run to check for physical compatibility prior to tank mixing.

Page 4 of 10 Annihilator WP 9-10-2010

Pests	Concentration of Active Ingredient	Dilution Rate Per Gallon of Final Spray
ants, bees, centipedes, cockroaches (maintenance rate), flies (including such flies as stable, house, cluster and horse flies), firebrats, gnats, hornets, killer bees, midges, mosquitoes, silver fish, yellow jackets, wasps	0.03% w/w	1 scoop
Bedbugs, carpet beetles, cockroaches (clean out rate), crickets, fleas, lice, pillbugs, scorpions, sowbugs, spiders, ticks	0.06% w/w	2 scoops
carpenter ants	0.03% w/w	1 scoop

#### **APPLICATION METHODS**

This product may be applied as crack and crevice, spot, general surface and broadcast treatments. Treat where pests are found or normally occur.

Crack and Crevice Applications: Use a low pressure system with a pinpoint or variable pattern nozzle to apply the spray mixture to areas such as floors, cracks and crevices in and around baseboards, walls, expansion joints, areas around water and sewer pipes, and voids formed by equipment or appliances.

**Spot and Broadcast Applications:** Use a low pressure system with fan-type nozzle to uniformly apply spot treatments between, beneath and behind equipment or appliances.

**Premise Pest Control:** Apply as a coarse, low pressure spot or crack and crevice spray to areas that pests normally inhabit. Pay particular attention to dark corners of rooms and closets; floor drains; cracks and crevices in walls; along and behind baseboards; around plumbing and other utility installations, doors, windows and in attics and crawl spaces. Applications may be made to floor surfaces along baseboards and around air ducts.

**Pet Kennels:** For residual control of crawling and flying insects in and around these structures, apply as a general surface and/or crack and crevice spray. Optimal control results if facilities to be treated are clean and if the exterior perimeter is concurrently treated with Annihilator WP. Apply only to areas of facility where animals are not present. Allow spray to dry before allowing re-entry of animals into treated areas. Do not apply to animal feed or watering equipment.

#### FOOD/FEED HANDLING ESTABLISHMENTS

Do not use in food/feed areas of food/feed handling establishments, restaurants or other areas where food/feed is commercially prepared or processed. Do not use in serving areas while food is exposed or facility is in operation. Serving areas are areas where prepared foods are served such as dining rooms, but excluding areas where foods may be prepared or held. Do not use in Federally Inspected Meat and Poultry Plants.

Page 5 of 10 Annihilator WP 9-10-2010

NON-FOOD/NON-FEED AREAS: Annihilator WP may be applied as a general, spot or crack and crevice treatment in non-food/non-feed areas. Non-food/non-feed establishment areas are areas such as garbage rooms, lavatories, floor drains (to sewers), entries, and vestibules, offices, locker rooms, machine rooms, boiler rooms, mop closets and storage (after packaging, canning or bottling). All areas that insects inhabit or through which insects may enter should be treated.

#### INDOOR PESTS CONTROLLED BY ANNIHILATOR WP

Ants<sup>(1)</sup>

**Firebrats** 

Beetles

Fleas<sup>(4)</sup>

Brown dog ticks<sup>(2)</sup>

Mosquitoes

Centipedes Cockroaches<sup>(3)</sup> Silverfish

(American)

Scorpions

(Asian)

Sowbugs Spiders

(brown-banded)

Ticks

(German)

and other insect pests

(oriental)

(smoky brown)

Crickets

Numbers refer to "Specific Indoor Use Directions".

## **Specific Indoor Use Directions**

- Ants may be controlled by treating ant trails and wherever else these pests may find entrance; for example, around doors and windows.
- 2. For control of brown dog ticks, thoroughly apply the spray to infested areas, such as cracks and crevices, along baseboards, windows and door frames, and areas of floor and floor coverings where these pests may be present. Non-carpeted flooring should only be treated with spot applications as necessary. Spots are defined as areas not exceeding two square feet. Use a 0.06% spray at the rate of 1 gallon of diluted spray per 1600 square feet. Do not treat pets with this product. Adults, children and pets should not contact treated surfaces until spray has dried.
- 3. Cockroaches can be controlled by making crack and crevice, spot or general surface treatments. Treat where insects are found or normally occur including, but not limited to, floors, cracks and crevices in walls, along and behind baseboards; around plumbing, floor drains and other utility installations; and beneath and behind sinks, cabinets or other fixtures.
- 4. To control **fleas**, thoroughly apply a fine-particle spray to infected areas. An insect growth regulator may be added to achieve extended control of developing flea larvae and pupae. Non-carpeted flooring should only be treated with spot applications as necessary. Spots are defined as areas not to exceed two square feet.

Page 6 of 10 **Annihilator WP** 9-10-2010

Treated areas should be vacated during application, except for the applicator. Cover aquaria and fish bowls and remove other pets. Adults, children and pets should not contact treated surfaces until spray has dried. Old bedding should be replaced or thoroughly washed. Do not treat pets with this product. To control the source of flea infestations, pets inhabiting the treated premises should be treated with a flea control product registered for application to animals.

## **OUTDOORS**

Annihilator WP is intended to be mixed with water and applied outdoors with pressurized sprayers as a general surface spray. The active ingredient in this product will provide effective residual control of pests listed on this label.

Handling Procedures for General Use Outdoors: Do not allow adults, children or pets on treated surfaces until spray has dried. Keep out of fish pools or other bodies of water. Do not treat vegetable gardens. Do not allow livestock to graze in treated areas.

Treatment Sites: When used in accordance with label directions, Annihilator WP may be applied to and around outside surfaces of residential and non-residential buildings and structures. Permitted areas of use include, but are not limited to:

**Crawl Spaces Driveways** 

Fences

Garages

Refuse dumps

Walls

Decks

**Eaves** 

Foundations Lawns

Walkways

Window and door frames

Mixing Instructions: Annihilator WP is intended to be mixed with water and applied with hand pressurized or power operated sprayers as a coarse spray. When diluting, add water to the spray tank and the appropriate amount of Annihilator WP. Thoroughly agitate the sprayer before using. Re-invert sprayer before use if spraying is interrupted. If spray screens are used, they should be 50 mesh or larger. Dilute Annihilator WP only with water.

Dosage Chart: This product is intended for dilution prior to application as directed in the table below. Use the scoop provided for measuring from the jar. Each level scoopful contains 0.8 oz Annihilator WP.

Tank Mixing: Unless prohibited by a product's label, users at their own discretion can tank-mix pesticides such as insect growth regulators currently labeled for similar use patterns. It is always recommended that a small jar compatibility test using proper proportions of chemicals and water be run to check for physical compatibility prior to tank mixing.

Concentration of Spray Mixture		Amount of Annihilator WP (ounce)	Amount of water (gal)	
High		0.80	1	low
Conc.	0.06%	1.60	1	_ volume
	0.003%	0.80	10	
Low		4.00	50	high
Conc.		8.00	100	volume
	0.006%	1.60	10	
		8.00	50	
		16.00	100	

### **Application Methods**

This product may be applied outdoors as a general surface spray. Treat where pests are found or normally occur

Low Volume Directed Sprays: Application of low volume, high concentration (0.03 – 0.06%), sprays can quickly reduce localized heavy pest infestations on outside surfaces. Use a low pressure system with a pinpoint or variable pattern nozzle, such as a hand pump sprayer or backpack sprayer, and apply the spray mixture to specific areas such as cracks and crevices along walkways, patios, windows and door frames or other areas where insects may congregate or can gain entrance to the structure.

High Volume Broadcast Sprays: Application of high volume, low concentration (0.003 - 0.006%) sprays, such as with power spraying equipment, can help prevent infestations of buildings by reducing pests in outdoor areas. Longer residual is achieved at the higher rates (about 0.006%). This type of treatment provides more thorough coverage over large areas than low volume directed sprays. Treat by applying spray mixture directly to areas such as flower beds, junctions of soil and structural walls, under shrubs, along base of fences, and under eaves. Apply as a coarse spray at the rate of about 10 gallons spray mixture per 1000 square feet. Thoroughly and uniformly wet the treated area. Use sufficient amount of spray dilution to cover the area to the point of wetness but avoid applying to the point of runoff.

## **Outdoor Pests Controlled by Annihilator WP**

Ants	Fleas		
Bees <sup>(1)</sup>	Flies <sup>(3)</sup>		
Beetles	Hornets <sup>(1)</sup>		
Carpenter ants	Midgets <sup>(3)</sup>		
Centipedes	Mosquitoes <sup>(3)</sup>		
Cockroaches	Moths		
(American)	Pillbugs		
(Asian)	Scorpions <sup>(4)</sup>		
(brown-banded)	Sowbugs		
(German)	Spiders		
(oriental)	Ticks		
(smoky brown)	Wasps <sup>(1)</sup>		
Crickets	Yellow Jackets <sup>(1</sup>		
(2)			

Fire Ants<sup>(2)</sup> and other outdoor insects

Numbers refer to "Specific Outdoor Use Directions"

Page 8 of 10
Annihilator WP
9-10-2010

# **Specific Outdoor Use Directions**

1. Wasps, Hornets, Yellow Jackets & Bees -

Application should be made late in the evening when insects are at rest. Aim spray at nest openings in ground, bushes, in cracks and crevices and under attic rafters which may harbor nests. Saturate nest and contact as many insects as possible.

- 2. **Fire ant** mounds may be controlled by applying Annihilator WP as a drench. Dilute 1.6 oz per 2 gallons of water. Gently sprinkle 1 to 2 gallons of the diluted insecticide over the surface of each mound and surrounding area to a 2 foot diameter. For best results, apply in cool weather, 65 to 80° F, or in early morning or late evening hours. Treat new mounds as they appear. Pressurized sprays may disturb the ants and cause migration, reducing product effectiveness.
- 3. Flies, midges and mosquitoes may be controlled by spraying outside surfaces of doors, screens, window frames, or wherever these insects may enter the room. Also, spray surfaces around light fixtures on porches, in garages and other places where these insects alight or congregate.
- 4. **Scorpions** may be controlled by removing accumulations of lumber, firewood and other materials serving as harborage sites. Before stacking firewood or lumber, apply Annihilator WP as a localized spray to surfaces immediately below such materials. Do not treat firewood directly. Broadcast sprays outdoors may assist in reducing pests migrating from surrounding areas.

#### FOR CONTROL OF WOOD-INFESTING INSECTS

Annihilator WP is intended to be mixed with water and applied as a general surface spray or localized injection treatment with pressurized sprayers or other equipment suitable for applying insecticides to localized areas

Handling Procedures: Contact with treated surfaces should be avoided until spray has dried. Cover or remove exposed foods before treatment. Before spraying, remove pets, cover aquaria and turn off air pump. Do not apply where electrical short circuits could occur.

**Treatment Sites:** When used in accordance with label directions, Annihilator WP can be applied to residential and non-residential buildings and structures for control of wood-infesting insects. Permitted areas of use include but are not limited to:

crawl spaces
gaps between wooden members
junctions between wood and foundation
voids and channels in damaged wood
wall voids
wood surfaces

Page 9 of 10 Annihilator WP 9-10-2010

Mixing Instructions: To make a 0.03% water-based spray, mix 0.8 ounces (1 scoop) of Annihilator WP per gallon of spray mixture. To make a 0.06% water-based spray, mix 1.6 ounces (2 scoops) of Annihilator WP per gallon of spray mixture. When diluting, add water to the spray tank and the appropriate amount of Annihilator WP. Thoroughly agitate the sprayer before using to insure proper suspension of the wettable powder. Re-invert sprayer before use if spraying is interrupted. If spray screens are used, they should be 50 mesh or larger. Dilute Annihilator WP only with water.

**Dosage Rates:** Applications of 0.03% to 0.06% Annihilator WP can be made depending on pest species and method of application. Expect increased residual control of higher rates. See "Specific Use Directions For Control of Wood-Infesting Insects" for additional information.

Tank Mixing: Unless prohibited by a product's label, users at their own discretion can tank-mix pesticides such as insect growth regulators currently labeled for similar use patterns. It is always recommended that a small jar compatibility test using proper proportions of chemicals and water be run to check for physical compatibility prior to tank mixing.

## **Application Methods**

This product may be applied either as a coarse spray or by brushing onto targeted surfaces. Equipment capable of delivering a coarse, low pressure (about 20 psi) spray is recommended for treatment of large or overhead areas. Inaccessible areas such as wall voids can be treated by injecting the spray mixture under low pressure (about 20 psi) through drilled openings. Use sufficient amount of spray dilution to cover the area to point of wetness but avoid applying to point of runoff.

Drilling may be necessary prior to applying Annihilator WP to voids, cracks or joint spaces in vulnerable locations and to channeled section of wood but it must be recognized that such drilling and treating may not result in complete coverage of infested and vulnerable voids. All treatment holes drilled in construction elements in commonly occupied areas of structures must be securely plugged. Inspect at 6 months and 1 year to insure that the colony has been killed. Retreat if necessary.

**Overhead Areas:** It is recommended that, when spraying overhead areas, care should be taken to avoid dripping or runoff from contacting applicator.

### **Wood-Infesting Insects Controlled by Annihilator WP**

beetles<sup>(1)</sup>
(Anobiidae)
(Bostrichidae)
(Cerambycidae)
(Lyctidae)
Carpenter ants and other wood-infesting ants<sup>(2)</sup>

Numbers refer to "Specific Use Direction for Control of Wood-Infesting Insects"

1304/3

Page 10 of 10
Annihilator WP

9-10-2010

# **Specific use Directions for Control of Wood-Infesting Insects**

- 1. **Beetles** may be controlled by applying spray mixture to infested areas, or areas where infestations are likely to occur. This includes but is not limited to wood surfaces, voids and channels in damaged wood, spaces between wooden members of a structure and junctions between wood and foundations. Apply to wetness but avoid runoff.
- 2. **Wood-Infesting ants** may be controlled by applying spray mixture around doors and windows, cracks or crevices, or other areas where ants may enter, crawl or hide.

Primary colonies are typically found outside through an exterior inspection. Correction of sanitation and structural deficiencies or landscape modifications may be necessary for effective control.

#### **STORAGE & DISPOSAL**

Do not contaminate water, food or feed by storage or disposal.

**Storage:** Mix as needed. Do not store dilute material. Store in original container in secured dry storage area. Prevent cross-contamination with other pesticides and fertilizers. If the container is leaking and/or material is spilled on floor or paved surfaces, sweep up and remove to chemical waste area.

**Pesticide Disposal:** Call your local solid waste agency at 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

Container Disposal: Nonrefillable container. Do not reuse or refill this container. Triple rinse container (or equivalent) promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container ¼ full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Offer for recycling, if available.

#### WARRANTY AND LIMITATION OF DAMAGES

Seller warrants that this material conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use and Buyer assumes the risk of any use contrary to such directions. Seller makes no other express or implied warranty, including any other express or implied warranty of Fitness or of Merchantability, and no agent of Seller is authorized to do so except in writing and with specific reference to this warranty. In no event shall Seller's liability for any breach of warranty exceed the purchase price of the material as to which a claim is made.