



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

Hubert R. O'Neal, PhD KMG-Bernuth, Inc. 9555 W. Sam Houston Pkwy, Suite 600 Houston, Texas 77099

SEP 15 2010

Subject:

Notification; Per PR-Notice 2007-4

Clean-Up Pour-On Insecticide with IGR

EPA Reg. No. 61483-91

Date Submitted: August 24, 2010

Dear Dr. O'Neal:

The Agency is in receipt of your Application(s) for Pesticide Notification under Pesticide Registration Notice (PRN) 2007-4 dated August 24, 2010 for the product referenced above. The Registration Division (RD) has conducted a review of this request for applicability under PRN 2007-4 and finds that the label change requested falls within the scope of PRN-2007-4. The label has been date-stamped "Notification" and will be placed in our records.

Please be reminded that 40 CFR Part 156.140(a)(4) requires that a batch code, lot number, or other code identifying the batch of the pesticide distributed and sold be placed on <u>nonrefillable</u> containers. The code may appear either on the label (and can be added by non-notification/PR Notice 98-10) or durably marked on the container itself.

If you have any questions, please contact me at (703) 306-0415 or davis.kable@epa.gov.

Sincerely,

Kable Bo Davis

Entomologist

Insecticide-Rodenticide Branch Registration Division (7505P)

August 24, 2010

Dr. Hubert R. O'Neal



August 24, 2010

Document Processing Desk (NOTIF)
Office of Pesticides Programs (7504P)
U. S. Environmental Protection Agency
ATTN: RICHARD GEBKEN PM 10
Ariel Rios Building
1200 Pennsylvania Avenue, N. W.
Washington, D.C. 20460-0001

Re:

PR 2007-4 Compliance

Clean-Up Pour-On Insecticide With IGR

EPA Registration No. 61483-91

Dear Mr Gebken:

Enclosed are the following documents in accordance with notification of change of label language to bring the product label into compliance with PR2007-4 and correct registrant's address and telephone number:

- . EPA Form 8570-1 (Rev 3-94),
- . Copy of the label marked to show the changes

"This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA."

If you have any questions, please contact me 713-819-3932 or hroneal@suddenlink.net.

Sincerely

Hubert R. O'Neal, PhD

De Huber R. O'no.

CLEAN-UPTM POUR-ON INSECTICIDE WITH IGR

Ready-to-Use Suspension for Control of Flies and Lice on Lactating and Non-Lactating Dairy Cattle, Beef Cattle, Calves and Horses

Provides control of chewing and suckling lice.

Has a zero day pre-slaughter interval and milk discard time.

May be used as a component of an integrated pest management program, either alone or in combination with other insecticides as an aid to prevent the development of insecticide resistance.

ACTIVE INGREDIENTS

Diflubenzuron (CAS # 35367-38-5)	5.00%
Permethrin (CAS # 52645-53-1)	5.00%
OTHER INGREDIENTS*	90.00%
Total	100 00%

^{*} Contains petroleum distillate

EPA Reg. No 61483-91

EPA Est. No. 61483-KS-001

NOTIFICATION

SEP 1 5 2010

SHAKE WELL BEFORE USE

Keep Out of Reach of Children CAUTION

See Back Panel for Additional Precautionary Statements

FIRST AID					
If swallowed	Call a poison control center or doctor immediately for treatment advice.				
	• Do not induce vomiting unless told to do so by a poison control center or doctor.				
	Do not give any liquid to the person.				
	Do not give anything by mouth to an unconscious person.				
If on skin or	r • Take off contaminated clothing.				
clothing	• Rinse skin immediately with plenty of water for 15-20 minutes.				
	Call a poison control center or doctor for treatment advice.				
If in eyes • Hold eye open and rinse slowly and gently with water for 15-20 minute					
• Remove contact lenses, if present, after the first 5 minutes, then continu					
	Call a poison control center or doctor for treatment advice.				
HOTLINE NUMBER					
Have the produ	act container or label with you when calling a poison control center or doctor, or going for				
treatment. You may also contact 1-800-322-8177 for emergency medical treatment information.					
·	NOTE TO PHYSICIAN				

Contains petroleum distillate – vomiting may cause aspiration pneumonia.

Net Contents: 2.5 U.S. Gallons Manufactured by: KMG-Bernuth, Inc.

(9.5 Liters)

9555 W. Sam Houston Pkwy S., Ste 600 Houston, TX 77099-2168, 1-800-322-8177

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION: Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling.

Personal Protective Equipment (PPE)

Applicators and handlers must wear: 1) Long-sleeved shirt and long pants, 2) Shoes and socks, 3) Chemical-resistant gloves.

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish and other aquatic invertebrates. Do not add directly to water, or areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when cleaning equipment or disposing of equipment wash waters.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READY-TO-USE: NO DILUTION NECESSARY

TARGET ANIMAL	TARGET ANIMAL TARGET PEST APPLICATION INSTRUCTIONS		
Lactating and non-	Sucking Lice, Chewing	Pour-On: Apply 3 ml. per 100 lbs. body weight of animal up	
lactating dairy cattle,	Lice, Houseflies, Stable	to maximum of 30 ml. for any one animal. Pour along back	
beef cattle, calves and	flies, Horse Flies,	line and down face. Product may be either administered	
MATURE horses	Black Flies, Horn Flies,	directly from graduated tip-and-pour container, graduated	
	Deer Flies, and Cattle	applicator gun, or graduated ladle/dipper. Do not use this	
	Ticks.	method of application on foals.	
Horses and Foals	Sucking Lice, Chewing	Wipe-On: Apply 3 ml. per 100 lbs. body weight of animal	
	Lice, Houseflies, Stable	up to maximum of 30 ml. for any one animal. Dampen an	
	flies, Horse Flies,	applicator mitt, cloth or toweling with Clean-Up Pour-On	
	Black Flies, Horn Flies,	Insecticide with IGR. Rub over hair with special attention to	
	Deer Flies, and Cattle	the legs, shoulders, neck and facial areas where pests appear	
	Ticks.	or tend to congregate. Apply directly onto attached ticks.	
·			
		Ready-To-Use Spray: Use Clean-Up Pour-On Insecticide	
	·	with IGR undiluted in a mist sprayer, applying 3 ml. per 100	
	·	lbs. body weight of animal up to maximum of 30 ml. for any	
		one animal. Direct spray to the legs, shoulders, neck and	
		facial areas where pests appear or tend to congregate. Apply	
		directly onto attached ticks.	

Instructions for all methods of application: Keep away from eyes and mucous membranes of animal being treated. Repeat treatment as needed, but do not apply more than once every two weeks.

Product is not effective in controlling cattle grubs: therefore, the product can be used on cattle at any time of the year without fear of host-parasite reactions commonly associated with grub treatment products.

A 64 ounce container will treat up to 63 animals.

A 2.5 gallon container will treat up to 315 animals.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Storage: Keep container sealed when not in use. Do not store near food or feed.

Pesticide Disposal: Wastes resulting from the use of this product must be disposed of on site or at an approved waste disposal facility.

Container Disposal: Nonrefillable container. Do not reuse or refill this container. Triple rinse container (or equivalent) promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container ¼ full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Offer for recycling, if available, or puncture and dispose of in a sanitary landfill, or incineration, or if allowed by local authorities, by burning. If burned, stay out of smoke.

WARRANTY AND LIMITATION OF DAMAGES: Seller warrants that this material conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with directions under normal conditions of use an Buyer assumes the risk of any use contrary to such directions. Seller makes no other express or implied warranty of Fitness or of Merchantability, and no agent of Seller is authorized to do so except in writing and with specific reference to this warranty. In no event shall Seller's liability for any breach of warranty exceed the purchase price of the material as to which claim is made.

EPA NOTIF 8-21-2010 revised 9-14-2010