

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460-0001



OFFICE OF CHEMICAL SAFETY
AND POLLUTION PREVENTION

February 16, 2012

KMG-Bernuth, Inc.
c/o Hubert R. O'Neal
9555 W. Sam Houston Pkwy S., Ste 600
Houston, TX 77099-2145

Subject: Amended Reregistration Label
Product Name: Clean-Up Pour-On Insecticide with IGR
EPA Registration Number: 61483-91
EPA Decision Numbers: 413329

Dear Dr. O'Neal,

The Agency, in accordance with the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA), as amended, has completed reviewing all of the information submitted with your application to support the reregistration of the above referenced product in connection with the Permethrin RED, and has concluded that your submission is acceptable.

NOTE: This product is not being reregistered under sections 3(c)5 and 4(g) of FIFRA at this time.


Please note that the record for this product currently contains the Confidential Statements of Formulation (CSFs) listed below. Any previously dated CSFs are superseded.

- Basic CSF, dated 2/11/2011

A copy of your label stamped "Accepted" is enclosed along with copies of the acute toxicity and product chemistry reviews completed for the subject product. Products shipped after 12 months from the date of this amendment or the next printing of the label whichever occurs first, must bear the new revised label. Your release for shipment of the product bearing the amended label constitutes acceptance of these conditions. If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e).

If you have any questions about this letter, please contact Julie Chao at (703) 308-8735 or chao.julie@epa.gov.

Sincerely,



Richard J. Gebken
Product Manager (10)
Insecticide Branch
Registration Division (7504P)

*Enclosures: Label stamped "Accepted," dated February 16, 2012
Acute Toxicity Review, dated July 14, 2010
Product Chemistry Reviews, dated May 27, 2011*

3/6

CLEAN-UP™ POUR-ON INSECTICIDE WITH IGR

Ready-to-Use Suspension for Control of Flies and Lice on Lactating and Non-Lactating Dairy Cattle, Beef Cattle, Calves and Horses

Provides control of chewing and suckling lice.

Has a zero day pre-slaughter interval and milk discard time.

May be used as a component of an integrated pest management program, either alone or in combination with other insecticides as an aid to prevent the development of insecticide resistance.

ACTIVE INGREDIENTS

Diflubenzuron (CAS # 35367-38-5) 5.00%

Permethrin (CAS # 52645-53-1) 5.00%

OTHER INGREDIENTS* 90.00%

Total 100.00%

* Contains petroleum distillate

EPA Reg. No 61483-91

EPA Est. No. 61483-KS-001

SHAKE WELL BEFORE USE

ACCEPTED
FEB 16 2012

Keep Out of Reach of Children

Under the Federal Insecticide, Fungicide,
and Rodenticide Act, as amended, for the
pesticide registered under:

CAUTION

See Back Panel for Additional Precautionary Statements

EPA. Reg. No:

61483-91

FIRST AID

If swallowed

- Call a poison control center or doctor immediately for treatment advice.
- Do not induce vomiting unless told to do so by a poison control center or doctor.
- Do not give any liquid to the person.
- Do not give anything by mouth to an unconscious person.

If on skin or clothing

- Take off contaminated clothing.
- Rinse skin immediately with plenty of water for 15-20 minutes.
- Call a poison control center or doctor for treatment advice.

If in eyes

- Hold eye open and rinse slowly and gently with water for 15-20 minutes.
- Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
- Call a poison control center or doctor for treatment advice.

HOTLINE NUMBER

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-322-8177 for emergency medical treatment information.

NOTE TO PHYSICIAN

Contains petroleum distillate – vomiting may cause aspiration pneumonia.

**Net Contents: 2.5 U.S. Gallons
(9.5 Liters)**

**Manufactured by: KMG-Bernuth, Inc.
Houston, TX 77099
(800) 322-8177
2-15-2012**

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION: Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling.

Personal Protective Equipment (PPE)

Some materials that are chemical-resistant to this product are butyl rubber, neoprene and polyvinyl chloride (PVC). If you want more options, follow the instructions for category A on an EPA chemical-resistance category selection chart.

Applicators and other handlers must wear:

- Long-sleeved shirt and long pants;
- Shoes plus socks;
- Chemical resistant gloves; and
- Chemical-resistant apron for persons cleaning equipment, and for handlers performing animal dip applications.

User Safety Requirements

- Follow manufacturer's instructions for cleaning/maintain PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry.
- Discard clothing and other absorbent materials that have been drenched (except as required by directions for use) or heavily contaminated with this product's concentrate. Do not reuse them.

USER SAFETY RECOMMENDATIONS

Users should wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.

Users should remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

Users should remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARDS: This pesticide is extremely toxic to aquatic organisms, including fish and invertebrates. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help ensure that wind or rain does not blow or wash pesticide off the treatment area.

This pesticide is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds while bees are actively visiting the treatment area.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

PRECAUTIONS AND RESTRICTIONS

- Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application.
- Not for use in outdoor residential misting systems.
- Not for use in metered release systems.
- Not for use in commercial animal premise automatic misting systems.
- Not for broadcast application.
- Do not make outdoor applications during rain.
- Do not apply when food or feed is present.
- Remove or cover food processing equipment and food preparation surfaces, or wash them before use.
- Do not apply by high pressure hand wand, hand held foggers, or fog/mist generators.
- Other than applications to building foundations (up to a maximum height of 3 feet) and soil/vegetation around structures, all outdoor applications to impervious surfaces such as windows, doors, and eaves are limited to spot and crack-and-crevice applications only.
- Application is prohibited directly into sewers or drains, or to any area like a gutter where drainage to sewers, storm drains, water bodies, or aquatic habitat can occur. Do not allow the product to enter any drain during or after application.
- When used in dairy barns or facilities: Close milk bulk tank lids to prevent contamination from spray and from dead or falling insects. Remove or cover milking utensils before application. Wash teats of animals before milking.

READY-TO-USE: NO DILUTION NECESSARY

TARGET ANIMAL	TARGET PEST	APPLICATION INSTRUCTIONS
Lactating and non-lactating dairy cattle, beef cattle, calves and MATURE horses	Sucking Lice, Chewing Lice, Houseflies, Stable flies, Horse Flies, Black Flies, Horn Flies, Deer Flies, Face Flies and Cattle Ticks.	Pour-On: Apply 3 ml. per 100 lbs. body weight of animal up to maximum of 30 ml. for any one animal. Pour along back line and down face. Product may be either administered directly from graduated tip-and-pour container, graduated applicator gun, or graduated ladle/dipper. Do not use this method of application on foals.
Horses and Foals	Sucking Lice, Chewing Lice, Houseflies, Stable flies, Horse Flies, Black Flies, Horn Flies, Deer Flies, Face Flies and Cattle Ticks.	<p>Wipe-On: Apply 3 ml. per 100 lbs. body weight of animal up to maximum of 30 ml. for any one animal. Dampen an applicator mitt, cloth or toweling with Clean-Up Pour-On Insecticide with IGR. Rub over hair with special attention to the legs, shoulders, neck and facial areas where pests appear or tend to congregate. Apply directly onto attached ticks.</p> <p>Ready-To-Use Spray: Use Clean-Up Pour-On Insecticide with IGR undiluted in a mist sprayer, applying 3 ml. per 100 lbs. body weight of animal up to maximum of 30 ml. for any one animal. Direct spray to the legs, shoulders, neck and facial areas where pests appear or tend to congregate. Apply directly onto attached ticks.</p>

Instructions for all methods of application: Keep away from eyes and mucous membranes of animal being treated. Repeat treatment as needed, but do not apply more than once every two weeks.

Product is not effective in controlling cattle grubs: therefore, the product can be used on cattle at any time of the year without fear of host-parasite reactions commonly associated with grub treatment products.

A 2.5 gallon container will treat up to 315 animals.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Storage: Keep container sealed when not in use. Do not store near food or feed.

Pesticide Disposal: Wastes resulting from the use of this product must be disposed of on site or at an approved waste disposal facility.

Container Disposal: Nonrefillable container. Do not reuse or refill this container. Triple rinse container (or equivalent) promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container ¼ full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Offer for recycling, if available.

WARRANTY AND LIMITATION OF DAMAGES: Seller warrants that this material conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with directions under normal conditions of use an Buyer assumes the risk of any use contrary to such directions. **To the extent consistent with applicable law, Seller makes no other express or implied warranty of Fitness or of Merchantability, and no agent of Seller is authorized to do so except in writing and with specific reference to this warranty.** To the extent consistent with applicable law, in no event shall Seller's liability for any breach of warranty exceed the purchase price of the material as to which claim is made.