

PM 32 61667-1

1 of 2

CHLORINE

Liquified Gas Under Pressure

For use as a disinfectant and/or algicide by experienced personnel only in municipal water supplies, sewage and waste management plants, and in commercial and industrial swimming pools; as a slimeicide in water cooling systems and in paper mills; and in repackaging into portable cylinders. Repackagers must obtain their own registration with the Environmental Protection Agency.

ACTIVE INGREDIENT:		
Chlorine	99.5%
INERT INGREDIENTS:	0.5%
	KEEP OUT OF REACH OF CHILDREN	100.0%



DANGER POISON



FATAL IF INHALED LIQUID CAUSES SEVERE BURNS

STATEMENT OF PRACTICAL TREATMENT

FIRST AID: *If inhaled, remove to fresh air. If not breathing, give artificial respiration, preferably mouth-to-mouth. If breathing is difficult, give oxygen, preferably with a physician's advice. Keep warm by covering with a blanket and keep quiet.*

In case of skin or eye contact, immediately flush all affected areas with large amounts of running water for at least 15 minutes while removing contaminated clothing and shoes. For eyes, hold eyelids apart during the flushing to ensure rinsing of the entire surface of the eye and lids with water. Call a physician immediately.

In Case of Emergency — Immediately Call (24 hours) (800) 424-9300 Chemtrec.

Additional Precautionary Statements on Back Panel. →

NET CONTENTS _____ TONS

EPA Reg. No. 61667-1
EPA Est. 61667-NV-001



Made by:
PIONEER CHLOR ALKALI COMPANY, INC.

ACCEPTED

JAN 13 1992

Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for the pesticide
registered under
EPA Reg. No. 61667-1



CHLORINE

2 of 2

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS & DOMESTIC ANIMALS DANGER

Fatal if inhaled. Do not breathe vapor. Corrosive to eyes, skin and mucous membranes in the presence of moisture. Do not get in eyes, on skin or on clothing. Wear goggles, protective clothing and rubber gloves when handling. Do not heat containers.

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish. Do not discharge into lakes, streams, ponds or public waters, unless in accordance with an NPDES permit. For guidance contact the regional office of the Environmental Protection Agency.

CHEMICAL-PHYSICAL HAZARDS: Chlorine is a non-flammable gas, liquified, under pressure. Do not drop container. Keep away from intense heat or open sunlight. Corrosive to most metals in the presence of moisture.

DIRECTIONS FOR USE GENERAL CLASSIFICATION

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Only specifically designed dispensing equipment should be used in accordance with manufacturer's instructions and according to state regulator, agency recommendations for dosages or residual chlorine levels which should be maintained for each specific site of application.

Have available gas masks approved for chlorine service by the U.S. Bureau of Mines or the National Institute for Occupational Safety and Health. Handle and use only in accordance with practice recommended in the **CHLORINE MANUAL** published by the Chlorine Institute, Inc., New York. Use only in well ventilated areas.

For further information see Pioneer Product Safety Information Sheet on CHLORINE.

STORAGE & DISPOSAL

STORAGE: Cylinders and ton containers of chlorine should be stored in a dry area away from sources of heat and protected from direct sunlight and precipitation. They should be segregated from other compressed gases and never stored near hydrocarbons, finely divided metals, turpentine, ether, anhydrous ammonia or other flammable materials. All storage containers must have a weather resistant label attached near the outlet valve and must not be accessible to general public.

DISPOSAL OF CONTAINER: All chlorine containers are returnable and should be properly identified with return tags and returned as promptly as possible to supplier according to prescribed instructions and practices recommended by the Chlorine Institute. All valves must be closed tight and closures or caps secured. It is illegal to ship a leaking chlorine container.

NOTICE: Pioneer Chlor Alkali Company makes no warranty, express or implied, including the warranties of merchantability and/or fitness for any particular purpose, concerning this material, except those which are contained on Pioneer's label.

PIONEER

Made by
PIONEER CHLOR ALKALI COMPANY, INC.
4200 MCNB CENTER, 700 LOUISIANA STREET, HOUSTON, TEXAS 77002

BEST AVAILABLE COPY