

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, DC 20460

OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

May 23, 2012

Wendy McCombie Agent for Accu-Care Supply, Inc. c/o Lewis & Harrison LLC 122 C Street NW Ste. 740 Washington, DC 20001

Subject:

Pool Clear

EPA Registration Number: 62032-20001

Letter Date: March 20, 2012

EPA Receipt Date: March 20, 2012

Dear McCombie:

The label amendment, submitted in connection with registration under section of the federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), as amended, is acceptable.

Proposed label amendment:

 Update label to be identical in composition and labeling to Liquichlor 12.5% Solution, EPA Reg. # 550-198.

General Comments:

A stamped accepted copy of the label is enclosed for your record. This amendment and a copy of this letter have been placed in this product's file for future reference. Should you have any questions or comments concerning this letter, please contact Eliza Blair via email at blair.eliza@epa.gov or by telephone at (703) 308-7279.


Sincerely,

Monisha Harris

Product Manager (32)

Regulatory Management Branch II Antimicrobials Division (7510P)

[FRONT PANEL]



SODIUM HYPOCHLORITE SOLUTION FOR SWIMMING POOL CHLORINATION

ACTIVE INGREDIENT:

DANGER

See [back] [side] panel for additional precautionary statements

	FIRST AID
Have the product container treatment.	or label with you when calling a poison control center or doctor, or going for
IF INHALED:	Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice.
IF ON SKIN OR ON CLOTHING:	Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
IF IN EYES:	Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
IF SWALLOWED:	Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.
NOTE TO PHYSICIAN:	Probable mucosal damage may contraindicate the use of gastric lavage.

EPA Reg. No. 62032-20001 EPA Est. No. 62032-RI-01

Net Contents ___ Gallons

RETURNABLE CONTAINER

[BACK/SIDE PANELS]

EMERGENCY RESPONSE

For emergency assistance involving chemicals call CHEMTREC day or night at (800) 424-9300. In case of Fire: Use water spray, dry chemical or C02. Do not use a direct water stream. Use water spray to cool nearby containers exposed to fire. Firefighters should wear self-contained breathing apparatus. In case of Spill: Wear protective equipment including rubber boots, rubber gloves, rubber apron, chemical goggles, and respiratory protection. Flush small spills into waste treatment system with lots of water. For large spills, contain, neutralize with dilute sodium bisulfite, flush neutralized material to waste treatment system with lots of water. Avoid contact with acids. Do not use combustible materials, such as saw dust to absorb spills. Comply with all governmental regulations on reporting releases.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER: Corrosive. May cause severe skin and eye irritation or chemical burns to broken skin. Causes eye damage. Wear safety glasses or goggles and rubber gloves when handling this product. Wash after handling. Avoid breathing vapors. Vacate poorly, ventilated areas as soon as possible. Do not return until strong odors have dissipated.

ENVIRONMENTAL HAZARDS:

This pesticide is toxic to fish and aquatic organisms. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

PHYSICAL OR CHEMICAL HAZARDS: STRONG OXIDIZING AGENT:

Mix only with water according to label directions. Mixing this product with chemicals (e.g., ammonia, acids, detergents, etc.) or organic matter (e.g., urine, feces, etc.) will release chlorine gas which is irritating to eyes, lungs and mucous membranes.

CONTAINER ADVICE: KEEP CONTAINER CLOSED

Handling: Always wear protective clothing including goggles, rubber gloves and apron. Wear respiratory protection if local exhaust ventilation is inadequate. Vent container frequently, and more often in hot weather, to relieve pressure. Loosen closure cautiously when opening and replace closure after each withdrawal. Do not use pressure to empty since the container is not a pressure vessel. Wash thoroughly after handling. Empty Containers: The empty container retains product vapor and residue. Never add any chemicals to this empty container because violent and dangerous reactions may occur.

FOLLOW ALL LABELWARNINGS EVEN AFTER THE CONTAINER IS EMPTY.

DIRECTIONS FOR USE:

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

NOTE: This product degrades with age, use within one month of receipt. Use a chloring test kit and increase dosage as necessary, to obtain required level of available chlorine.

STORAGE AND DISPOSAL:

Store this product in a cool dry area away from direct sunlight and heat to avoid deterioration. In case of spill, flood areas with large quantities of water. Product or rinsates that cannot be used should be diluted with water before disposal in a sanitary sewer. Do not reuse container but place in trash collection. Do not contaminate food or feed by storage, disposal or cleaning of equipment.

Refillable Container: Refill this container with Sodium Hypochlorite only. Do not reuse this container for any other purpose. Cleaning the container before final disposal is the responsibility of the person disposing of the container. Cleaning before refilling is the responsibility of the re-filler. To clean the container before final disposal, empty the remaining contents from this container into application

equipment or mix tank. Fill the container about 10 percent full with water. Agitate vigorously or re-circulate water with the pump for 2 minutes. Pour or pump rinsate into application equipment or rinsate collection system. Repeat this rinsing procedure two more times.

Do not reuse empty drums. When empty, replace bungs tightly and return for credit as specified by shipper.

SWIMMING POOLWATER DISINFECTION:

For a new pool or spring start-up, superchlorinate with 52 to 104 fl. oz. of this product per 10,000 gallons of water to yield 5 to 10 ppm available chlorine by weight. Check the level of available chlorine with a test kit. Adjust and maintain pool water pH to between 7.2 and 7.6. Adjust and maintain the alkalinity of the pool to between 50 and 100 ppm. Re-entry into treated swimming pools is prohibited above levels of 4 ppm of chlorine due to risk of bodily harm.

To maintain the pool, add manually or by a feeder device 11 fl. oz. of this product per 10,000 gallons of water to yield an available chlorine residual between 0.6 and 1.0 ppm by weight. Stabilized pools should maintain a residual of 1.0 to 1.5 ppm available chlorine. Test the pH, available chlorine residual and alkalinity of the water frequently with appropriate test kits. Frequency of water treatment will depend upon temperature and number of swimmers. Re-entry into treated swimming pools is prohibited above levels of 4 ppm of chlorine due to risk of bodily harm.

Every 7 days, or as necessary, superchlorinate the pool with 52 to 104 fl. oz. of this product per 10,000 gallons of water to yield 5 to 10 ppm available chlorine by weight. Check the level of available chlorine with a test kit. Do not re-enter pool until the chlorine residual is between 1.0 and 3.0 ppm. At the end of the swimming pool season or when water is to be drained from the pool, chlorine must be allowed to dissipate from treated pool water before discharge. Do not chlorinate the pool within 24 hours prior to discharge.

WINTERIZING POOLS:

While water is still clear and clean, apply 3 fl. oz. of this product per 1,000 gallons of water while the filter is running to obtain a 3 ppm available chlorine residual, as determined by a suitable test kit. Cover pool, prepare heater, filter and heater components for winter by following manufacturer's instructions.

COMMERCIAL LAUNDRY SANITIZERS:

Wet fabrics or clothes should be spun dry prior to sanitization. Thoroughly mix 2 fl. oz. of this product to 10 gallons of water to yield 200 ppm available chlorine. Promptly after mixing the sanitizer, add the solution into the prewash prior to washing fabrics/clothes in the regular wash cycle with a good detergent. Test the level of available chlorine, if solution has been allowed to stand. Add more of this product if the available chlorine level has dropped below 200 ppm.

Manufactured by:	
Accu-Care Supply Inc.	
109 King Phillip Road	
East Providence, RI 02916	
[Lot][Batch] Number	