12097 - 6



10-03-2011

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

WASHINGTON, D.C. 20460

October 3, 2011

OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

Fine Agrochemicals, Ltd. c/o Frederick T. Smith SciReg, Inc. 12733 Director's Loop Woodbridge, VA 22192

Subject: Applications for Label Notification to add "See inside panel for First Aid Statements" to first page of labels.
Falgro 4L (EPA Reg. No. 62097-2)
Perlan (EPA Reg. No. 62097-6)
Novagib 10L (EPA Reg. No. 62097-7)
Exilis Plus (EPA Reg. No. 62097-9)
Florgib 4L (EPA Reg. No. 62097-10)
Your submissions dated September 22, 2011
Decision Numbers: 455335 through 455339

Dear Mr. Smith:

The Biopesticides and Pollution Prevention Division is in receipt of your applications for Notification under PR Notice 98-10 dated above. A preliminary screen of these requests have been conducted for their applicability under PR Notice 98-10 and it has been determined that the actions requested falls within the scope of PR Notice 98-10. Our records have been duly noted and the labels submitted with the applications have been stamped "Notification Accepted".

If you have any questions concerning these actions, please feel free to contact Mr. Colin Walsh at (703) 308-0298 or via email at <u>walsh.colin@epa.gov</u>.

Sincerely,

Linda A. Hollis

Linda A. Hollis, Chief Biochemical Pesticides Branch Biopesticides and Pollution Prevention Division (7511P)

	ns	For	m Approj	OMB No. 20	70-0060. Approval expires 2-28-95
Environmen	United States tal Protection Agen hington, DC 20460	су		Registratio Amendmen Other	
	Application for P	esticide - Se	ction I		
1. Company/Product Number 62097-6		2. EPA Product Mar L. Hollis	nager		3. Proposed Classification
. Company/Product (Name) Perlan					X None Restricted
5. Name and Address of Applicant (Include ZIP Co Fine Agrochemicals Ltd. Hill End House Whittington, Worcester WR5-2RQ United Kingdom		-			th FIFRA Section 3(c)(3) composition and labeling
	Secti	ion - II			
Amendment - Explain below.			er dated	response to Notif	ication Accepted
X Notification - Explain below.		Other - Exp	lain below		OCT 03 2011
Explanation: Use additional page(s) if necessar	v (For section Land Section	•			er: C. Walsh
erms of PR Notice 98-10 and 40 CFR 152.46, this ections 12 and 14 of FIFRA.		on - III			
Material This Product Will Be Packaged In:	Water S	oluble Packaging		2. Type of Conta	
	Water St				niner
l Yes l Yes				2. Type of Conta	
Yes Yes No		Yes No		Meta Plas	ll tic
Ves No Certification must	No. Per If "Yes"	Yes No No. Pe	er	Meta Plas Glas Pape	ll tic s
Yes Yes No No Certification must If "Yes" Unit Packaging wgt. Unit Packaging wgt.	No. Per If "Yes" Container Package v	Yes No wgt Conta	er iner	Meta Plas Glas Pape Othe	ıl tic s ər r (Specify)
Yes Yes No No Certification must If "Yes" Unit Packaging wgt.	No. Per If "Yes"	Yes No wgt Conta	er iner 5. Locatio	Meta Plas Glas Pape	Il s er or (Specify) ions
Yes No <i>Certification must</i> <i>Se submitted</i> Label Yes No If "Yes" Unit Packaging wgt. Container	No. Per Container 4. Size(s) Retail Container Lithograph Paper glued	Yes No wgt Conta	er iner 5. Locatio	m of Label Direct	Il s er or (Specify) ions
Yes Yes No No Certification must If "Yes" Unit Packaging wgt. Unit Packaging wgt. Location of Net Contents Information Label	No. Per Container 4. Size(s) Retail Container Lithograph Paper glued Stenciled	Yes No. Pr vgt Conta	er iner 5. Locatio	m of Label Direct	ll tic s er (Specify) ions hying product.
Yes Yes No No Certification must If "Yes" e submitted Unit Packaging wgt. Location of Net Contents Information Label Label Container Manner in Which Label is Affixed to Product	No. Per Container 4. Size(S) Retail Container Lithograph Paper glued Stenciled Section	Yes No vgt Conta Other	er iner 5. Locatio On On	n of Label Direct label accompar	il tic s s r r (Specify) ions nying product.
Yes No Certification must be submitted . Location of Net Contents Information Label Container . Manner in Which Label is Affixed to Product . Contact Point (Complete items directly below for lame	No. Per Container 4. Size(S) Retail Container Lithograph Paper glued Stenciled Section	Yes No wgt Conta Conta Conta Other Other	er iner 5. Locatio On On	m of Label Direct label. label accompany o process this a	ا ان er ions nying product.
Yes No Certification must be submitted . Location of Net Contents Information Label Container . Manner in Which Label is Affixed to Product . Contact Point (Complete items directly below for lame	No. Per Container 4. Size(s) Retail Container 4. Size(s) Retail Container Paper glued Stenciled Section <i>Certification of individual to</i> Certification on this form and all attachmer	Yes No Wgt Conta Conta Dother On - IV The be contacted, if ne Reg, Inc.)	er iner 5. Locatio On On Cessary, t	o process this a Telep 703/4	il il s er ir (Specify) ions hying product. <u> </u>
Yes No Certification must be submitted Label Contents Information Label Container Manner in Which Label is Affixed to Product Contact Point (Complete items directly below for Name Frederick T. Smith I certify that the statements which I have made of I acknowledge that any knowingly false or misles	No. Per Container 4. Size(S) Retail Container Lithograph Paper glued Stenciled Stenciled Cor identification of individual to Agent (Scification on this form and all attachmer ading statement may be punis 3. Title	Yes No Wgt Conta Conta Dother On - IV The be contacted, if ne Reg, Inc.)	er iner 5. Locatio On On Cessary, t	o process this a Telep 703/4	il tic s er r (Specify) ions hying product. <u> (CCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCC</u>

SciReg, Inc. Science and Regulatory Consultants

September 22, 2011

Ms. Linda Hollis Document Processing Desk (NOTIF) Office of Pesticide Programs (7504P) U.S. Environmental Protection Agency One Potomac Yard 2777 S. Crystal Drive Arlington, VA 22202

Re: Notification Consistent with PR Notice 98-10 - Perlan (EPA Reg. No. 62097-6)

Dear Ms. Hollis:

On behalf of Fine Agrochemicals Ltd. (Fine), SciReg, Inc. is submitting two copies of a revised label for Perlan (EPA Reg. No. 62097-6), one of which is redlined to show the change. The only change being made is incorporation of the optional First Aid referral statement on the front label, "See inside panel for First Aid Statements."

Should you have any questions, please let me know.

Sincerely,

Frederick T. Smith Senior Regulatory Specialist

Enclosures

.

12733 Director's Loop, Woodbridge, VA 22192 Telephone: (703) 494-6500 Facsimile: (703) 492-6600 www.SciReg.com

MASTER LABEL

PERLAN[®] Plant Growth Regulator Solution

Sublabel A: Agricultural Uses For use on apples, non-bearing pears, and non-bearing sweet cherries

Sublabel B: Ornamental Uses For use on lilies and poinsettias

Active Ingredients:	
Gibberellins A₄A7	1.8% w/w
N-(phenylmethyl)-1H-purine-6-amine	1.8% w/w
Other Ingredients:	
Total:	

KEEP OUT OF REACH OF CHILDREN

CAUTION

EPA Reg. No. 62097-6

EPA Est. No. 39578-TX-1

NET CONTENTS: 1/2 Gallon (1.89 L)

Perlan[®] - Registered in US Patent and Trademark Office

©2006 Fine Agrochemicals Limited Hill End House, Whittington Worcester, WR5 2RQ United Kingdom

Notification Accepted

Date: OCT 03 2011 Reviewer: C. Walsh

SUBLABEL A: Agricultural Uses

PERLAN[®]

Plant growth regulator solution for use on apples, non-bearing pears, and non-bearing sweet cherries

Active Ingredients:	
Gibberellins A ₄ A ₇	1.8%
N-(phenylmethyl)-1H-purine-6-amine	1.8%
Other Ingredients:	96.4%
Total:	0.0%

KEEP OUT OF REACH OF CHILDREN

CAUTION

[See inside panel for First Aid Statements.]

EPA Reg. No. 62097-6

EPA Est. No. 39578-TX-1

NET CONTENTS: ¹/₂ Gallon (1.89 L)

FIRST AID				
IF SWALLOWED	 Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person. 			
IF IN EYES	 Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. 			
IF ON SKIN OR CLOTHING	 Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. 			
	r label with you when calling a poison control center or doctor, or ay also contact 1-800-858-7378 (National Pesticide Information al treatment information.			

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION. Causes moderate eye irritation. Harmful if swallowed or absorbed through skin. Avoid contact with eyes, skin, or clothing. Wash thoroughly with soap and water after handling. Remove and wash contaminated clothing before reuse.

PERSONAL PROTECTIVE EQUIPMENT (PPE)

Some materials that are chemical-resistant to this product are listed below. If you want more options, follow the instructions for Category C on an EPA chemical-resistance selection chart.

Applicators and other handlers must wear.

- * Long-sleeved shirt and long pants.
- * Chemical-resistant gloves.
- * Protective eyewear.
- Socks and shoes.
- * Chemical-resistant apron when cleaning equipment, mixing or loading.

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE items separately from other laundry.

USER SAFETY RECOMMENDATIONS

Users should:

- Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.
- Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARDS

Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment wash waters or rinsate. Avoid drift on to non-target plants.

PHYSICAL OR CHEMICAL HAZARDS

FOR CHEMICAL EMERGENCY: spill, leak, fire, exposure, or accident call CHEMTREC 1-800-424-9300.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirement specific to your state or tribe, consult the state/local agency responsible for pesticide regulation. Do not apply this product through any type of irrigation system.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR Part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on the label about personal protective equipment (PPE) and restricted entry intervals. The requirements in this box only apply to uses of this product covered by the Worker Protection Standard.

Do no enter or allow entry into treated areas during the restricted entry interval (REI) of $\underline{4}$ hours.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated such as, plants, soil or water is:

- * Long-sleeved shirt and long pants (or coveralls)
- * Waterproof gloves
- * Shoes plus socks

PRODUCT INFORMATION

- **Perlan** is a plant growth regulator for use on apples, non-bearing pears, and non-bearing sweet cherries.
- **Perlan** improves the shape ('typiness') of Delicious apples by increasing the development of calyx lobes and elongating the fruit.
- Perlan may increase fruit weight and yield in apples.
- Perlan can be used to increase lateral bud break on non-bearing trees.
- Perlan may cause some fruit thinning.

SPRAYING GUIDE FOR FRUIT DEVELOPMENT

When used to improve the type and size of fruit, apply **Perlan** in a single or split spray program.

All states except Washington

Single application

Make one application of 1 - 2 pints between early king bloom and early petal fall of side blossoms in 50 - 200 gallons of water/acre.

Washington only

Single application

Make one application of 1 - 2 pints between early king bloom and early petal fall of king blossoms in 50 - 200 gallons of water/acre.

Split applications

Make the first application of 0.5 - 1.5 pints between early king bloom and early petal fall of king blossoms in 50 - 200 gallons of water/acre. Make the second application of 0.5 - 1 pint 7 - 21 days later in 50 - 200 gallons of water/acre.

Split applications in areas where bloom is prolonged

Make the first application of 0.5 - 1 pint during the first flush of bloom in 100 gallons of water/acre. Make the second application of 0.5 - 1 pint 3 - 7 days later when the rest of the tree comes into bloom in 100 gallons of water/acre.

- Apply all sprays as a fine mist to ensure maximum coverage and spray retention on flowers and foliage. Do not apply in water volumes greater than 200 gallons/acre.
- Direct 85% of spray to the upper $^{2}/_{3}$ rds of the trees.
- Addition of a non-ionic wetting adjuvant may improve coverage and efficacy.
- Apply in conditions conducive of slow drying.
- Do not apply if air temperature is less than 40°F or more than 90°F.
- Do not apply more than 2 pints/acre/year.
- Prepare spraying solution using clean water and apply within 24 hours.
- Apply **Perlan** using conventional spray application machinery or as otherwise directed in this label. **Perlan** must not be applied using irrigation equipment.
- pH of the applied spray must not be higher than 8. Use a buffering agent if necessary.
- Efficacy of **Perlan** may be reduced if rain occurs within 6 hours of application.
- Perlan may be applied in fruit crops in tank mixture with Benlate[®], Dithane[®], Orthocide[®], Polyram[®], ferbam, thiram and wettable sulfur. Always refer to the partner product label when applying **Perlan** in tank mixtures and follow all precautions and directions given.

SPRAYING GUIDE FOR FEATHERING AND TREE DEVELOPMENT

Application of **Perlan** can be used to increase lateral bud break and shoot growth to produce a better tree framework in young trees.

Foliar application to nursery and orchard apples

Make one application of 125 - 500 ppm ($\frac{1}{4} - 1$ pint/5 gallons of water) when orchard trees have 1 - 3 inches of new growth or nursery trees have reached the height where branching is required.

Foliar application to nursery and orchard pears or nursery sweet cherries

Make one application of 250 - 1000 ppm ($\frac{1}{2} - 2$ pints/5 gallons of water) when orchard trees have 1 - 3 inches of new growth or nursery trees have reached the height where branching is required.

- Add a non-ionic or buffered wetting adjuvant to the spray solution at 0.2% 0.3% of water volume.
- Apply using a hand held sprayer and ensure thorough wetting of foliage and bark.
- pH of the applied spray must not be higher than 8. Use a buffering agent if necessary.

<u>Latex application to nursery and orchard apples or non-bearing orchard sweet cherries</u> Apply 5000 – 7500 ppm $(^{1}/_{5} - ^{1}/_{3})$ pint per pint of latex paint) to one-year-old wood in the spring when terminal buds begin to swell. Apply with a brush or sponge to achieve thorough coverage of bark.

- Do not apply after buds break.
- Add a non-ionic or buffered wetting adjuvant to the paint solution at 0.5% 1.0% of water volume.
- Apply to one-year-old wood only.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

<u>Pesticide Storage</u>: Keep containers tightly closed when not in use. Store below 75°F. <u>Pesticide Disposal</u>: Wastes resulting from the use of this product must be disposed of on site or at an approved waste disposal facility.

<u>Container Disposal</u>: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in sanitary landfill, or incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

WARRANTY DISCLAIMER AND LIMITATION OF LIABILITY

Fine Agrochemicals Limited ("FINE") warrants that this Product conforms to the specifications on this label. To the extent consistent with applicable law, FINE makes no other warranties and disclaims all other warranties, express or implied, including but not limited to warranties of merchantability and fitness for a particular purpose. No agent of FINE or any other person is authorized to make any representation or warranty beyond those contained herein.

It is impossible to eliminate all risks associated with this Product. Plant injury, lack of performance, or other unintended consequences may result because of factors such as abnormal weather conditions, use of the Product other than in

strict accordance with this label's instructions, presence of other materials, the manner of application or other factors, all of which are beyond the control of FINE or the seller. To the extent consistent with applicable law, all such risks shall be assumed by the Buyer.

To the extent consistent with applicable law: 1) FINE disclaims any liability whatsoever for special, incidental or consequential damages resulting from the handling or use of this Product and 2) FINE's liability under this label shall be limited to the amount of the purchase price or, at the election of FINE, the free replacement of the Product.

© Fine Agrochemicals Limited Hill End House Whittington Worcester, WR5 2RQ United Kingdom

Perlan[®] is a registered trademark of Fine Agrochemicals Limited. Benlate[®] is a registered trademark of E.I duPont de Nemours & Co., Inc. Dithane[®] is a registered trademark of Rohm and Haas Company. Orthocide[®] is a registered trademark of Chevron Chemical Co. Polyram[®] is a registered trademark of BASF AG. 19

SUBLABEL B: Ornamental Uses

FRESCO[™]

Plant growth regulator solution for use on lilies and poinsettias

Active Ingredients:	
Gibberellins A ₄ A ₇ 1	.8%
N-(phenylmethyl)-1H-purine-6-amine 1	.8%
Other Ingredients:	3.4%
Total:).0%

KEEP OUT OF REACH OF CHILDREN

CAUTION

[See inside panel for First Aid Statements.]

EPA Reg. No. 62097-6

EPA Est. No. 39578-TX-1

NET CONTENTS: 1/2 Gallon (1.89 L)

	FIRST AID
IF SWALLOWED	 Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.
IF IN EYES	 Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
IF ON SKIN OR CLOTHING	 Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
	r label with you when calling a poison control center or doctor, or ay also contact 1-800-858-7378 (National Pesticide Information

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

Center) for emergency medical treatment information.

CAUTION. Causes moderate eye irritation. Harmful if swallowed or absorbed through skin. Avoid contact with eyes, skin, or clothing. Wash thoroughly with soap and water after handling. Remove and wash contaminated clothing before reuse.

PERSONAL PROTECTIVE EQUIPMENT (PPE)

Some materials that are chemical-resistant to this product are listed below. If you want more options, follow the instructions for Category C on an EPA chemical-resistance selection chart.

Applicators and other handlers must wear.

- * Long-sleeved shirt and long pants.
- * Chemical-resistant gloves.
- * Protective eyewear.
- * Socks and shoes.
- * Chemical-resistant apron when cleaning equipment, mixing or loading.

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE items separately from other laundry.

USER SAFETY RECOMMENDATIONS

Users should:

- Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.
- Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARDS

Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment wash waters or rinsate. Avoid drift on to non-target plants.

PHYSICAL OR CHEMICAL HAZARDS

FOR CHEMICAL EMERGENCY: spill, leak, fire, exposure, or accident call CHEMTREC 1-800-424-9300.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirement specific to your state or tribe, consult the state/local agency responsible for pesticide regulation. Do not apply this product through any type of irrigation system.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR Part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on the label about personal protective equipment (PPE) and restricted entry intervals. The requirements in this box only apply to uses of this product covered by the Worker Protection Standard.

Do no enter or allow entry into treated areas during the restricted entry interval (REI) of $\underline{4}$ hours.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated such as, plants, soil or water is:

- * Long-sleeved shirt and long pants (or coveralls)
- * Waterproof gloves
- * Shoes plus socks

PRODUCT INFORMATION

- Fresco is a highly potent plant growth regulator for use on lilies and poinsettias.
- **Fresco** can be used on Easter (Lilium longiflorum), LA Hybrid (*L. longiflorum*-Asiatic crosses) and Oriental lilies, and poinsettias (Euphorbia pulcherrima).
- Fresco delays leaf yellowing and necrosis of lower leaves when applied to lower leaves. It delays flower senescence when applied to flower buds.
- Fresco cannot be used to correct leaf yellowing and flower senescence.

SPRAY PREPARATION GUIDE

When the appropriate rate of Fresco has been chosen, half fill the cleaned tank with clean water. Add the specified quantity of Fresco and then fill the tank with the final quantity of water required.

The optimum rate of **Fresco** depends upon species, variety, plant structure and leaf surface, but also physical and environmental variables. Growers must conduct trials with small numbers of plants before treating commercial crops. Start at the lower rates and work up to a rate that gives the desired effect. Apply **Fresco** using conventional spraying equipment at low to medium pressures for *complete coverage*.

Parts Per Million GA _{4/7} /BA (PPM)	ml/L	ml/Gallon	Fluid Ounce/Gallon
1/1	0.06	0.2	0.007
5/5	0.3	1.1	0.04
10/10	0.6	2.1	0.07
25/25	1.4	5.3	0.18
50/50	2.8	10.5	0.36
75/75	4.2	15.8	0.53
100/100	5.5	21.0	0.71

Rate Conversion Table

- Apply Fresco as a directed foliar spray only.
- Apply only as foliar applications. Typically apply 2 quarts of spray solution uniformly over 100 sq. ft of bench area.
- **Fresco** is best applied in the morning or late afternoon/evening, when plants are not under drought stress.
- Do not apply **Fresco** to plants under stress from water, pest or nutritional disorders.
- Do not apply more than 15ml of spray solution per plant.
- Do not apply **Fresco** over-rate, to the soil, or young foliage as this may cause stem elongation.
- Do not apply **Fresco** in tank mixture with any other product.
- Do not reuse soil from plants treated with Fresco.
- Be careful in measuring, diluting, and applying **Fresco**.
- Fresco must not be applied to any food crop.

PREVENTION OF LOWER LEAF YELLOWING IN EASTER AND LA HYBRID LILIES

Early and Mid-season applications

To reduce yellowing of glasshouse produced plants.

Apply 5/5 – 10/10 (GA4/7-BA) as a directed spray to the *lower leaves only*, 7 to 10 days before the visible bud stage is reached.

A second repeat application is needed for complete season control applied 7 to 10 days after the visible bud stage.

Do not allow coverage of immature leaves as this may result in unwanted stem elongation.

Late-season application

To reduce leaf yellowing and prolong flowering during and after shipment.

Apply 100/100 (GA4/7/BA) when the first bud is at least 8cm long and there is less than 14 days to readiness for shipping the crop or removal to the cooler. Apply to the foliage and flower buds.

Treatment in this way will provide up to 14 days protection from yellowing and 25% longer flower life.

Do not treat earlier than 14 days before shipping or removal to the cooler as adequate protection may not occur.

Do not treat lilies with small buds as this may result in unwanted stem elongation.

PREVENTION OF LOWER LEAF YELLOWING IN ORIENTAL LILIES

Early and Mid-season applications

To reduce yellowing of glasshouse produced plants.

Apply 100/100 (GA4/7-BA) as a directed spray to the *lower leaves only*, 7 to 10 days before or after the visible bud stage is reached.

The first application gives up to 21 days protection. A repeat application is needed for complete season control no earlier than 14 days before shipping or removal to the cooler.

Late-season application

To reduce leaf yellowing and prolong flowering during and after shipment.

Apply 100/100 (GA4/7/BA) when there is less than 14 days to readiness for shipping the crop or removal to the cooler. Apply to the foliage and flower buds.

Do not treat earlier than 14 days before shipping or removal to the cooler as adequate protection may not occur.

Protection lasts for up to 14 days after removal to the cooler.

APPLICATION INSTRUCTIONS FOR LATE SEASON TREATMENT TO PROMOTE BRACT EXPANSION ON POINSETTIA:

Apply **FRESCO** to poinsettia (*Euphorbia pulcherrima*) 7 to 14 days before anthesis to increase bract size. **FRESCO** may also be used to promote bract expansion on plants treated with late season foliar applications of certain growth retardants.

Bract coloring on red varieties may appear less intense immediately following treatment with **FRESCO**. However, over time, the bracts should develop a more intense color. Bracts of white-colored varieties have been shown to develop a "whiter" appearance, following a late season application. Use of **FRESCO** may also result in an increase in plant height.

Apply **FRESCO** in sufficient volume to thoroughly and uniformly wet bracts. The foliage of poinsettias often develops a waxy, spray repellent cuticle. Therefore, the use of a high quality wetting agent approved for use on poinsettia is required when applying **FRESCO**. Consult the adjuvant label or manufacturer for rates, crop tolerance and safety information when used with this product. It is always advisable to conduct spray compatibility (i.e., 'jar test') before mixing **FRESCO** with any other product.

Use Rates: A number of factors can result in treatment variability; including: growing conditions and plant cultivar. Therefore, before commercial use, first time users of **FRESCO** should conduct initial trials on a small number of plants for each variety starting with a 3/3 ppm rate. If a desired effect is not achieved, or if previous experience warrants, rates of up to 10/10 ppm may be applied.

GA ₄₊₇ / BA (ppm)	ml/liter	ml/gal
3/3	0.18	0.6
5/5	0.3	1.1
10/10	0.6	2.1

Rate Conversion Table

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

<u>Pesticide Storage</u>: Keep containers tightly closed when not in use. Store below 75°F. <u>Pesticide Disposal</u>: Wastes resulting from the use of this product must be disposed of on site or at an approved waste disposal facility.

<u>Container Disposal</u>: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in sanitary landfill, or incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

WARRANTY DISCLAIMER AND LIMITATION OF LIABILITY

Fine Agrochemicals Limited ("FINE") warrants that this Product conforms to the specifications on this label. To the extent consistent with applicable law, FINE makes no other warranties and disclaims all other warranties, express or implied, including but not limited to warranties of merchantability and fitness for a particular purpose. No agent of FINE or any other person is authorized to make any representation or warranty beyond those contained herein.

It is impossible to eliminate all risks associated with this Product. Plant injury, lack of performance, or other unintended consequences may result because of factors such as abnormal weather conditions, use of the Product other than in strict accordance with this label's instructions, presence of other materials, the manner of application or other factors, all of which are beyond the control of FINE or the seller. To the extent consistent with applicable law, all such risks shall be assumed by the Buyer.

To the extent consistent with applicable law: 1) FINE disclaims any liability whatsoever for special, incidental or consequential damages resulting from the handling or use of this Product and 2) FINE's liability under this label shall be limited to the amount of the purchase price or, at the election of FINE, the free replacement of the Product.

© Fine Agrochemicals Limited Hill End House Whittington Worcester, WR5 2RQ United Kingdom

Fresco [™] is a trademark of Fine Agrochemicals Limited. Benlate[®] is a registered trademark of E.I duPont de Nemours & Co., Inc. Dithane[®] is a registered trademark of Rohm and Haas Company. Orthocide[®] is a registered trademark of Chevron Chemical Co. Polyram[®] is a registered trademark of BASF AG.