Please read instructions on reverse before completing form.

11-12-2007

	Print Form	1
Form Approved.	OMB No. 2070-0060, Approval expires	ä

9	E	PA

United States

_	Registration
	Amendmen
. 1	

OPP Identifier Number

Environmental Protection Agency Washington, DC 20460			× Other	X Other				
	Applica	tion for Po	esticide - Sec	tion I				
1. Company/Product Number 62097-7		•	2. EPA Product Mar L. Hollis	nager		3. Proposed Classification X None Restrict		
4. Company/Product (Name) Novagib 10L			PM# 91			None Restric		
5. Name and Address of App Fine Agrochemicals Ltd, H WR5 2RQ, UK	licant <i>(Include ZIP Code)</i> Hill End House, Whittington, V	Vorcester,		is similar or ider	ntical in com	IFRA Section 3(c)(3 position and labelin		
Check if this	is a new address		Product Name					
		Section	on - II					
Amendment - Explain Resubmission in respo	onse to Agency letter dated		Agency let	d labels in repson ter dated Application. dain below.	se to			
Explanation: Use additional See attached page for explanation	al page(s) if necessary. (For sec	tion I and Secti	ion II.)					
		Section	n - III					
1. Material This Product Will i	Be Packaged In:	·						
Yes No	Unit Packaging Yes No If "Yes" Unit Packaging wgt. No. per contained	If "Yes"	luble Packaging es ext No. per wgt containe		f Container Metal Plastic Glass Paper Other (Spe	cify)		
3. Location of Net Contents Ir Label Co 6. Manner in Which Label is A	Intainer	Retail Container	Othe					
	Ste	Sectio	n - IV	·				
1 Contact Point (Complete it	tems directly below for identifica			if nacassary to n	rocese this en	plication !		
Name Frederick T. Smith	ens unecuy below for loshanca	Title Agent (Scil	 	n nacessary, to pr	T	ຽ. (Include Area Code		
I certify that the statem I acknowledge that any both under applicable la	Certificents I have made on this form a knowlingly false or misleading sw.	nd all attachme	nts thereto are true be punishable by fi	န္ မဝ ္ပ o, accurate and co ne or imprisom ုမ်ာ ဖ	mplete.	*Date Application Peceived S (Stamped)		
2. Signature	ll	3. Title Agent (Scil	Reg, Inc)	960. V	0 0			
4. Typed Name FREDERICK T. SMIT	H	5. Date 2/4/0) 7					

SciReg, Inc. Science and Regulatory Consultants

February 12, 2007

Ms. Linda Hollis
Branch Chief
Document Processing Desk (7504P)
Office of Pesticide Programs
U.S. Environmental Protection Agency
One Potomac Yard
2777 S. Crystal Drive
Arlington, VA 22202

Re: Notification of changes in Warranty Statement per PR Notice 98-10

- Novagib 10L (EPA Reg. No. 62097-7)

Dear Ms. Hollis:

SciReg, Inc. is the authorized agent for Fine Agrochemicals Ltd. (FAL). On behalf of FAL, SciReg is submitting this letter, a completed Application, and six copies of a revised label, one of which is highlighted, via notification to change FAL's Warranty Statement for Novagib 10L (EPA Reg. No. 62097-7).

Also attached are copies of recent relevant email correspondence between SciReg and EPA concerning the acceptability of the new warranty text. As indicated in the provided correspondence, EPA's Office of General Counsel has approved the revised verbiage.

If you should have any questions regarding this correspondence, please contact me directly.

Sincerely,

Frederick T. Smith

Senior Regulatory Specialist

Enclosures

KEEP OUT OF REACH OF CHILDREN CAUTION

Plant Growth Regulator Solution

Active Ingredient: Gibberellins A₄A₇

Other Ingredients:

Total:

0.95% 99.05%

100.00%

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)

FIRST AID				
IF IN EYES	 Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. 			
IF ON SKIN OR CLOTHING	 Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. 			
Have the product container or going for treatment.	label with you when calling a poison control center or doctor, or			

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION. Causes moderate eye irritation. Harmful if absorbed through skir. "Avoid contact with eyes, skin, or clothing. Wash thoroughly with soap and water after handling.

PERSONAL PROTECTIVE EQUIPMENT (PPE)

Some materials that are chemical-resistant to this product are listed below. If you want more options, follow the instructions for Category C on an EPA chemical-resistance selection chart. Applicators and other handlers must wear.

- Long-sleeved shirt and long pants.
- Chemical-resistant gloves.
- Protective evewear.
- Socks and shoes.
- Chemical-resistant apron when mixing or loading this product, or cleaning equipment.
- For overhead exposure, wear chemical-resistant headgear.

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE items separately from other laundry.

USER SAFETY RECOMMENDATIONS

Users should: Wash hands before eating, chewing gum, using tobacco or using the toilet.

ENVIRONMENTAL HAZARDS

Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment wash waters.

Version Date: 01 February 2007

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labelling. Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirement specific to your state or tribe, consult the agency responsible for pesticide regulation. Do not apply this product through any type of irrigation system.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labelling and with the Worker Protection Standard, 40 CFR Part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on the label about personal protective equipment (PPE) and restricted entry intervals. The requirements in this box only apply to uses of this product covered by the Worker Protection Standard.

Do no enter or allow entry into treated areas during the restricted entry interval (REI) of $\underline{4}$ hours.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated such as, plants, soil or water is:

- * Long-sleeved shirt and long pants (or coveralls)
- * Waterproof gloves
- * Shoes plus socks

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Storage: Keep containers tightly closed when not in use. Store below 75°F (24°C).

<u>Pesticide Disposal</u>: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

<u>Container Disposal</u>: Do not re-use empty containers. Triple rinse (or equivalent). Then puncture and dispose of in sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

GENERAL INFORMATION

- NOVAGIB 10L is a plant growth regulator for use on apples.
- NOVAGIB 10L improves the quality of harvested apples by reducing physiological russeting of the fruit.
- NOVAGIB 10L may increase fruit weight.
- NOVAGIB 10L may only reduce russeting caused by climatic factors affecting the fruit during the first 30-40 days of development. NOVAGIB 10L will not reduce russeting caused by other factors (e.g., pest, disease or chemical action).
- NOVAGIB 10L should be applied using conventional spray application machinery or as otherwise directed in this label.
- NOVAGIB 10L must not be applied using irrigation equipment.
- Do not apply to low vigor trees, or trees under stress from drought, winter injury, etc.
- Apply under calm weather conditions, as a uniform fine mist spray, so that 85% of the spray volume is directed into the upper 2/3 of the trees.
- Use a properly calibrated sprayer to ensure uniform and complete coverage of all foliage and developing fruit. Spray volume should be adjusted for tree size and density. Do not apply in more than 200 gallons of water/acre, preferably use less than 100 gallons of water/acre.
- Do not apply when the air temperature is lower than 40° F or greater than 90° F.

Version Date: 01 February 2007

5/6

- NOVAGIB 10L works pest if climatic conditions allow an extended drying period. Consider
 application in the morning or evening when temperatures are lower and humidity tends to be
 higher than during the day.
- Rainfall within 6 hours of application may reduce the efficacy of NOVAGIB 10L.

SPRAYING GUIDE FOR RUSSET REDUCTION

When used to reduce russeting of fruit, **NOVAGIB 10L** should be applied in two to four consecutive applications. Make the first application of 20 – 26 fluid ounces (fl. oz.) in 100 gallons of water per acre at the beginning of petal fall. Repeat this at 7 – 10 day intervals applying a total of 52 – 80 fl. oz. per acre. Rate and frequency of application should be determined by varietal susceptibility to russet, weather conditions and tree size. Large trees of susceptible varieties suffering high rainfall require the most frequent applications at the highest rate. In general, 4 applications gives the best control of russet.

- Apply all sprays as a fine mist to ensure maximum coverage and spray retention on flowers and foliage. Use a properly calibrated sprayer.
- Do not apply in water volumes greater than 100 gallons/acre to reduce the risk of russet caused by the spray water.
- Do not add any kind of wetting adjuvant or surfactant unless you are sure of its crop safety.
 Materials of this type have been shown to cause russeting.
- Apply in conditions conducive to slow drying.
- Always refer to the partner product label when applying NOVAGIB 10L in tank mixtures and follow all precautions and directions given. The efficacy of NOVAGIB 10L may be reduced by compounds causing a high pH in the spray tank.
- Do not apply more than 80 fl. oz. per acre per growing season.

SPRAYING GUIDE FOR SUPPRESSION OF PREHARVEST FRUIT CRACKING IN 'STAYMAN' APPLES

When used to suppress cracking of 'Stayman' apples, **NOVAGIB 10L** should be applied in 3-6 consecutive applications. Make the first application of 32-64 fl. oz. in sufficient water to achieve good coverage of the fruit, 2-3 weeks before fruit cracking is expected to occur. This would normally be between mid-June and mid-July but will be affected by geography, climate and other factors. Repeat this at 14-21 day intervals. The use of the higher number of applications at the higher rates with the shorter time interval gives the strongest suppression of cracking. In general, at least 4 applications are required for best cracking suppression.

- There are many factors that affect cracking in 'Stayman' apples; therefore, the use of NOVAGIB 10L does not guarantee that cracking will not occur. Growers should use NOVAGIB 10L as one part of their management program to produce the highest quality crop.
- Apply in conditions conducive of slow drying.
- Always refer to the partner product label when applying NOVAGIB 10L in tank mixtures and follow all precautions and directions given. The efficacy of NOVAGIB 10L may be reduced by compounds causing a high pH in the spray tank.
- A non-ionic wetting agent can be used to improve coverage and enhance penetration.
- Application after cracking has started will greatly reduce the efficacy of NOVAGIB 10L.

WARRANTY DISCLAIMER AND LIMITATION OF LIABILITY

Fine Agrochemicals Limited ("FINE") warrants that this Product conforms to the specifications on this label. To the extent consistent with applicable law, FINE makes no other warranties and disclaims all other warranties, express or implied, including but not limited to warranties of merchantability and fitness for a particular purpose. No agent of FINE or any other person is authorized to make any representation or warranty beyond those contained herein.

Version Date: 01 February 2007

It is impossible to eliminate all risks associated with this Product. Plant injury, lack of performance, or other unintended consequences may result because of factors such as abnormal weather conditions, use of the Product other than in strict accordance with this label's instructions, presence of other materials, the manner of application or other factors, all of which are beyond the control of FINE or the seller. To the extent consistent with applicable law, all such risks shall be assumed by the Buyer.

To the extent consistent with applicable law: 1) FINE disclaims any liability whatsoever for special, incidental or consequential damages resulting from the handling or use of this Product and 2) FINE's liability under this label shall be limited to the amount of the purchase price or, at the election of FINE, the free replacement of the Product.

© Fine Agrochemicals Limited Hill End House Whittington Worcester, WR5 2RQ United Kingdom

NOVAGIB® 10L is a registered trademark of Fine Agrochemicals Ltd.

EPA Reg. No. 62097-7 EPA Est. No. 39578-TX-1 Net Contents ½ Gallon (1.89 L)