

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

WASHINGTON, D.C. 20460

October 3, 2011

OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

Fine Agrochemicals, Ltd. c/o Frederick T. Smith SciReg, Inc. 12733 Director's Loop Woodbridge, VA 22192

Subject:

Applications for Label Notification to add "See inside panel for First Aid Statements" to

first page of labels.

Falgro 4L (EPA Reg. No. 62097-2) Perlan (EPA Reg. No. 62097-6)

Novagib 10L (EPA Reg. No. 62097-7)
 Exilis Plus (EPA Reg. No. 62097-9)

Florgib 4L (EPA Reg. No. 62097-10)

Your submissions dated September 22, 2011 Decision Numbers: 455335 through 455339

Dear Mr. Smith:

The Biopesticides and Pollution Prevention Division is in receipt of your applications for Notification under PR Notice 98-10 dated above. A preliminary screen of these requests have been conducted for their applicability under PR Notice 98-10 and it has been determined that the actions requested falls within the scope of PR Notice 98-10. Our records have been duly noted and the labels submitted with the applications have been stamped "Notification Accepted".

If you have any questions concerning these actions, please feel free to contact Mr. Colin Walsh at (703) 308-0298 or via email at walsh.colin@epa.gov.

Sincerely,

Linda A. Hollis

Linda A. Hollis, Chief Biochemical Pesticides Branch Biopesticides and Pollution Prevention Division (7511P)

Please	read	instructions	on reverse	before	completing	formq"

United States

	Registration
	Amendmen
Y	Other

Form Approj

OPP Identifier Number

\$EPA	Environmental Protection Agency Washington, DC 20460			×	Amendm Other	ent				
		Application fo	or Postici	do - So	ction	·		<u> </u>		
Company/Product Number 62097-7		Application re	· · · · · · · · · · · · · · · · · · ·	Product Mai		1 1 	3. Pro	posed Class	sification	
4. Company/Product (Name) Novagib 10L			PM# 91	PM# X None Restric				Restricted		
5. Name and Address of Appl Fine Agrochemicals Ltd. Hill End House Whittington, Worcester WF United Kingdom	25 2RQ)	(b)(i), n to: EPA F			In accordance ilar or identica				
		S	ection - I	<u> </u>						
Amendment - Explain be			·		er date			ion Ac	cepted	
X Notification - Explain be	elow.			Other - Exp	lain be	low. Dat	e: 00	OCT 03 2011		
Notification of addition of First EPA regulations at 40 CFR 15 that it is a violation of 18 U.S. terms of PR Notice 98-10 and sections 12 and 14 of FIFRA.	52.46, and no other cha C. Sec. 1001 to willfully	nges have been mad make any false state	de to the labeli ement to EPA.	ng or the co I further un	nfident derstar	tial statement of nd that if this no	formula o	f this produc not consist	ct. I understand tent with the	
		S	ection - I							
Material This Product Will Child-Resistant Packaging Yes No * Certification must	Unit Packaging Yes No If "Yes" Unit Packaging wgt.	No. Per If "Y	Yes No Yes" ckage wgt	no. Po. Conta		F C	ontainer Metal Plastic Glass Paper Other (Spec	ify)		
be submitted 3. Location of Net Contents I Label C	nformation 4 ontainer	. Size(s) Retail Cont	ainer	5	5. Loca	ation of Label Di On label. On label accom		roduct.		
6. Manner in Which Label is Affixed to Product Lithor Pape Stend			Other			. (C C C			
			ection - l							
Contact Point (Complete i	tems directly below for i		idual to be con	tacted, if ne	cessai					
			Гitle Agent (SciReg, Inc.)			Telephone No. (Ificlude Area Co(Je) 703/494-65ປົດ				
I certify that the statements I acknowledge that any kno both under applicable law.			chments there				.	. ` .Récei	Application ' ved د د د د ampغغ)د '	
2. Signature Little Pittle			Title Agent (SciReg, Inc.)							
, , , pod ridino			5. Date 9/22/11							
Frederick T. Smith			22/11							

SciReg, Inc. Science and Regulatory Consultants

September 22, 2011

Ms. Linda Hollis
Document Processing Desk (NOTIF)
Office of Pesticide Programs (7504P)
U.S. Environmental Protection Agency
One Potomac Yard
2777 S. Crystal Drive
Arlington, VA 22202

Re:

Notification Consistent with PR Notice 98-10

- Novagib 10L (EPA Reg. No. 62097-7)

Dear Ms. Hollis:

On behalf of Fine Agrochemicals Ltd. (Fine), SciReg, Inc. is submitting two copies of a revised label for Novagib 10L (EPA Reg. No. 62097-7), one of which is redlined to show the change. The only change being made is incorporation of the optional First Aid referral statement on the front label, "See inside panel for First Aid Statements."

Should you have any questions, please let me know.

Sincerely,

Frederick T. Smith

Senior Regulatory Specialist

Enclosures

NOVAGIB® 10L

Plant growth regulator solution for use on apples

Active Ingredient: Gibberellins A₄A₇

0.95%

Other Ingredients:

99.05%

Total:

100.00%

KEEP OUT OF REACH OF CHILDREN CAUTION

[See inside panel for First Aid Statements.]

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)

FIRST AID				
IF IN EYES	 Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. 			
IF ON SKIN OR CLOTHING	 Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. 			
Have the product container or label with you when calling a poison control center or doctor, or				

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-858-7378 (National Pesticide Information [NPIC]) for emergency medical treatment information seven days a week, 6:30 a.m. to 4:30 p.m. Pacific Time (NPIC Web site: www.npic.orst.edu).

EPA Reg. No. 62097-7

EPA Est. No.

Net Contents: ½ Gallon (1.89 L)

Notification Accepted

Date:

OCT 03 2011

PRECAUTIONARY STATEMENTS

Reviewer:

C. Walsh

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION. Causes moderate eye irritation. Harmful if absorbed through skin. Avoid contact with eyes, skin, or clothing. Wear chemical resistant gloves. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the tolletter Remove contaminated clothing and wash before reuse.

PERSONAL PROTECTIVE EQUIPMENT (PPE)

Some materials that are chemical-resistant to this product are listed below. If you wantemore options, follow the instructions for Category C on an EPA chemical-resistance selection chart. Applicators and other handlers must wear:

- * Long-sleeved shirt and long pants.
- * Chemical-resistant gloves.
- * Protective eyewear.
- * Socks and shoes.
- * Chemical-resistant apron when mixing or loading this product, or cleaning equipment.

1

* For overhead exposure, wear chemical-resistant headgear.

5067

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE items separately from other laundry.

USER SAFETY RECOMMENDATIONS

Users should:

- Wash hands before eating, chewing gum, using tobacco or using the toilet.
- Remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, was thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARDS

Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment wash waters.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labelling. Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirement specific to your State or Tribe, consult the State or Tribal agency responsible for pesticide regulation. Do not apply this product through any type of irrigation system.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labelling and with the Worker Protection Standard, 40 CFR Part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on the label about personal protective equipment (PPE) and restricted entry intervals. The requirements in this box only apply to uses of this product covered by the Worker Protection Standard.

Do no enter or allow entry into treated areas during the restricted entry interval (REI) of $\underline{4}$ hours.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated such as, plants, soil or water is:

- * Long-sleeved shirt and long pants (or coveralls)
- * Waterproof gloves
- * Shoes plus socks

GENERAL INFORMATION

- NOVAGIB 10L is a plant growth regulator for use on apples.
- NOVAGIB 10L improves the quality of harvested apples by reducing physiological russeting of the fruit.
- NOVAGIB 10L may increase fruit weight.
- NOVAGIB 10L may only reduce russeting caused by climatic factors affecting the fruit during the first 30-40 days of development. NOVAGIB 10L will not reduce russeting caused by other factors (e.g., pest, disease or chemical action).
- Apply NOVAGIB 10L using conventional spray application machinery or as otherwise directed in this label.

2

9/21/11

- NOVAGIB 10L must not be applied using irrigation equipment.
- Do not apply to low vigor trees, or trees under stress from drought, winter injury, etc.
- Apply under calm weather conditions, as a uniform fine mist spray, so that 85% of the spray volume is directed into the upper 2/3 of the trees.
- Use a properly calibrated sprayer to ensure uniform and complete coverage of all foliage and developing fruit. Spray volume should be adjusted for tree size and density. Do not apply in more than 200 gallons of water/acre, preferably use less than 100 gallons of water/acre.
- Do not apply when the air temperature is lower than 40° F or greater than 90° F.
- **NOVAGIB 10L** works best if climatic conditions allow an extended drying period. Consider application in the morning or evening when temperatures are lower and humidity tends to be higher than during the day.
- Rainfall within 6 hours of application may reduce the efficacy of NOVAGIB 10L.

SPRAYING GUIDE FOR RUSSET REDUCTION

When used to reduce russeting of fruit, apply **NOVAGIB 10L** in two to four consecutive applications. Make the first application of 20-33 fluid ounces (fl. oz.) in 100 gallons of water per acre at the beginning of petal fall. Repeat this at 7-10 day intervals applying a total of 66-80 fl. oz. per acre. Determine rate and frequency of application by varietal susceptibility to russet, weather conditions and tree size. Large trees of susceptible varieties suffering high rainfall require the most frequent applications at the highest rate. In general, 4 applications give the best control of russet.

- Apply all sprays as a fine mist to ensure maximum coverage and spray retention on flowers and foliage. Use a properly calibrated sprayer.
- Do not apply in water volumes greater than 100 gallons/acre to reduce the risk of russet caused by the spray water.
- Do not add any kind of wetting adjuvant or surfactant unless you are sure of its crop safety.
 Materials of this type have been shown to cause russeting.
- Apply in conditions conducive to slow drying.
- Always refer to the partner product label when applying NOVAGIB 10L in tank mixtures and follow all precautions and directions given. The efficacy of NOVAGIB 10L may be reduced by compounds causing a high pH in the spray tank.
- Do not apply more than 80 fl. oz. per acre per growing season.

SPRAYING GUIDE FOR SUPPRESSION OF PREHARVEST FRUIT CRACKING IN 'STAYMAN' APPLES

When used to suppress cracking of 'Stayman' apples, apply **NOVAGIB 10L** in 3 – 6 consecutive applications. Make the first application of 32 – 64 fl. oz. in sufficient water to achieve good coverage of the fruit, 2 – 3 weeks before fruit cracking is expected to occur. This would normally be between mid-June and mid-July but will be affected by geography, climate and other factors. Repeat this at 14 – 21 day intervals. The use of the higher number of applications at the higher rates with the shorter time interval gives the strongest suppression of cracking. In general, at least 4 applications are required for best cracking suppression.

- There are many factors that affect cracking in 'Stayman' apples; therefore, the use of NOVAGIB 10L does not guarantee that cracking will not occur. Use NOVAGIB 10L as one part of a management program to produce the highest quality crop.
- Apply in conditions conducive of slow drying.
- Always refer to the partner product label when applying **NOVAGIB 10L** in tank mixtures and follow all precautions and directions given. The efficacy of **NOVAGIB 10L** may be reduced by compounds causing a high pH in the spray tank.
- A non-ionic wetting agent can be used to improve coverage and enhance penetrations in
- Application after cracking has started will greatly reduce the efficacy of NOVAGIB 10L.

3

STORAGE AND DISP (AL

Do not contaminate water, jood or feed by storage or disposal.

<u>Pesticide Storage</u>: Keep containers tightly closed when not in use. Store below 75°F (24°C). <u>Pesticide Disposal</u>: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

<u>Container Handling</u>: Nonrefillable container. Do not reuse or refill this container. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container ½ full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Then offer for recycling or reconditioning, or puncture and dispose of in sanitary landfill, or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

WARRANTY DISCLAIMER AND LIMITATION OF LIABILITY

Fine Agrochemicals Limited ("FINE") warrants that this Product conforms to the specifications on this label. To the extent consistent with applicable law, FINE makes no other warranties and disclaims all other warranties, express or implied, including but not limited to warranties of merchantability and fitness for a particular purpose. No agent of FINE or any other person is authorized to make any representation or warranty beyond those contained herein.

It is impossible to eliminate all risks associated with this Product. Plant injury, lack of performance, or other unintended consequences may result because of factors such as abnormal weather conditions, use of the Product other than in strict accordance with this label's instructions, presence of other materials, the manner of application or other factors, all of which are beyond the control of FINE or the seller. To the extent consistent with applicable law, all such risks shall be assumed by the Buyer.

To the extent consistent with applicable law: 1) FINE disclaims any liability whatsoever for special, incidental or consequential damages resulting from the handling or use of this Product and 2) FINE's liability under this label shall be limited to the amount of the purchase price or, at the election of FINE, the free replacement of the Product.

© Fine Agrochemicals Limited Hill End House Whittington Worcester, WR5 2RQ United Kingdom

NOVAGIB® 10L is a registered trademark of Fine Agrochemicals Ltd.

