

## UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

February 17, 2017

Frederick T. Smith Agent Fine Agrochemicals, Ltd. c/o SciReg, Inc. 12733 Director's Loop Woodbridge, VA. 22192

Subject: Non-PRIA (Pesticide Registration Improvement Act) Labeling Amendment – Acceptable

amendment to remove "sweet" from cherries, remove the sentence "Novagib 10L has

shown to cause reduction in flower counts on sweet cherries the year following

application," and add the supplemental label

Product Name: NOVAGIB 10L EPA Registration Number: 62097-7 Application Date: January 24, 2017 OPP Decision Number: 525624

Dear Mr. Smith:

The amended labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), as amended, is acceptable.

This approval does not affect any terms or conditions that were previously imposed on this registration. You continue to be subject to existing terms or conditions on your registration and any deadlines connected with them.

The supplemental labeling contains some new and/or revised uses and/or directions that may be additional to the uses and/or directions found on the label on or attached to the container, but the supplemental labeling does not by itself constitute the complete set of use directions. The complete set of use directions is set forth on the container label as combined with the supplemental labeling.

A stamped copy of your labeling is enclosed for your records. This labeling supersedes all previously accepted labeling. You must submit one (1) copy of the final printed labeling before you release this product for shipment with the new labeling. In accordance with 40 CFR § 152.130(c), you may distribute or sell this product under the previously approved labeling for 18 months from the date of this letter. After 18 months, you may only distribute or sell this product if it bears this new revised labeling or subsequently approved labeling. "To distribute or sell" is defined under FIFRA section 2(gg) and its implementing regulation at 40 CFR § 152.3.

Page 2 of 2 EPA Reg. No. 525624 OPP Decision No. 507603

Should you wish to add/retain a reference to your company's website on your label, then please be aware that the website becomes labeling under FIFRA and is subject to review by the U.S. Environmental Protection Agency (EPA). If the website is false or misleading, the product will be considered to be misbranded and sale or distribution of the product is unlawful under FIFRA section 12(a) (1)(E). 40 CFR § 156.10(a)(5) lists examples of statements the EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the EPA find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA-approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance Assurance.

Your release for shipment of this product constitutes acceptance of these terms. If these terms are not complied with, this registration will be subject to cancellation in accordance with FIFRA section 6.

If you have any questions, please contact Sandra Owusu-Ansah of my team by phone at (703)347-0350 or via email at owusu-ansah.sandra@epa.gov.

Sincerely,

Andrew Bryceland, Team Leader Biochemical Pesticides Branch Biopesticides and Pollution Prevention Division (7511P) Office of Pesticide Programs

anchew . Buycelow

## **NOVAGIB® 10L**

Plant growth regulator solution for use on apples and cherries

Active Ingredient: Gibberellins A<sub>4</sub>A<sub>7</sub>...... 0.95% 

02/17/2017

ACCEPTED

EPA Reg. No. 62097-7 EPA Est. No.

Under the Federal Insecticide, Fungicide and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No. 62097-7

Net Contents: ½ gallon (1.89 liters)

Batch/Lot No.

### KEEP OUT OF REACH OF CHILDREN CAUTION

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)

FIRST AID	
IF IN EYES	<ul> <li>Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li> <li>Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li> <li>Call a poison control center or doctor for treatment advice.</li> </ul>
IF ON SKIN OR CLOTHING	<ul> <li>Take off contaminated clothing.</li> <li>Rinse skin immediately with plenty of water for 15-20 minutes.</li> <li>Call a poison control center or doctor for treatment advice.</li> </ul>

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact the National Poison Control Hotline at 1-800-222-1222 for emergency medical treatment information 24 hours a day, seven days a week.

#### PRECAUTIONARY STATEMENTS

#### HAZARDS TO HUMANS AND DOMESTIC ANIMALS

**CAUTION.** Causes moderate eye irritation. Harmful if absorbed through skin. Avoid contact with eyes, skin, or clothing. Wear chemical resistant gloves. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove contaminated clothing and wash before reuse.

1

#### PERSONAL PROTECTIVE EQUIPMENT (PPE)

Some materials that are chemical-resistant to this product are listed below.

1/24/17

#### Applicators and other handlers must wear:

- Long-sleeved shirt and long pants.
- Chemical-resistant gloves.
- Protective eyewear.
- Socks and shoes.
- Chemical-resistant apron when mixing or loading this product, or cleaning equipment.
- For overhead exposure, wear chemical-resistant headgear.

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE items separately from other laundry.

#### **USER SAFETY RECOMMENDATIONS**

Users should:

- Wash hands before eating, chewing gum, using tobacco or using the toilet.
- Remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, was thoroughly and change into clean clothing.

#### **ENVIRONMENTAL HAZARDS**

Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment wash waters.

#### **DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labelling. Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirement specific to your State or Tribe, consult the State or Tribal agency responsible for pesticide regulation. Do not apply this product through any type of irrigation system.

#### AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labelling and with the Worker Protection Standard, 40 CFR Part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on the label about personal protective equipment (PPE) and restricted entry intervals. The requirements in this box only apply to uses of this product covered by the Worker Protection Standard.

Do no enter or allow entry into treated areas during the restricted entry interval (REI) of  $\underline{4}$  hours. PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated such as, plants, soil or water is:

2

- Long-sleeved shirt and long pants (or coveralls)
- Waterproof gloves
- Shoes plus socks

1/24/17

#### **GENERAL INFORMATION**

- Novagib 10L is a plant growth regulator for use on apples and cherries.
- Novagib 10L improves the quality of harvested apples by reducing physiological russeting of the fruit.
- Novagib 10L may increase fruit weight.
- Novagib 10L may only reduce russeting caused by climatic factors affecting the fruit during the first 30-40 days of development. Novagib 10L will not reduce russeting caused by other factors (e.g., pest, disease or chemical action).
- [Novagib 10L improves the fruit size of sweet and tart cherries.]
- Apply Novagib 10L using conventional spray application machinery or as otherwise directed in this label.
- Novagib 10L must not be applied using irrigation equipment.
- Do not apply to low vigor trees, or trees under stress from drought, winter injury, etc.
- Apply under calm weather conditions, as a uniform fine mist spray, so that 85% of the spray volume is directed into the upper <sup>2</sup>/<sub>3</sub> of the trees.
- Use a properly calibrated sprayer to ensure uniform and complete coverage of all foliage and developing fruit. Spray volume should be adjusted for tree size and density. Do not apply in more than 200 gallons of water/acre, preferably use less than 100 gallons of water/acre.
- Do not apply when the air temperature is lower than 40°F or greater than 90°F.
- Novagib 10L works best if climatic conditions allow an extended drying period. Consider application in the morning or evening when temperatures are lower and humidity tends to be higher than during the day.
- Rainfall within 6 hours of application may reduce the efficacy of Novagib 10L.

#### SPRAYING GUIDE FOR RUSSET REDUCTION

When used to reduce russeting of fruit, apply Novagib 10L in 2-4 consecutive applications. Make the first application of 20 - 33 fluid ounces (fl. oz.) in 100 gallons of water per acre at the beginning of petal fall. Repeat this at 7 - 10 day intervals applying a total of 66 - 80 fl. oz. per acre. Determine rate and frequency of application by varietal susceptibility to russet, weather conditions and tree size. Large trees of susceptible varieties suffering high rainfall require the most frequent applications at the highest rate. In general, 4 applications give the best control of russet.

- Apply all sprays as a fine mist to ensure maximum coverage and spray retention on flowers and foliage. Use a properly calibrated sprayer.
- Do not apply in water volumes greater than 100 gallons/acre to reduce the risk of russet caused by the spray water.
- Do not add any kind of wetting adjuvant or surfactant unless you are sure of its crop safety.
   Materials of this type have been shown to cause russeting.
- Apply in conditions conducive to slow drying.
- Always refer to the partner product label when applying Novagib 10L in tank mixtures and follow all precautions and directions given. The efficacy of Novagib 10L may be reduced by compounds causing a high pH in the spray tank.
- Do not apply more than 80 fl. oz. per acre per growing season.

## SPRAYING GUIDE FOR SUPPRESSION OF PREHARVEST FRUIT CRACKING IN 'STAYMAN' APPLES

When used to suppress cracking of 'Stayman' apples, apply Novagib 10L in 3-6 consecutive applications. Make the first application of 32-64 fl. oz. in sufficient water to achieve good coverage of the fruit, 2-3 weeks before fruit cracking is expected to occur. This would normally be between mid-June and mid-July but will be affected by geography, climate and other factors. Repeat this at 14-21 day intervals. The use of the higher number of applications at the higher rates with the shorter time interval gives the strongest suppression of cracking. In general, at least 4 applications are required for best cracking suppression.

- There are many factors that affect cracking in 'Stayman' apples; therefore, the use of Novagib 10L does not guarantee that cracking will not occur. Use Novagib 10L as one part of a management program to produce the highest quality crop.
- Apply in conditions conducive of slow drying.
- Always refer to the partner product label when applying Novagib 10L in tank mixtures and follow all precautions and directions given. The efficacy of Novagib 10L may be reduced by compounds causing a high pH in the spray tank.
- A non-ionic wetting agent can be used to improve coverage and enhance penetration.
- Application after cracking has started will greatly reduce the efficacy of Novagib 10L.

# SPRAYING GUIDE FOR IMPROVED FRUIT SIZE IN SWEET [and TART] CHERRIES (All approved states except California)

When used to improve fruit size in sweet [and tart] cherries, apply Novagib 10L in 1-4 consecutive applications. Make the first application of 6-12 fl. oz. in 100 gallons of water (5-10 ppm), preferably beginning at first white stage, but no earlier than tight cluster stage. Repeat applications may be made in 7-14 day intervals after the first application up to petal fall, applying a total of 6-48 fl. oz. per acre.

- Apply all sprays as a fine mist to ensure maximum coverage and spray retention on tree.
   Use a properly calibrated sprayer.
- Apply in conditions conducive to slow drying.
- Always refer to the partner product label when applying Novagib 10L in tank mixtures and follow all precautions and directions given. The efficacy of Novagib 10L may be reduced by compounds causing a high pH in the spray tank.
- Do not apply more than 48 fl. oz. per acre per growing season.
- Multiple applications and high rates of Novagib 10L in excess of those stated above may reduce return bloom the next season in certain varieties.

#### STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

<u>Pesticide Storage</u>: Keep containers tightly closed when not in use. Store below 75°F (24°C). <u>Pesticide Disposal</u>: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

<u>Container Handling</u>: Non-refillable container. Do not reuse or refill this container. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container ¼ full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Then offer for recycling or reconditioning, or puncture and dispose of in sanitary landfill, or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

#### WARRANTY DISCLAIMER AND LIMITATION OF LIABILITY

Fine Agrochemicals Limited ("FINE") warrants that this Product conforms to the specifications on this label. To the extent consistent with applicable law, FINE makes no other warranties and disclaims all other warranties, express or implied, including but not limited to warranties of merchantability and fitness for a particular purpose. No agent of FINE or any other person is authorized to make any representation or warranty beyond those contained herein.

It is impossible to eliminate all risks associated with this Product. Plant injury, lack of performance, or other unintended consequences may result because of factors such as abnormal weather conditions, use of the Product other than in strict accordance with this label's instructions, presence of other materials, the manner of application or other factors, all of which are beyond the control of FINE or the seller. To the extent consistent with applicable law, all such risks shall be assumed by the Buyer.

To the extent consistent with applicable law: 1) FINE disclaims any liability whatsoever for special, incidental or consequential damages resulting from the handling or use of this Product and 2) FINE's liability under this label shall be limited to the amount of the purchase price or, at the election of FINE, the free replacement of the Product.

© Fine Agrochemicals Limited Hill End House Whittington Worcester, WR5 2RQ United Kingdom

Novagib 10L is a registered trademark of Fine Agrochemicals Ltd.

# SUPPLEMENTAL LABEL NOVAGIB® 10L

Plant growth regulator solution for use on tart cherries

This supplemental labeling expires on April 24, 2019 and must not be used or distributed after this date.

EPA Reg. No. 62097-7 EPA Est. No.

Net Contents: ½ gallon (1.89 liters)

Batch/Lot No.

# KEEP OUT OF REACH OF CHILDREN CAUTION

### ACCEPTED

02/17/2017

Under the Federal Insecticide, Fungicide and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No.

<sup>g. No.</sup> 62097-7

#### **DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labelling. Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirement specific to your State or Tribe, consult the State or Tribal agency responsible for pesticide regulation. Do not apply this product through any type of irrigation system.

# SPRAYING GUIDE FOR IMPROVED FRUIT SIZE IN TART CHERRIES (All approved states except California)

When used to improve fruit size in tart cherries, apply Novagib 10L in 1-4 consecutive applications. Make the first application of 6-12 fl. oz. in 100 gallons of water (5-10 ppm), preferably beginning at first white stage, but no earlier than tight cluster stage. Repeat applications may be made in 7-14 day intervals after the first application up to petal fall, applying a total of 6-48 fl. oz. per acre.

- Apply all sprays as a fine mist to ensure maximum coverage and spray retention on tree.
   Use a properly calibrated sprayer.
- Apply in conditions conducive to slow drying.
- Always refer to the partner product label when applying Novagib 10L in tank mixtures and follow all precautions and directions given. The efficacy of Novagib 10L may be reduced by compounds causing a high pH in the spray tank.
- Do not apply more than 48 fl. oz. per acre per growing season.
- Multiple applications and high rates of Novagib 10L in excess of those stated above may reduce return bloom the next season in certain varieties.

© Fine Agrochemicals Limited
Hill End House
Whittington
Worcester, WR5 2RQ
United Kingdom
Novagib 10L is a registered trademark of Fine Agrochemicals Ltd.