

U.S. ENVIRONMENTAL PROTECTION AGENCY Office of Pesticide Programs Biopesticides and Pollution Prevention Division 7511C 401 M St., S.W.' Washington, D.C. 20460 KPA Reg. Number:

Date of Issuance:

62097-8

JAN 31 2000

NOTICE OF PESTICIDE:

<u>x</u> Registration

Reregistration

(under FIFRA, as amended)

Term of Issuance:

Unconditional

Name of Pesticide Product:

Exilis

Name and Address of Registrant (include ZIP Code)

Fine Agrochemicals Ltd. c/o SciReg Inc. 12733 Director's Loop Woodbridge, VA 22192

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

yon the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is unconditionally registered in accordance with FIFRA sec. 3(c)(5). Once a pesticide is registered, however, it is not regarded as permanently acceptable. Registration does not eliminate the need for continual reassessment of pesticides. If the Agency determines that, at any time, additional data are required to maintain in effect an existing registration, the Agency will require submission of such data under FIFRA section (3) (c) (2) (B).

- 1. Make the following label changes:
- a. Add the phrase "EPA Registration Number 62097-8". to your label before you release the product for shipment.
- 2. Submit five copies of the final printed label for the record.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

иши, стантите от вым и местаницина выполнения выстрания выполнения выстрации выполнения выполнения выполнения выполнения выстрации выстрации выполнения выполнения выполнения выполнения выполнения вы

Signature of Approving Official:

1/31/00

EFA Form 8570-6

EXILIS™

EXILIS™

EXILIS™

-WARNING/AVISIO - KEEP OUT OF REACH OF CHILDREN

Plant Growth Regulator Solution

Active Ingredient: N-(phenylmethyl)-1H-purine-6-amine

2.0% 98.0%

Other Ingredients:

30.07

Total:

100%

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)

STATEMENT OF PRACTICAL TREATMENT

If in eyes: Flush with plenty of water. Call a physician if irritation persists.

<u>If swallowed</u>: Drink promptly a large quantity of milk, egg whites, gelatin solution, or if these are not available, large quantities of water. Avoid alcohol.

If on skin: Wash with plenty of soap and water. Get medical attention if irritation persists.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

Causes eye irritation. Do not get in eyes. Harmful if swallowed.

PERSONAL PROTECTIVE EQUIPMENT (PPE)

Some materials that are chemical-resistant to this product are listed below. If you want more options, follow the instructions for Category C on an EPA chemical-resistance selection chart. Applicators and other handlers must wear.

- * Coveralls over short-sleeved shirt and short pants.
- * Chemical-resistant gloves.
- Protective eyeware.
- Chemical-resistant footware plus socks.
- Respiratory protection devices.
- * Chemical-resistant apron when cleaning equipment, mixing or loading.

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE items separately from other laundry.

USER SAFETY RECOMMENDATIONS


Users should: Wash hands before eating, chewing gum, using tobacco or using the toilet.

EPA Registration No.

EPA Est. No.

Net Contents

1/2 Gallon (1.89 L)



ENVIRONMENTAL HAZARDS

Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment wash waters.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labelling. Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirement specific to your state or tribe, consult the agency responsible for pesticide regulation. Do not apply this product through any type of irrigation system.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labelling and with the Worker Protection Standard, 40 CFR Part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on the label about personal protective equipment (PPE) and restricted entry intervals. The requirements in this box only apply to uses of this product covered by the Worker Protection Standard.

Do no enter or allow entry into treated areas during the restricted entry interval (REI) of $\underline{12}$ hours.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated such as, plants, soil or water is:

- * Long-sleeved shirt and long pants (or coveralls)
- * Waterproof gloves

* Shoes plus socks

* Protective eyewear

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Storage: Keep containers tightly closed when not in use. Store below 75°F (24°C).

<u>Pesticide Disposal</u>: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

<u>Container Disposal</u>: Do not re-use empty containers. Triple rinse (or equivalent). Then puncture and dispose of in sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

GENERAL INFORMATION

- EXILIS is a plant growth regulator for use on apples.
- EXILIS is a post-bloom thinning agent.
- EXILIS may increase fruit weight.
- EXILIS should be applied using conventional spray application machinery or as otherwise directed in this label. EXILIS must not be applied using irrigation equipment.
- The effectiveness of EXILIS depends on the variety of target apple trees.
- · The effectiveness of EXILIS is increased by:
 - High temperatures before and after application. (70-75°F (21-24°C))
 - Disease and physiological stress of target trees. Apply reduced rates to low vigor trees, or trees under stress from drought, winter injury, etc.
- The effectiveness of EXILIS is reduced by:
 - Low temperatures before and after application. Do not apply EXILIS if the temperature is below 60°F (16°C).
 - · Rainfall immediately after application.

- Use a properly calibrated sprayer to ensure uniform and complete coverage of all foliage and developing fruit without run-off. Spray volume should be adjusted for tree size and density. Do not apply in more than 200 gallons of water/acre, preferably use between 50 and 100 gallons of water/acre.
- EXILIS works best if climatic conditions allow an extended drying period. Consider application in the morning or evening when temperatures are lower and humidity tends to be higher than during the day.
 - Consult your farm advisor or extension specialist for advice about tank-mixing EXILIS.
 - DO NOT tank-mix EXILIS with products containing NAA.
- EXILIS is registered for use in Michigan, New York, Oregon, Pennsylvania, Virginia and Washington states.

SPRAYING GUIDE FOR FRUIT THINNING

When used to thin fruit, EXILIS should be applied in a single or split spray program.

Make 1-2 applications of 16-48 fl. oz./acre when king fruitlets are 5-10 mm in diameter. The effectiveness of EXILIS depends on the variety of target apple trees and weather conditions. Refer to your farm advisor or extension specialist for advice about rate of application.

DO NOT apply more than 48 fl. oz./acre during one growing season.

FINE AGROCHEMICALS LIMITED warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated on the label when used in strict accordance with the directions subject to the inherent risks set forth below. FINE AGROCHEMICALS LIMITED makes no other expressed or implied warranty of merchantability or fitness for a particular purpose or any other expressed or implied warranty. INHERENT RISK OF USE: It is impossible to eliminate all risks associated with this product. Plant injury, lack of performance, or other unintended consequences may result because of such factors as use of the product contrary to label instructions (including conditions noted on the label) abnormal conditions, presence of other materials, the manner of application, or other factors, all of which are beyond the control of FINE AGROCHEMICALS LIMITED or the seller. All such risks shall be assumed by the buyer.

Exilis [™] is a trademark of Fine Agrochemicals Limited.

©1999 Fine Agrochemicals Limited Hill End House Whittington Worcester, WR5 2RL United Kingdom