

EXILIS PLUS™**CAUTION – KEEP OUT OF REACH OF CHILDREN****Plant Growth Regulator Solution**

Active Ingredient: N-(phenylmethyl)-1H-purine-6-amine	2.0%
Other Ingredients:	98.0%
Total:	100%

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle.
(If you do not understand the label, find someone to explain it to you in detail.)

STATEMENT OF PRACTICAL TREATMENT

If in eyes: Flush with plenty of water. Call a physician if irritation persists.

If swallowed: Drink promptly a large quantity of milk, egg whites, gelatin solution, or if these are not available, large quantities of water. Avoid alcohol.

If on skin: Wash with plenty of soap and water. Get medical attention if irritation persists.

PRECAUTIONARY STATEMENTS**HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

CAUTION. Causes moderate eye irritation. Avoid contact with eyes or clothing. Harmful if swallowed. Wash thoroughly with soap and water after handling.

PERSONAL PROTECTIVE EQUIPMENT (PPE)

Some materials that are chemical-resistant to this product are listed below. If you want more options, follow the instructions for Category C on an EPA chemical-resistance selection chart.

Applicators and other handlers must wear:

- * Long-sleeved shirt and long pants.
- * Chemical-resistant gloves.
- * Protective eyewear.
- * Socks and shoes.
- * Chemical-resistant apron when cleaning equipment, mixing or loading.

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE items separately from other laundry.


USER SAFETY RECOMMENDATIONS

Users should: Wash hands before eating, chewing gum, using tobacco or using the toilet.

EPA Registration No.

EPA Est. No.

Net Contents ½ Gallon (1.89 L)



ENVIRONMENTAL HAZARDS

Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment wash waters.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labelling. Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirement specific to your state or tribe, consult the agency responsible for pesticide regulation. Do not apply this product through any type of irrigation system.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labelling and with the Worker Protection Standard, 40 CFR Part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on the label about personal protective equipment (PPE) and restricted entry intervals. The requirements in this box only apply to uses of this product covered by the Worker Protection Standard.

Do not enter or allow entry into treated areas during the restricted entry interval (REI) of 4 hours.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated such as, plants, soil or water is:

- * Long-sleeved shirt and long pants (or coveralls)
- * Waterproof gloves
- * Shoes plus socks

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Storage: Keep containers tightly closed when not in use. Store below 75°F (24°C).

Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Container Disposal: Do not re-use empty containers. Triple rinse (or equivalent). Then puncture and dispose of in sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

GENERAL INFORMATION

- EXILIS PLUS is a plant growth regulator for use on apples.
- EXILIS PLUS is a post-bloom thinning agent.
- EXILIS PLUS may increase fruit weight.
- EXILIS PLUS should be applied using conventional spray application machinery or as otherwise directed in this label. EXILIS PLUS must not be applied using irrigation equipment.
- The effectiveness of EXILIS PLUS depends on the variety of target apple trees.
- The effectiveness of EXILIS PLUS is increased by:
 - High temperatures before and after application. (70-75°F (21-24°C))
 - Disease and physiological stress of target trees. Apply reduced rates to low vigor trees, or trees under stress from drought, winter injury, etc.
- The effectiveness of EXILIS PLUS is reduced by:
 - Low temperatures before and after application. Do not apply EXILIS PLUS if the temperature is below 60°F (16°C).

- Rainfall immediately after application.
- Use a properly calibrated sprayer to ensure uniform and complete coverage of all foliage and developing fruit without run-off. Spray volume should be adjusted for tree size and density. Do not apply in more than 200 gallons of water/acre, preferably use between 50 and 100 gallons of water/acre.
- EXILIS PLUS works best if climatic conditions allow an extended drying period. Consider application in the morning or evening when temperatures are lower and humidity tends to be higher than during the day.
- Consult your farm advisor or extension specialist for advice about tank-mixing EXILIS PLUS.
- DO NOT tank-mix EXILIS PLUS with products containing NAA.
- EXILIS PLUS is registered for use in Michigan, New York, Oregon, Pennsylvania, Virginia and Washington states.

SPRAYING GUIDE FOR FRUIT THINNING

When used to thin fruit, EXILIS PLUS should be applied in a single or split spray program.

Make 1 – 2 applications of 16 – 48 fl. oz./acre when king fruitlets are 5 – 10 mm in diameter. The effectiveness of EXILIS PLUS depends on the variety of target apple trees and weather conditions. Refer to your farm advisor or extension specialist for advice about rate of application.

DO NOT apply more than 48 fl. oz./acre during one growing season.

FINE AGROCHEMICALS LIMITED warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated on the label when used in strict accordance with the directions subject to the inherent risks set forth below.

FINE AGROCHEMICALS LIMITED makes no other expressed or implied warranty of merchantability or fitness for a particular purpose or any other expressed or implied warranty.

INHERENT RISK OF USE: It is impossible to eliminate all risks associated with this product. Plant injury, lack of performance, or other unintended consequences may result because of such factors as use of the product contrary to label instructions (including conditions noted on the label) abnormal conditions, presence of other materials, the manner of application, or other factors, all of which are beyond the control of FINE AGROCHEMICALS LIMITED or the seller. All such risks shall be assumed by the buyer.

EXILIS PLUS™ is a trademark of Fine Agrochemicals Limited.

©1999
 Fine Agrochemicals Limited
 Hill End House
 Whittington
 Worcester, WR5 2RL
 United Kingdom

