62097-9

08/23/2004

EXILIS® PLUS

Plant Growth Regulator Solution

Active Ingredient:	N-(phenylmethyl)-1H-purine-6-amine	2%
Other Ingredients:		3%
Total:		ጋ%

KEEP OUT OF REACH OF CHILDREN

CAUTION



EPA Est. No. 39578-TX-1

NET CONTENTS: 1/2 Gallon (1.89 L)

FIRST AID		
IF IN EYES	 Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. 	
IF SWALLOWED	 Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person. 	
IF ON SKIN OR CLOTHING	 Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. 	
Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-858-7378 (National Pesticide Information Center) for emergency medical treatment information.		

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION. Causes moderate eye irritation. Avoid contact with eyes or clothing. Harmful if swallowed. Wash thoroughly with soap and water after handling.

PERSONAL PROTECTIVE EQUIPMENT (PPE)

Some materials that are chemical-resistant to this product are listed below. If you want more options, follow the instructions for Category C on an EPA chemical-resistance selection chart. Applicators and other handlers must wear.

- Long-sleeved shirt and long pants.
- * Chemical-resistant gloves.
- * Protective eyeware.
- Socks and shoes.
- * Chemical-resistant apron when cleaning equipment, mixing or loading.

ACCEPTED AUG 2 3 2004

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE items separately from other laundry.

USER SAFETY RECOMMENDATIONS

Users should:

- Wash hands before eating, chewing gum, using tobacco or using the toilet.
- Remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Remove PPE immediately after handling this product. Wash the outside of the gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARDS

Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark.

PHYSICAL OR CHEMICAL HAZARDS

FOR CHEMICAL EMERGENCY: spill, leak, fire, exposure, or accident call CHEMTREC 1-800-424-9300.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labelling. Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirement specific to your state or tribe, consult the agency responsible for pesticide regulation. Do not apply this product through any type of irrigation system.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labelling and with the Worker Protection Standard, 40 CFR Part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on the label about personal protective equipment (PPE) and restricted entry intervals. The requirements in this box only apply to uses of this product covered by the Worker Protection Standard.

Do no enter or allow entry into treated areas during the restricted entry interval (REI) of $\underline{4}$ hours.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated such as, plants, soil or water is:

- * Long-sleeved shirt and long pants (or coveralls)
- * Waterproof gloves
- * Shoes plus socks

3/4

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Pesticide Storage: Keep containers tightly closed when not in use. Store below 75°F.

<u>Pesticide Disposal</u>: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

<u>Container Disposal</u>: Do not re-use empty containers. Triple rinse (or equivalent). Then puncture and dispose of in sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

PRODUCT INFORMATION

- EXILIS PLUS is a plant growth regulator for use on apples.
- EXILIS PLUS is a post-bloom thinning agent.
- EXILIS PLUS may increase fruit weight.
- Apply EXILIS PLUS using conventional spray application machinery or as otherwise directed in this label. Do not apply EXILIS PLUS using irrigation equipment.
- The effectiveness of EXILIS PLUS depends on the variety of target apple trees.
- The effectiveness of EXILIS PLUS is increased by:
 - High temperatures before and after application (70-75°F (21-24°C)).
 - Disease and physiological stress of target trees. Apply reduced rates to low vigor trees, or trees under stress from drought, winter injury, etc.
- The effectiveness of EXILIS PLUS is reduced by:
 - Low temperatures before and after application. Do not apply EXILIS PLUS if the temperature is below 60°F (16°C).
 - o Rainfall immediately after application.

SPRAYING GUIDE FOR FRUIT THINNING

When used to thin fruit, apply EXILIS PLUS in a single or split spray program.

Make 1 - 2 applications of 16 - 48 fl. oz./acre when king fruitlets are 5 - 10 mm in diameter. The effectiveness of EXILIS PLUS depends on the variety of target apple trees and weather conditions. Refer to your farm advisor or extension specialist for advice about rate of application.

- DO NOT apply more than 48 fl. oz./acre during one growing season.
- Use a property calibrated sprayer to ensure uniform and complete coverage of all foliage and developing fruit without run-off. Spray volume should be adjusted for tree size and density. Do not apply in more than 200 gallons of water/acre, preferably use between 50 and 100 gallons of water/acre.
- EXILIS PLUS works best if climatic conditions allow an extended drying period. Consider application in the morning or evening when temperatures are lower and humidity tends to be higher than during the day.
- Consult your farm advisor or extension specialist for advice about tank-mixing EXILIS PLUS.
- DO NOT tank-mix EXILIS PLUS with products containing NAA.

FINE AGROCHEMICALS LIMITED warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated on the label when used in strict accordance with the directions subject to the inherent risks set forth below. FINE AGROCHEMICALS LIMITED makes no other expressed or implied warranty of merchantability or fitness for a particular purpose or any other expressed or implied warranty. INHERENT RISK OF USE: It is impossible to eliminate all risks associated with this product. Plant injury, lack of performance, or other unintended consequences may result because of such factors as use of the product contrary to label instructions (including conditions noted on the label) abnormal conditions, presence of other materials, the manner of application, or other factors, all of which are beyond the control of FINE AGROCHEMICALS LIMITED or the seller.

EXILIS® is a registered trademark of Fine Agrochemicals Limited.

©1999 Fine Agrochemicals Limited Hill End House Whittington Worcester, WR5 2RQ United Kingdom