



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

WASHINGTON, D.C. 20460

OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

January 20, 2011

Fine Agrochemicals, Ltd. c/o Frederick T. Smith SciReg, Inc. 12733 Director's Loop Woodbridge, VA 22192

RE:

Product Name: Exilis Plus

EPA Reg. No: 62097-9

Application for Label Notification dated December 23, 2010 to increase net contents size and delete reference to container size in directions for

use.

Dear Mr. Smith:

The Biopesticides and Pollution Prevention Division is in receipt of your application for Notification under PR Notice 98-10 dated above. A preliminary screen of this request has been conducted for its applicability under PR Notice 98-10 and it has been determined that the action(s) requested falls within the scope of PR Notice 98-10. Our records have been duly noted, and the label submitted with this application has been stamped "Notification Accepted" and will be placed accordingly in our records.

If you have any questions concerning this action, please feel free to contact Mr. Colin Walsh at (703) 308-0298 or via email at walsh.colin@epa.gov.

Sincerely,

Linda A. Hollis

Linda A. Hollis, Chief Biochemical Pesticides Branch Biopesticides and Pollution Prevention Division (7511P)



United States

	Registration
	Amendment
X	Other

OPP Identifier Number

WEPA		ntal Protection Agency shington, DC 20460			Amendmer Other	nt		
	Α	pplication for	Pesticide -	Section) I			
Company/Product Numbe 62097-9			2. EPA Produc L. Hollis				Classification	
Company/Product (Name) Exilis Plus			PM# 91			XINONE	x None Restricted	
5. Name and Address of App	olicant (Include ZIP Code)	6. Expedite	d Review.	In accordance w	ith FIFRA S	ection 3(c)(3)	
Fine Agrochemicals Ltd. Hill End House Whittington, Worcester Wi United Kingdom	R5 2RQ a new address		(b)(i), my pro to: EPA Reg. I	No	ilar or identical in	n compositio	on and labeling	
Check it this is	a new address	0-						
		Se	ction - II				· · · · · · · · · · · · · · · · · · ·	
Amendment - Explain t	nse to Agency letter date	d	Agend	orinted labels by letter date co" Applicati	ion.		Accepted	
X Notification - Explain b	elow.		Other	- Explain be	low. Date:	JAN 2	0 2011	
Explanation: Use addition Notification consistent with P This notification is consistent labeling or the confidential st EPA. I further understand the FIFRA and I may be subject	R Notice 98-10 to change t with the provisions of Pf atement of formula of this at if this notification is not	e net contents and del R Notice 98-10 and EF s product. I understand consistent with the te	lete reference to co PA regulations at 4 d that it is a violatio rms of PR Notice 9	0 CFR 152.4 on of 18 U.S 98-10 and 40	within body of laborates within body of labora	anges have t illfully make a	been made to the any false statement to	
		Se	ction - III					
1. Material This Product W	ill Be Packaged In:						ccc	
Child-Resistant Packaging Yes No * Certification must be submitted	Unit Packaging Yes No If "Yes" Unit Packaging wgt.	No. Per If "Ye		No. Per Container	2. Type of Con Met Con Class Plas Pap Con Con Con Con Con Con Con Co	al ີ້. stic , s§ , ,		
3. Location of Net Contents Label	Information 4 Container	. Size(s) Retail Contai	ner	5. Loca	ation of Label, Lired On label. On label accompa	•		
6. Manner in Which Label is	Affixed to Product	Lithograph Paper glued Stenciled		other		(((((((((((((((((((. c	
			ction - IV					
Contact Point (Complete Complete	items directly below for i		ual to be contacted	i, if necessa			aliada A O Lo	
Name Frederick T. Smith	<u></u>		SciReg, Inc.)		1 .	494-6500; f	clude Area Code) smith@SciReg.com	
I certify that the statement I acknowledge that any kn both under applicable law.	owingly false or misleadii	ng statement may be					Date Application Received (Stamped)	
2. Signature	L		t (SciReg, Inc.)					
4. Typed Name Frederick T. Smith	5. Date	117/10						

SciReg, Inc.
Science and Regulatory Consultants

December 23, 2010

Ms. Linda Hollis
Document Processing Desk (NOTIF)
Office of Pesticide Programs (7504P)
U.S. Environmental Protection Agency
One Potomac Yard
2777 S. Crystal Drive
Arlington, VA 22202

Re:

Exilis Plus (EPA Reg. No. 62097-9)

- Notification conssistent with PR Notice 98-10

Dear Ms. Hollis:

On behalf of Fine Agrochemicals Ltd., enclosed please find a notification to change the net contents and delete reference to the container size within the body of the label for Exilis Plus (EPA Reg. No. 62097-9). No other changes have been made. Five copies of the label, one of which is redlined to show the changes, are included.

Should you have any questions, please let me know.

Sincerely,

Frederick T. Smith

Senior Regulatory Specialist

Enclosures

Notification Accepted

Date:

JAN 2 0 2011

EXILIS® PLUS

Reviewer: C. Walsh

Plant growth regulator solution for use on apples and pears

KEEP OUT OF REACH OF CHILDREN

CAUTION

EPA Reg. No. 62097-9

NET CONTENTS: 1 gallon (3.78 L)

EPA Est. No.

FIRST AID					
IF IN EYES	 Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. 				
IF SWALLOWED	 Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person. 				
IF ON SKIN OR CLOTHING	 Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. 				

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-858-7378 (National Pesticide Information Center [NPIC]) for emergency medical treatment information seven days a week, 6:30 a.m. to 4:30 p.m. Pacific Time (NPIC Web site: www.npic.orst.edu).

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION. Causes moderate eye irritation. Harmful if swallowed or absorbed through skin. Avoid contact with skin, eyes, and clothing. Wear protective eyewear and chemical-resistant gloves. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove contaminated clothing and wash before reuse.

PERSONAL PROTECTIVE EQUIPMENT (PPE)

Some materials that are chemical-resistant to this product are listed below. If you want more options, follow the instructions for Category C on an EPA chemical-resistance selection chart.

Applicators and other handlers must wear.

- * Long-sleeved shirt and long pants.
- * Chemical resistant gloves such as barrier laminate, butyl rubber, nitrile rubber, neoprene rubber, polyvinyl chloride or viton.
- Socks and shoes.

Follow the manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

USER SAFETY RECOMMENDATIONS

Users should:

- Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.
- Remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARDS

Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment wash waters or rinsate.

PHYSICAL OR CHEMICAL HAZARDS

FOR CHEMICAL EMERGENCY: spill, leak, fire, exposure, or accident call CHEMTREC 1-800-424-9300.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labelling. Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirement specific to your State or Tribe, consult the State or Tribal agency responsible for pesticide regulation. Do not apply this product through any type of irrigation system.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labelling and with the Worker Protection Standard, 40 CFR Part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE) and restricted entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 12 hours.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated such as, plants, soil or water is:

- * Coveralls
- * Shoes plus socks
- * Chemical-resistant gloves such as barrier laminate, butyl rubber, nitrile rubber, neoprene rubber, polyvinyl chloride or viton.

PRODUCT INFORMATION

- EXILIS PLUS is a plant growth regulator for use on apples and pears.
- EXILIS PLUS is a post-bloom thinning agent.
- EXILIS PLUS may increase fruit weight, but this is dependent on fruit set and the physiological condition of the trees.
- Apply EXILIS PLUS using conventional spray application machinery or as otherwise directed in this label. Do not apply EXILIS PLUS using irrigation equipment.
- The effectiveness of EXILIS PLUS depends on the variety of target apple and pear trees.
- The thinning effectiveness of EXILIS PLUS is increased by:
 - o High temperatures before and after application (70-75°F (21-24°C)).
 - Disease and physiological stress of target trees. Apply reduced rates to low vigor trees, or trees under stress from drought, winter injury, etc.
- The effectiveness of EXILIS PLUS is reduced by:
 - Low temperatures before and after application. Do not apply EXILIS PLUS if the temperature is below 60°F (16°C).
 - o Rainfall immediately after application.
 - o pH above 8. Exilis Plus performs best when the pH is 5-6.5. A buffer or pH enhancer may be used for this purpose.
- Direct 80% of the spray to the top 2/3rds of the tree structure.
- Use a properly calibrated sprayer to ensure uniform and complete coverage of all foliage and developing fruit without run-off. Spray volume should be adjusted for tree size and density.
- EXILIS PLUS works best if climatic conditions allow an extended drying period. Consider application in the morning or evening when temperatures are lower and humidity tends to be higher than during the day.
- Consult your farm advisor or extension specialist for advice about tank-mixing EXILIS PLUS with other compounds.
- DO NOT EXCEED 296 fl. oz. of product (182 grams of active ingredient) PER ACRE PER SEASON.
- DO NOT APPLY CLOSER THAN 86 DAYS BEFORE HARVEST.

SPRAYING GUIDE FOR FRUIT THINNING

When used to thin fruit, EXILIS PLUS is normally applied in a single spray program; if a second application is needed allow 7-10 days after the first to observe the effect and spray before the diameter of king bloom fruit exceeds 20mm.

Make 1-2 applications of 75-200 ppm when king fruitlets are 5-10 mm in diameter (see Exilis Plus Dilution Guide). The effectiveness of EXILIS PLUS depends on the variety of target apple and pear trees and weather conditions. Refer to your farm advisor or extension specialist for advice about rate of application. DO NOT EXCEED 296 fl oz of product (182 grams of active ingredient) PER ACRE PER SEASON.

SPRAYING GUIDE FOR FRUIT SIZING & RETURN BLOOM

Spray 2-4 applications of 10-50 ppm at petal fall and following at 3-10 day intervals. Generally use higher rates at longer intervals and lower number of applications. Refer to your farm advisor or extension specialist for advice about rate of application. DO NOT EXCEED 296 fl. oz. of product (182 grams of active ingredient) PER ACRE PER SEASON.

Applications for fruit sizing may cause thinning in some varieties or conditions of application.

EXILIS PLUS DILUTION GUIDE

Parts Per	10	25	50	75	100	125	150	175	200
Million	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Fluid Ounces									
of Product	3	7.5	15	23	30.5	38	45.5	53.5	61
Per 50									
Gallons of									
Water									

[Exilis Plus contains 39.35 grams active ingredient per 64 fluid ounces (one-half gallon).]

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

<u>Pesticide Storage</u>: Keep container tightly closed when not in use. Store below 75°F. <u>Pesticide Disposal</u>: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Container Handling: Nonrefillable container. Do not reuse this container to hold materials other than pesticides or dilute pesticides (rinsate). After emptying and cleaning, it may be allowable to temporarily hold rinsate or other pesticide-related materials in the container. Contact your state regulatory agency to determine allowable practices in your state. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container ¼ full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after flow begins to drip. Repeat this procedure two more times. Then offer for recycling or reconditioning, if available, or puncture and dispose of in sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

WARRANTY DISCLAIMER AND LIMITATION OF LIABILITY

Fine Agrochemicals Limited ("FINE") warrants that this Product conforms to the specifications on this label. To the extent consistent with applicable law, FINE makes no other warranties and disclaims all other warranties, express or implied, including but not limited to warranties of merchantability and fitness for a particular purpose. No agent of FINE or any other person is authorized to make any representation or warranty beyond those contained herein.

It is impossible to eliminate all risks associated with this Product. Plant injury, lack of performance, or other unintended consequences may result because of factors such as abnormal weather conditions, use of the Product other than in strict accordance with this label's instructions, presence of other materials, the manner of application or other factors, all of which are beyond the control of FINE or the seller. To the extent consistent with applicable law, all such risks shall be assumed by the Buyer.

To the extent consistent with applicable law: 1) FINE disclaims any liability whatsoever for special, incidental or consequential damages resulting from the handling or use of this Product and 2) FINE's liability under this label shall be limited to the amount of the purchase price or, at the election of FINE, the free replacement of the Product.

- 4 -

© Fine Agrochemicals Limited Hill End House Whittington Worcester, WR5 2RQ United Kingdom

EXILIS® - is a registered trademark of Fine Agrochemicals Ltd.