

62190-12

4-29-1996

1/2



U.S. ENVIRONMENTAL PROTECTION AGENCY
Office of Pesticide Programs
Registration Division (H7505C)
401 "M" St., S.W.
Washington, D.C. 20460

EPA Reg. Number:

62190-12

Date of Issuance:

04/29/96

NOTICE OF PESTICIDE:
 Registration
 Reregistration

(under FIFRA, as amended)

Term of Issuance:

Conditional

Name of Pesticide Product:

Wolman 3488 Wood Preservative

Name and Address of Registrant (include ZIP Code):

Hickson Corporation
Technical Center
3491 Bonsal Road
Conley, GA 30027

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A) provided that you:

1. Submit and/or cite all data required for registration/reregistration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data; and submit acceptable responses required for reregistration of your product under FIFRA section 4.
2. Make the following label changes:
 - a. Revise the EPA Registration Number to read, "EPA Reg. No. 62190-12".
 - b. Submit five copies of the final printed label for the record.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Signature of Approving Official:

Connie B. Welch

Date:


April 29, 1996

WOLMAN 3488

For Industrial Use Only

INGREDIENTS:

Active Ingredients:	
Basic Copper Carbonate	18.18%
Boric Acid	9.74%
Propiconazole	0.40%
Inert Ingredients	71.68%
Total	100.00%



KEEP OUT OF REACH OF CHILDREN

DANGER

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Do not induce vomiting. Do not attempt to give anything by mouth to an unconscious person. Immediately seek medical attention.

IF INHALED: Remove to fresh air. If breathing has stopped or is difficult, administer artificial respiration or oxygen as indicated. Seek medical attention.

IF ON SKIN: Wash thoroughly with soap and water. Wash contaminated clothing before reuse.

IF IN EYES: Immediately flush with large amounts of water for 15 minutes. Immediately seek medical attention.

NET CONTENTS: 4,000 gallons (tanker)
55 gallons (drum)

DIRECTIONS FOR USE: It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Contents for use only in pressure-treating wood products. Do not attempt to use without reading the attached directions and having the necessary safety equipment. To be used only in vacuum pressure impregnation of wood products utilizing water solutions having concentrations ranging from 0.5 percent to 7.0 percent by weight of active ingredients. Impregnation procedures must rigidly adhere to the current specifications of Hickson Corporation and/or the American Wood Preservers' Association.

Processes used to apply Copper Azole formulations shall leave no visible surface deposits on the wood, as defined by AWPAC Standard C1. Visible surface deposits means a surface residue or crystallization on the treated wood. Small isolated or infrequent spots of chemical on otherwise clean wood shall be allowed.

Pressure treatment of wood products with this Copper Azole wood preservative provides wood with protection against termites, ascomycetes, white rot, brown rot and dry rot.

STORAGE AND DISPOSAL: Store in a cool, dry and well-ventilated area. Keep in tightly closed containers. Store away from incompatible materials. Protect containers from physical damage. Observe all applicable local, state, federal guidelines for storage and disposal.

PRECAUTIONARY STATEMENTS

DANGER

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

Harmful if swallowed, inhaled or absorbed through skin. Avoid breathing vapors, dust or spray mist. Avoid contact with eyes, skin or clothing. In case of contact, immediately flush eyes or skin with plenty of water. Get medical attention if irritation persists.

Good industrial hygiene practices, such as eye protection from dust, fumes or splashes, general or local exhaust ventilating, use of a full face respirator where needed, and washing hands with soap and water before eating, drinking or smoking, should be followed. Protective equipment, such as coveralls or aprons and gloves to prevent contamination of clothing and skin contact is recommended.

ENVIRONMENTAL HAZARDS: This product is toxic to fish and wildlife. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to the discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of EPA.

EPA Registration No.:
Establishment No.: 62190-GA-001

Manufactured by Hickson Corporation, Atlanta, GA 30027
Made in the USA

FOR MEDICAL EMERGENCIES: 404-616-9000
Others: 404-362-3970

WARRANTY: We warrant this material to comply with our published specifications and to be of good merchantable quality and such as will regularly pass in the trade for goods within the description, and further warrant it to be fit for the normal purposes for which such goods are used. We assume no responsibility that this material is fit for any particular purpose outside of the general purposes of goods of the description.