

62190-12

08/21/2000

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

1/3

AUG 21 2000

Ms. Julia Handel  
EH & S Coordinator  
Hickson Corporation  
3491 Bonsal Road  
Conley, GA 30288

Dear Ms. Hendel:

Subject: Label Amendment for Wolman 3488 Wood Preservative  
EPA Registration Number 62190-12  
Your Application Dated May 11, 2000

The amended labeling referred to the above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, is acceptable with the following comments.

1. You must revise your first aid statement to comply with PR Notice 2000-03..
2. The suggested subheading for the first aid statement is "FIRST AID STATEMENT";

A stamped label is enclosed for your records.

If you have any question concerning this letter please contact Drusilla Copeland at (703) 308-6224.

CONCURRENCES								
SYMBOL								
SURNAME								
DATE								

Sincerely,



Adam Heyward  
Product Manager (34)  
Regulatory Management Branch II  
Antimicrobials Division (7510C)

Enclosure

ACCEPTED  
WITH COMMENTS  
AUG 21 2000

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended for the purpose

62190-12

**PRECAUTIONARY STATEMENTS  
HAZARDS TO HUMANS AND  
DOMESTIC ANIMALS**

**DANGER**

Corrosive. Causes irreversible eye damage or skin burns. May be fatal if absorbed through skin. Harmful if swallowed. Do not get in eyes, on skin or clothing. Wear goggles or face shield. Wear protective clothing and rubber gloves. Wash thoroughly with soap and water after handling and before eating, drinking, or using tobacco. Remove contaminated clothing and wash before reuse.

Good industrial hygiene practices, such as eye protection from dust, fumes, or splashes, general or local exhaust ventilating, use of a full face respirator where needed, and washing hands with soap and water before eating, drinking, or smoking, should be followed. Protective equipment, such as coveralls or aprons and gloves to prevent contamination of clothing and skin contact is recommended.

**ENVIRONMENTAL HAZARDS:**

This product is toxic to fish and wildlife. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or other waters unless in accordance with the requirements of a National Pollution Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product into sewer systems without previously notifying the local sewage treatment plant authority. For guidance, contact your State Water Board or Regional Office of EPA.

**WARRANTY:** We warrant this material to comply with our published specifications and to be of good merchantable quality and such as will regularly pass in the trade for goods within the description, and further warrant it to be fit for the normal purposes for which such goods are used. We assume no responsibility that this material is fit for any particular purpose outside of the general purposes of goods of the description.

Manufactured for Hickson Corporation, Smyrna, GA 30080  
404-363-6300

**Wolman® 3488**

**For Industrial Use Only**

**INGREDIENTS:**

<b>ACTIVE INGREDIENTS:</b>	
Basic Copper Carbonate	18.18%
Boric Acid	9.74%
Propiconazole	0.40%
<b>INERT INGREDIENTS:</b>	
Total	71.68%
	100.00%

**KEEP OUT OF REACH OF CHILDREN**

**DANGER**

**STATEMENT OF PRACTICAL TREATMENT**

**IF SWALLOWED:** Call a physician or Poison Control Center. Do not induce vomiting. Drink promptly a large quantity of milk, egg white, gelatin solution, or if these are not available, drink large quantities of water. Avoid alcohol.

**IF ON SKIN:** Wash with plenty of soap and water. Get medical attention.

**IF IN EYES:** Hold eyelids open and flush with steady, gentle stream of water for 15 minutes. Get medical attention.

**NOTE TO PHYSICIAN:** Probable mucosal damage may contraindicate the use of gastric lavage. If breathing has stopped or is difficult, administer artificial respiration or oxygen as indicated.

**FOR MEDICAL EMERGENCIES:** Contact Georgia Poison Control at 800-837-0496  
Outside USA: 404-616-9000

**DIRECTIONS FOR USE:** It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Contents for use only in pressure-treating wood products. Do not attempt to use without reading the Manual and having the necessary safety equipment. To be used only in vacuum pressure impregnation of wood products utilizing water solutions having concentrations ranging from 0.5 percent to 7.0 percent by weight. Impregnation procedures must rigidly adhere to the current specifications of Hickson Corporation and/or the American Wood-Preservers' Association.

Processes used to apply copper azole formulations shall leave no visible surface deposits on the wood, as defined by AWPA Standard C1. Visible surface deposits means a surface residue or crystallization on the treated wood. Small isolated or infrequent spots of chemical on otherwise clean wood shall be allowed.

Pressure treatment of wood products with this copper azole wood preservative provides wood with protection against termites, ascomycetes, white rot, brown rot and dry rot.

**STORAGE AND DISPOSAL:**

Do not contaminate water, food, or feed by storage or disposal. **STORAGE:** Store in a cool, dry and well-ventilated area. Keep in tightly closed containers. Store away from incompatible materials. Protect containers from physical damage. Observe all applicable local, state, federal guidelines for storage and disposal.

**PESTICIDE DISPOSAL:** Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance.

**CONTAINER DISPOSAL:** Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incinerate, or, if allowed by state and local authorities, burn. If burned, stay out of smoke.

EPA Registration No.: 62190-12  
Establishment No.: 62190-GA-001

Net Contents: 4,000 gallons 55 gallon drum

See side panel for additional precautionary statements

3/3