11-6-2001 Arch BA

ACCE A Component for the Preparation of Hickson Wood Preservatives For Industrial Use Only NOV 6 2001

INGREDIENTS:

Active Ingredients:

Boric Acid

100%

on amended, for the publication REACH OF CHILDREN CAUTION

FIRST AID STATEMENT

IF SWALLOWED:

Under the Follows

- Call a poison control center or doctor immediately for treatment advice.
- Have person sip a glass of water if able to swallow.
- Do not induce vomiting unless told to do so by a poison control center or doctor.
- Do not give anything by mouth to an unconscious person. IF INHALED:
- Move person to fresh air.
- If person is not breathing, call 911 or an ambulance, then ve artificial respiration, preferable by mouth-to-mouth if
- · Call a poison control center or doctor for further treatment advice. IF ON SKIN OR CLOTHING:
- · Take off contaminated clothing.
- Rinse skin immediately with plenty of water for 15-20 minutes.
- · Call a poison control center or doctor for treatment advice. IF IN EYES:
- Hold eye and rinse slowly and gently with water for 15-20 minutes.
- . Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
- Call a poison control center or doctor for treatment advice.

Have the MSDS or label with you when calling a poison control center or doctor, or going for treatment.

FOR MEDICAL EMERGENCIES: 1-800-837-0496 tside USA: 404-616-9000

NET CONTENTS:

100 pounds

DIRECTIONS FOR USE: It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Contents for use only in pressure-treating wood products. The following products can be used with Arch BA; Wolman E, Arch BX or any other registered Arch products specifically used as a vacuum pressure Wood Preservative utilizing water solutions. Arch BA is a boric acid wood preservative only to be used in vacuum pressure impregnation of wood products utilizing water solutions — when adding Arch BA to any of the wood preservatives listed above, the concentration of Arch BA must range from 0.05 percent to 4.0 percent by weight. Impregnation procedures must rigidly adhere to the current specifications of Arch Wood Protection and/or the American Wood-Preservers' Association. Processes used to apply Arch BA formulations shall leave no visible surface deposits on the wood, as defined by AWPA Standard C1. Visible surface deposits means a surface residue or crystallization on the treated wood. Small isolated or infrequent spots of chemical on otherwise clean wood shall be allowed. Pressure treatment of wood products with this boric acid wood preservative provides wood with protection against termites. ascomycetes, white rot, brown rot and dry rot,

STORAGE AND DISPOSAL: Do not contaminate

water, food, or feed by storage or disposal.

Pesticide Storage: Store in a cool, dry and well-ventilated area. Keep in tightly closed containers. Store away from incompatible materials. Protect containers from physical damage.

Pesticide Disposal: Waste resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Container Disposal: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

Harmful if swallowed or inhaled. Causes eye irritation. Avoid contact with eyes or clothing. Avoid breathing dust. Wash thoroughly with soap and water after handling. Remove contaminated clothing before use.

Good industrial hygiene practices, such as eye protection from dust, furnes or splashes, general or local exhaust ventilating, use of a full face respirator where needed, and washing hands with soap and water before eating, drinking or smoking, should be followed. Protective equipment, such as coveralls or aprons and gloves to prevent contamination of clothing and skin contact is recommended

ENVIRONMENTAL HAZARDS: Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to the discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of EPA.

EPA Registration No.: 62190-19 Establishment No.: 62190-GA-001

Manufactured for Arch Wood Protection, Smyrna, GA 30027 404-363-6300 Made in the USA

WARRANTY: We warrant this material to comply with our published specifications and to be of good merchantable quality and such as will regularly pass in the trade for goods within the description, and further warrant it to t fit for the normal purposes for which such goods are used. We assume no responsibility that this material is fit for any particular purpose outside of the general purposes of goods of the description.

AWPL31-R003-8-