

62190-25

11-19-2007

1/3



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
Washington, D.C. 20460

OFFICE OF
PREVENTION,
PESTICIDES
AND TOXIC SUBSTANCES

Julie Ownbey
Regulatory Manager
Arch Wood Protection, Inc.
1955 Lake Park Drive, Suite 100
Smyra, GA 30080

NOV 19 2007

Subject: AntiBlu® XP64
EPA Registration No. 62190-25
Amendment Dated: August 16, 2007
EPA Received Date: August 29, 2007

Dear Ms. Ownbey,

The following amendment submitted in connection with registration under section 3(c)(7)(a) of the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA) as amended, is acceptable with comments.

Proposed Amendment

- Update Label

Comments

Make the following revisions to your labeling:

A. Make the following revisions to page one:

1. Rearrange the order of the routes of exposure located in the First Aid Statements. Refer to the last stamped label dated October 25, 2007.
2. Revise the following statement to reflect the mandatory language of PR Notice 2000-5:
"AntiBlu® XP64 must be applied to wood and wood products by immersion or spray methods according to the dilutions provided below."

CONCURRENCES

SYMBOL	7570P						
SURNAME							
DATE	11/14/07						


2/3

General Comments

A stamped copy of the accepted labeling is enclosed. Submit one (1) copy of your final printed labeling before distributing or selling the product bearing the revised labeling

Should you have any questions or comments concerning this letter, please contact Velma Noble at (703) 308- 6233

Sincerely,



Velma Noble

Product Manager (31)

Regulatory Management Branch1

Antimicrobial Division (7510p)

CONCURRENCES

SYMBOL							
SURNAME							
DATE							

**PRECAUTIONARY STATEMENTS:
HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

DANGER

CORROSIVE, CAUSES IRREVERSIBLE EYE DAMAGE AND SKIN BURNS. May be fatal if swallowed. Harmful if inhaled or absorbed through the skin. Do not get in eyes, on skin, or on clothing. Wear protective eyewear (goggles, face shield or safety glasses), protective clothing and gloves. Do not breathe vapor or spray mist. Wash thoroughly with soap and water after handling, and before eating, drinking or using tobacco. Remove contaminated clothing and wash clothing before reuse.

PERSONAL PROTECTIVE EQUIPMENT (PPE)

Applicators and other handlers must wear:

- Coveralls over long-sleeved shirt and long pants,
- Chemical resistant footwear and socks,
- Chemical resistant gloves that are waterproof (such as: Barrier Laminate, or any of the following gloves at > 14 mils thickness: butyl nitrile, neoprene rubber, polyvinyl chloride or Viton)
- Protective eyewear: Goggles or face shield
- Dust/mist filtering respirator (MSHA/NIOSH approval number prefix TC-21C) or a NIOSH approved respirator with any N, R, P, or HE filter.

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry. Discard clothing or other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. Do not reuse them.

USER SAFETY RECOMMENDATIONS

Users should:

Wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove clothing immediately if pesticide gets inside, then wash thoroughly and put on clean clothing. Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

STORAGE AND DISPOSAL:

Do not contaminate water, food, or feed by storage or disposal or cleaning of equipment.

Storage: Store in a cool, well-ventilated storage area. Temperatures in excess of 104° F may cause product decomposition. Store in original container only in a locked place out of reach of children. Protect from freezing.

Pesticide Disposal: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

Container Disposal: Do not reuse empty container. Dispose of container in a sanitary landfill or by incineration, or if allowed by state and local authorities by burning. If burned stay out of smoke.

AntiBlu® XP64

For the control of Sapstain and Mold on Freshly Sawn and Seasoned Wood and Wood Products

INGREDIENT STATEMENT

Active Ingredients:

Propiconazole	4.0%
3-Iodo-2-propynyl butylcarbamate	6.0%
Alkyl (60%Cl4, 30%Cl2, 5%Cl6, 5%Cl8) dimethyl benzyl ammonium chloride	25.0%
Alkyl (68%Cl2, 32%Cl4) dimethyl ethylbenzyl ammonium chlorides	25.0%

Inert Ingredients:

TOTAL: 40.0%

100.0%

KEEP OUT OF REACH OF CHILDREN

DANGER

See side panel for other precautionary statements

FIRST AID

IF IN EYES:

- Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
- Call a poison control center or doctor for treatment advice.

IF ON SKIN:

- Take off contaminated clothing.
- Rinse skin immediately with plenty of water for 15-20 minutes.
- Call a poison control center or doctor for treatment advice.

IF INHALED:

- Move person to fresh air.
- If person is not breathing, call 911 or ambulance, then give artificial respiration, preferably mouth-to-mouth.
- Call a poison control center or doctor for further treatment advice.

IF SWALLOWED:

- Call a poison control center or doctor immediately for treatment advice.
- Have person sip a glass of water if able to do so.
- Do not induce vomiting unless told to do so by poison control center or doctor.
- Do not give anything by mouth to an unconscious person

HOT LINE NUMBER

Have the product container with you when calling a poison control center or doctor, or going for treatment.

IN CASE OF EMERGENCY: CALL TOLL FREE: 1-800-654-6911

NOTE TO PHYSICIAN: Probable mucosal irritation. Do not indicate the use of gastric lavage.

ACCEPTED
with COMMENTS
in EPA Letter Dated:

NOV 19 2007

EPA Reg. No. 62190-25

EPA Est. No. 62190-GA-001

Under the Federal Insecticide,
Fungicide, and Rodenticide Act as

amended, for the pesticide,
registered under EPA Reg. No. 62190-25

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Do not apply this product in a way that will contact workers or other persons. Not for food grade/food contact paper or paper board.

For Industrial or Commercial Use Only

APPLICATION DIRECTIONS:

AntiBlu® XP64 may be applied to wood and wood products by immersion or spray methods according to the dilutions provided below. Dilution levels may vary widely and will depend on application methods, wood species, seasonal changes in exposure conditions, length of protection desired, and wood storage and transport conditions.

- For spray applications: Mix one gallon of AntiBlu® XP64 to 10-50 gallons of water.
- For immersion applications: Mix one gallon of AntiBlu® XP64 to 50-300 gallons of water.

For best results, apply AntiBlu® XP64 to recently felled and fresh sawn or peeled wood ensuring total coverage. Allow treated wood to drain in a contained area before storage, and ensure that freshly treated wood is not allowed to remain unprotected in heavy rains.

ENVIRONMENTAL HAZARDS:

Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product into sewer systems without previously notifying the local sewage treatment plant authority. For guidance, contact your State Water Board or Regional Office of EPA. For terrestrial uses: do not apply directly to water or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment wash water or rinsate. Apply this product only as specified on the labels. Treated lumber must be stored under cover, or indoors, or at least 100 feet from any ponds, lake, stream, wetland, or river to prevent possible runoff of the product into the water way. Treated lumber stored outdoors within 100 feet of a pond, lake, stream, or river must be either covered with plastic or surrounded by berm to prevent surface water runoff into the nearby waterway. If a berm is used around the site, it must consist of impermeable material (clay, asphalt, concrete) and be of sufficient height to prevent runoff during heavy rainfall events.

WARRANTY:

We warrant this material to comply with our published specifications and to be of good merchantable quality and such as will regularly pass in the trade for goods within the description, and further warrant it to be fit for the normal purposes for which such goods are used. We assume no responsibility that this material is fit for any particular purpose outside of the general purposes of goods of the description.

NET CONTENTS:

5 GALLON	<input type="checkbox"/>
55 GALLONS	<input type="checkbox"/>
275 GALLONS	<input type="checkbox"/>



Manufactured by: ARCH WOOD PROTECTION INC.
Smyrna, GA 30080

ACEAN 24-Hr. Emg. Resp. 800-654-6911

AWPL72-R000-8-07

M/M